




Order Plans



REFERENCE NOTES:
1. SEE SHEET SF007 FOR STRUCTURAL GENERAL NOTES.

| LATERAL STRUT REACTION TABLE (KIPS) | | | |
|-------------------------------------|-----------|------------|-----------------------|
| LOCATION | REACTIONS | W/D = 1.75 | W/D = 2.5 FOR MASONRY |
| H1 | ± 0.009 | ± 0.016 | ± 0.023 |
| H2 | ± 0.036 | ± 0.063 | ± 0.090 |
| H3 | ± 0.019 | ± 0.033 | ± 0.048 |
| H4 | ± 0.054 | ± 0.085 | ± 0.135 |

- NOTE:
- REACTIONS ARE ASD SEISMIC LOADS WITH A LOAD FACTOR = 0.7E
 - W/D = 1.75 O.S. FACTOR FOR THEATER WALL ANALYSIS AND SCREEN CONNECTION TO WALLS NOT CONSTRUCTED OF MASONRY.
 - W/D = 2.5 O.S. FACTOR FOR CONNECTIONS TO MASONRY WALLS PER ASCE 13.4.2.2.



PROJECT: AMC MADISON YARDS
ATLANTA, GA
AUDITORIUM #5 & 8

| DATE | BY | REVISION | DESCRIPTION |
|------|----|----------|-------------|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

DRAWING TITLE:

SCREEN STRUCTURE
ISOMETRIC VIEW
BACK SIDE

DATE: 05/10/2018
SCALE: NO SCALE
(THE ORIGINAL SIZE OF THIS DRAWING IS 36"x48")
DRAWN BY: BWP
APPROVED BY: TDA
JOB NO.:
SECTION:
DRAWING NUMBER:
SF008
INFORMATIONS CONTAINED IN THIS DOCUMENT ARE CONFIDENTIAL AND THE EXCLUSIVE PROPERTY OF MDI AND PMA. IT IS FORBIDDEN TO USE OR REPRODUCE IN WHOLE OR IN PART, EXCEPT WITH THE PRIOR WRITTEN CONSENT OF MDI AND PMA.