

PMA Engineering
 4717 Shownee Mission Freeway
 Suite 100, Overland Park, KS 66202
 P: (913) 881-1222, F: (913) 881-0148
 www.pmaengineering.com
 PMA Engineering, © 2018
 (PROJECT # 18078)



Screen Systems
 1440, RAOUL-CHARRETTE
 JOLIETTE, QC, CANADA
 J6E
 Tel: 1-877-755-3111
 Fax: 1-514-755-3111
 www.screen-di.com


PROJECT: AMC MADISON YARDS
 ATLANTA, GA
 AUD #

DATE	BY	DESCRIPTION

DRAWING TITLE:

SCREEN STRUCTURE
 ISOMETRIC VIEW
 BACK SIDE

DATE: 05/10/2018
 SCALE: NO SCALE
(THE ORIGINAL SIZE OF THIS DRAWING IS 36"x48")
 DRAWN BY: BWP
 APPROVED BY: TDA
 JOB NO: SECTION:
 DRAWING NUMBER:
SF011
INFORMATIONS CONTAINED IN THIS DOCUMENT ARE CONFIDENTIAL AND THE EXCLUSIVE PROPERTY OF MDI AND PMA. IT IS FORBIDDEN TO USE OR REPRODUCE IN WHOLE OR IN PART, EXCEPT WITH THE PRIOR WRITTEN CONSENT OF MDI AND PMA.



REFERENCE NOTES:
 1. SEE SHEET SF010 FOR STRUCTURAL GENERAL NOTES.

LOCATION	REACTIONS	W/D = 1.75	W/D = 2.5 FOR MASONRY
H1	± 0.036	± 0.063	± 0.090
H2	± 0.019	± 0.033	± 0.048
H3	± 0.047	± 0.082	± 0.118

NOTE:
 1. REACTIONS ARE ASD SEISMIC LOADS WITH A LOAD FACTOR = 0.7E
 2. W/D = 1.75 O.S. FACTOR FOR THEATER WALL ANALYSIS AND SCREEN CONNECTION TO WALLS NOT CONSTRUCTED OF MASONRY.
 3. W/D = 2.5 O.S. FACTOR FOR CONNECTIONS TO MASONRY WALLS PER ASCE 13.4.2.2.

Order Plans

WWW.LDILine.com