


Order Plans



1. THE MURPHY STATION WILL NOT DROP THE WAL-MART GREEN SPACE BELOW CITY REQUIREMENTS.
2. ALL PERMANENT TURF AREAS MUST BE SODED.
3. GC TO ENSURE THAT TRAFFIC THROUGH MAIN WAL-MART DRIVES IS NOT INTERRUPTED AT ANY TIME DUE TO CONSTRUCTION ACTIVITIES. ENSURE A MINIMUM TEMPORARY LANE WIDTH OF 10' (EACH DIRECTION) IS AVAILABLE AT ALL TIMES, FREE OF OBSTRUCTIONS TO VEHICLES. AT NO TIME SHALL THE CONSTRUCTION FENCE EXTEND INTO THE DRIVE MORE THAN 2' FROM THE FACE OF THE CURB OR DRIVE.
4. IF DEMOLITION OR CONSTRUCTION ON SITE WILL INTERFERE WITH THE WAL-MART TRAFFIC FLOW OR ADJACENT PROPERTY OWNER'S TRAFFIC FLOW, THE CONTRACTOR SHALL COORDINATE WITH THE WAL-MART CONSTRUCTION/STORE MANAGER AND/OR ADJACENT PROPERTY OWNER, TO MINIMIZE THE IMPACT ON TRAFFIC FLOW. TEMPORARY RE-ROUTING OF TRAFFIC IS TO BE ACCOMPLISHED BY USING DOT APPROVED TRAFFIC BARRICADES, BARRELS, AND/OR CONES. TEMPORARY SIGNAGE AND FLAGMEN MAY BE ALSO NECESSARY.
5. ALL WAL-MART PROPERTY DAMAGED DUE TO CONSTRUCTION ACTIVITIES MUST BE REPLACED/RESTORED TO MATCH THE EXISTING TYPE AND QUALITY OF WORK AND MATERIALS, AND IS SUBJECT TO WAL-MART APPROVAL.
6. UTILITY WORK DONE ON WAL-MART PARCEL, WHETHER BY THE GC, CITY OR THE UTILITY COMPANIES, SHALL BE REPAIRED BACK TO EXISTING CONDITIONS.
7. EROSION CONTROL MEASURES IMPLEMENTED INSIDE THE WAL-MART DRIVE ISLES AND PARKING LOT SHALL INCLUDE ONLY SILT BASINS (OR WAL-MART PRE-APPROVED EQUAL) TO ENSURE TRAFFIC CIRCULATION IS NOT IMPEDED. GRAVEL INLET PROTECTION DEVICES SHALL NOT BE ALLOWED INSIDE THE WAL-MART DRIVE ISLES OR PARKING LOT.
8. GC SHALL UTILIZE DIRECTIONAL DRILLING AND BOX METHODS TO INSTALL SERVICE LINES THROUGH THE WAL-MART PARKING LOT, DRIVE AREAS OR DRIVE DRIVE.

UTILITY CONTACT INFORMATION

ELECTRIC
 SCANA ENERGY
 19 MONTAGUE AVE
 GREENWOOD, SC 29646
 CONTACT: NEAL ANDERSON
 PHONE: (864) 227-5433
 FAX: (864) 993-6772

TELEPHONE
 AT&T
 SEWER
 GREENWOOD METROPOLITAN DISTRICT
 110 METRO DRIVE
 GREENWOOD, SC 29646
 CONTACT: BRIAN WALKER
 PHONE: (864) 942-8901

UTILITY INSTALLATION RESPONSIBILITIES

CONDUIT / TRENCH	ELECTRIC RESPONSIBILITY		
	GENERAL CONTRACTOR	UTILITY PROVIDER	N/A
TRANSFORMER PAD			X
CT CABINET	X		
EASEMENTS (TRANSFORMER)			X
EASEMENTS (SECONDARY LINE)			X

CONDUIT / TRENCH	TELEPHONE RESPONSIBILITY		
	GENERAL CONTRACTOR	UTILITY PROVIDER	N/A
PULL STRINGS	X		

TAP	WATER RESPONSIBILITY		
	GENERAL CONTRACTOR	UTILITY PROVIDER	N/A
DOMESTIC METER	X		
DOMESTIC BFP	X		
IRRIGATION METER	X		
IRRIGATION BFP	X		
HYDRANT			X
EASEMENTS			X

TAP	SEWER RESPONSIBILITY		
	GENERAL CONTRACTOR	UTILITY PROVIDER	N/A
EASEMENTS	X		

UTILITY FEE SCHEDULE

WATER & SANITARY SEWER FEES TO BE PAID BY MURPHY:
 WATER:
 \$265.00 DOMESTIC METER, TAP & RPZ
 \$265.00 IRRIGATION METER, TAP & RPZ
 \$1,330.00 TOTAL

SANITARY SEWER:
 \$1,000.00 TAP FEE

METER SIZES

DOMESTIC: 1" (EXISTING)
 IRRIGATION: 1"



LEGEND

- EXISTING**
- EXISTING BUILDING
 - LAND LOT LINE (LLL)
 - PROPERTY LINE
 - UTILITY (GAS, OVERHEAD LINES)
 - FIBER OPTIC CABLE
 - PIPE LINE
 - SANITARY SEWER MANHOLE
 - SANITARY CLEAN-OUT (SCO)
 - TELEPHONE MANHOLE/PEDESTAL
 - STORM DRAIN WITH HEADWALL
 - DOUBLE-WHIPPED 151 BASIN
 - DOUBLE-WING CATCH BASIN
 - IRRIGATION BOX (IB)
 - DRIP OR CURB INLET (DI OR CI)
 - FENCE
 - DRAINAGE DITCH OR SWALE
 - EXISTING 10 FOOT CONTOUR
 - EXISTING 2 FOOT CONTOUR
 - EXISTING GRADE SPOT ELEVATION
 - DIRECTION OF SURFACE FLOW
 - RECORDED DATA
 - PARKING SPACE COUNT
 - LIGHT POLE (LP)
 - ELECTRICAL TRANSFORMER BOX
 - ELECTRICAL METER
 - ELECTRICAL STUB OUT

PROPOSED LEGEND

- BOUNDARY LINE
- SAN - SANITARY SEWER SERVICE
- E - UNDERGROUND ELECTRIC SERVICE
- T - UNDERGROUND TELEPHONE SERVICE
- 1 - 1/4" W - WATER SERVICE
- CF - CONSTRUCTION FENCE (SEE CIVIL DETAILS)
- CFP - CONSTRUCTION FENCE ON PAVEMENT (SEE CIVIL DETAILS)

GENERAL UTILITY NOTES

1. ALL BUILDING WATER LINES FROM METER TOWARDS BUILDING SHALL BE SCHEDULE 40 PVC MEETING ASTM D1785 & D2685 SPECIFICATIONS, AND SHALL BE RATED FOR USE WITH POISSON WATER PER NSF STD. 61 & STD.14, WITH 36" MIN. COVER.
2. ALL SANITARY SEWER LINES SHALL BE SCHEDULE 40 PVC UNLESS OTHERWISE SPECIFIED BY THE UTILITY COMPANY, PROVIDE 36" MINIMUM COVER.
3. CONTRACTOR SHALL COORDINATE ANY DISRUPTIONS TO EXISTING UTILITY SERVICES WITH ADJACENT PROPERTY OWNERS.
4. ALL ELECTRIC AND TELEPHONE EXTENSIONS INCLUDING SERVICE LINES SHALL BE CONSTRUCTED TO THE APPROPRIATE UTILITY COMPANY SPECIFICATIONS. ALL UTILITY DISCONNECTIONS SHALL BE COORDINATED WITH THE DESIGNATED UTILITY COMPANIES.
5. CONSTRUCTION SHALL NOT START ON ANY PUBLIC UTILITY SYSTEM UNLESS WRITTEN APPROVAL HAS BEEN RECEIVED BY THE ENGINEER FROM THE APPROPRIATE GOVERNING AUTHORITY AND CONTRACTOR HAS BEEN NOTIFIED BY THE ENGINEER.
6. PRIOR TO THE CONSTRUCTION OF OR CONNECTION TO ANY STORM DRAIN, SANITARY SEWER, WATER MAIN OR ANY OTHER UTILITIES, THE CONTRACTOR SHALL EXAMINE, VERIFY AND CALCULATE ALL POINTS OF CONNECTION AND ALL UTILITY CROSSINGS AND INFORM GREENBERGFARROW ENGINEERS AND THE OWNER/DEVELOPER OF ANY CONFLICT OR REQUIRED DEVIATIONS FROM THE PLAN. NOTIFICATION SHALL BE MADE A MINIMUM OF (72) HOURS PRIOR TO CONSTRUCTION AND ITS CLIENTS SHALL BE HELD HARMLESS IN THE EVENT THAT THE CONTRACTOR FAILS TO MAKE SUCH NOTIFICATION.
7. CONTRACTOR SHALL COMPLY COMPLETELY WITH THE LATEST STANDARDS OF OSHA DIRECTIVES OR ANY OTHER AGENCY HAVING JURISDICTION FOR EXCAVATION AND TRENCHING PROCEDURES. THE CONTRACTOR SHALL USE SUPPORT SYSTEMS, SLOPING, BENCHING AND OTHER MEANS OF PROTECTION. THIS IS TO INCLUDE, BUT NOT LIMITED TO ACCESS AND EGRESS FROM ALL EXCAVATION AND TRENCHING. CONTRACTOR IS RESPONSIBLE FOR COMPLYING WITH PERFORMANCE CRITERIA AS REQUIRED BY OSHA.

UTILITY NOTES

- 22A POINT OF CONNECTION - WATER SERVICE (PER LOCAL CODES)
- 22L METERED DOMESTIC WATER SERVICE ENTRY
- 22M PROPOSED WATER METER (SEE THIS SHEET)
- 23E SANITARY SEWER SERVICE ENTRY (PER ARCH. PLANS)
- 23L CONNECT GREASE TRAP VENT TO BUILDING VENT SYSTEM. GREASE TRAP VENT INVERT MUST BE HIGHER THAN INLET INVERT.
- 24A POINT OF CONNECTION FOR UNDERGROUND ELECTRIC SERVICE
- 24E PROPOSED POLE MOUNTED TRANSFORMER
- 28A POINT OF CONNECTION FOR UNDERGROUND TELEPHONE
- 300 VERIFY LOCATION AND DEPTH OF EXISTING UTILITY BEFORE CONSTRUCTING PROPOSED UTILITY

UTILITY DETAILS - SEE DETAIL SHEETS

- 39G SANITARY SEWER GREASE TRAP
- 40B SANITARY SEWER WYE CONNECTION
- 40C SANITARY SEWER CLEAN-OUT
- 40E SANITARY SEWER SERVICE CONNECTION TO EXISTING STUB OUT
- 41G REDUCED PRESSURE ZONE BACKFLOW PREVENTER. CONTRACTOR TO VERIFY TYPE (ABOVE/UNDERGROUND) PRIOR TO COMMENCING CONSTRUCTION. SEE DETAIL THIS SHEET

UTILITY PLAN
WALMART SUPERCENTER #1382
508 SC -72
GREENWOOD SOUTH CAROLINA

GreenbergFarrow
 1430 W. PEACHTREE ST., NW SUITE 200
 ATLANTA, GA 30309
 PHONE: (404) 601-8000
 FAX: (404) 601-8000
 DWG. NAME: GREENWOOD, SOUTH CAROLINA
 JOB NO.: 20107840

MURPHY OIL USA, INC.
MURPHY 200 PEACH STREET
USA P.O. BOX 7000
EL DORADO, AR 71730-7000

CONC-6

LEGEND

UTILITY CONTACT INFORMATION

UTILITY INSTALLATION RESPONSIBILITIES

WATER RESPONSIBILITY

SEWER RESPONSIBILITY

UTILITY FEE SCHEDULE

METER SIZES

UTILITY DETAILS - SEE DETAIL SHEETS