






STUD GA. LIMITING HEIGHT SCHEDULE

STUD WIDTH	STUD TYPE	STUD GAUGE	DEFLECTION CRITERIA	STUD SPACING	MAX HEIGHT
1-5/8"	S200X18	25	L/100	2"	11'-3"
				2 1/2"	9'-3"
				3"	8'-0"
				3 1/2"	6'-6"
2-1/4"	S200X18	25	L/100	2"	11'-3"
				2 1/2"	9'-3"
				3"	8'-0"
				3 1/2"	6'-6"
3-1/2"	S200X18	25	L/100	2"	11'-3"
				2 1/2"	9'-3"
				3"	8'-0"
				3 1/2"	6'-6"
4"	S200X18	25	L/100	2"	11'-3"
				2 1/2"	9'-3"
				3"	8'-0"
				3 1/2"	6'-6"
5"	S200X18	25	L/100	2"	11'-3"
				2 1/2"	9'-3"
				3"	8'-0"
				3 1/2"	6'-6"
6"	S200X18	25	L/100	2"	11'-3"
				2 1/2"	9'-3"
				3"	8'-0"
				3 1/2"	6'-6"



CALLISORTKTL
A DESIGN CONSULTRANCY OF ARCADIS

CallisortKTL, Inc.
1420 7th Ave, Suite 2400
Seattle, WA 98101
Tel: 206.622.8646

CallisortKTL Project No: 003-180024-00

HENDERSON ENGINEERS

Henderson Engineers, Inc.
200 West 27th Street, Suite 300
New York, NY 10001
Tel: 212.254.0000

BOWLERO - AUGUSTA

ISSUE FOR PERMIT / BID

Client/Owner/Project Address
 Bowlero / AMF
 272 West 27th Street
 New York, NY 10001

Bowlero

Project Address:
 272 West 27th Street
 Augusta, GA 30907

Issue Drawing Log
 2016.05.29 ISSUE FOR PERMIT
 2016.05.29 ISSUE FOR BID

Sheet Identification
PARTITION SCHEDULE

A-801

Order Plans @