

TYP. ENTRANCE / EXIT DOOR N.T.S. | **17**



EXTERIOR DOOR REQUIREMENTS 1/2" = 1'-0" | **13**



TRUNCATED DOMES N.T.S. | **18**



BOTTOM RAIL (EXTERIOR DOOR) 3" = 1'-0" | **14**

NOT USED N.T.S. | **2**

KEY NOTES

1. WHEN DOOR SWINGS ONTO LANDING 42" MIN. PLUS DOOR WIDTH
2. MAXIMUM HORIZONTAL DISTANCE OF EACH RAMP & RUN VARY
3. 72" FOR CALIFORNIA & 60" FOR REST OF COUNTRY
4. HANDRAILS NOT REQUIRED ON WALKING SURFACES WITH RUNNING SLOPES LESS THAN 1:20.













COORDINATE ALL SITE ADA REQUIRMENTS WITH CIVIL DRAWINGS

RAMPS N.T.S. | **16**



ACCESSIBLE PARKING STALL N.T.S. | **11**



ACCESSIBLE PARKING SIGN N.T.S. | **12**



CURB RAMPS N.T.S. | **3**



CURB RAMPS N.T.S. | **4**

Order Plans @ WWW.LDILine.com

m2 architecture studio
1232 washington ave.
suite 310
st. louis, mo 63103
p: 314.241.6262
f: 314.241.6263
www.m2astudio.com

STATE OF GEORGIA
MARK J. GETTEMEYER
CERTIFICATE NO. RA018888
REGISTERED ARCHITECT

Mark J. Gettemeyer, Architect

PERMIT/CONSTRUCTION SET

DATE: MAY 4, 2018

CONTRACT DATE: XX.XX.XX
BUILDING TYPE: EXPLORER LITE 40
PLAN VERSION: DECEMBER 2017
SITE NUMBER: XXX-XXX
STORE NUMBER: XXXXX

TACO BELL
101 MONTGOMERY CROSSING
BISCOE, NC 27209

TACO BELL
EXPLORER LITE
MEDIUM40

ACCESSIBILITY REQUIREMENTS

ADA1.1

PLOT DATE: