



**PLUMBING ROUGH-IN PLAN** 1/4"=1'-0" **A**

EQUIP #	EQUIPMENT ITEM	TYPE	ELEVATION	REMARKS	EQUIP #	EQUIPMENT ITEM	TYPE	ELEVATION	REMARKS
FS 1	FLOOR SINK				S 2	MOP SINK FAUCET	CW/HW	+42" A.F.F.	CLOSET MOP SINK ONLY
FD 1	FLOOR DRAIN				S 3	3-COMPARTMENT SINK	W	+19" A.F.F.	
HD 1	HUB DRAIN				S 3	3-COMPARTMENT SINK FAUCET	CW/HW	+38" A.F.F.	
WH 1	TANKLESS WATER HEATER	CW	FIELD VERIFY		S 4	PREP SINK	W	+19" A.F.F.	
WH 1	TANKLESS WATER HEATER	G	+15' A.F.F.		S 4	PREP SINK FAUCET	CW/HW	+38" A.F.F.	
WH 2	TANKLESS WATER HEATER	CW	FIELD VERIFY		HB 1	HOSE/BIBB	CW	FIELD VERIFY	
WH 2	TANKLESS WATER HEATER	G	+15' A.F.F.		S-513	ICE MAKER	FW	-	VIA SYRUP BUNDLE
WC 1	WATER CLOSET FLUSH VALVE	CW	+29" A.F.F.	BOTH HANDICAP AND REGULAR	C-107	RE THERMALIZER	HW	+8" A.F.F.	
UR 1	URINAL FLUSH VALVE	W	+47" A.F.F.	WALL MOUNTED	C-026	DOUBLE OPEN FRYER	G	+12" A.F.F.	
UR 1	URINAL WASTE STUB	W	+16-1/2" A.F.F.	WALL MOUNTED	S-286	WATER FILTER SYSTEM	CW	+94" A.F.F.	INLET TO & OUTLET FROM FILTER
L 1	LAVATORY	TW	+20" A.F.F.		P-352	DUAL LINE, 15" READY TO ACCEPT EVO CABINETS	FW	CLG	STUB AT CLG
L 1	LAVATORY	CW	+20" A.F.F.		P-452	FILTER FOR HOT WATER SYSTEM	CW	+24" A.F.F.	
L 1	LAVATORY WASTE LINE	W	+16-1/2" A.F.F.		P-315	REVERSE OSMOSIS SYSTEM	CW	FIELD VERIFY	
S 1	MOP SINK	TW	+18" A.F.F.	RIM OF HS @ +2'-8" A.F.F.					
S 1	MOP SINK	CW	+18" A.F.F.	RIM OF HS @ +2'-8" A.F.F.					
S 2	MOP SINK FAUCET	W	6" A.F.F.	RECESSED IN FLOOR					
S 2	MOP SINK FAUCET	CW/HW	+36" A.F.F.						

**PLUMBING ROUGH-IN SCHEDULE** **D**

SYMBOL	DESCRIPTION
●	HOT WATER
●	COLD WATER
●	TEMPERED WATER
■	GAS
○	FLOOR DRAIN
⊠	FLOOR SINK
○	HUB DRAIN
◆	WASTE OUTLET
○	FLOOR CLEANOUT
○	WALL CLEANOUT
○	FILTERED WATER
◆	VENT UP FROM UNDER SLAB
○	WATER LINE THRU FLOOR
◆	VENT THROUGH ROOF

**SYMBOL LEGEND** **C**

- ALL DIMENSIONS TO FLOOR SINKS, FLOOR DRAINS AND HUB DRAINS ARE TO CENTER OF FIXTURE.
  - IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO COORDINATE THIS DATA ON THE ARCHITECTURAL AND STRUCTURAL DRAWINGS AND THE EQUIPMENT ACTUALLY SUPPLIED AND TO CONFIRM THE CORRECTNESS OF ANY DIMENSIONS INDICATED HEREIN.
- \* CHILLED & FILTERED.

**PLUMBING ROUGH-IN NOTES** **B**



PERMIT/CONSTRUCTION SET  
 DATE: FEB. 28, 2018

CONTRACT DATE: XX.XX.XX  
 BUILDING TYPE: EXPLORER LITE 40  
 PLAN VERSION: DECEMBER 2017  
 SITE NUMBER: XXX-XXX  
 STORE NUMBER: XXXXX

**TACO BELL**  
 101 MONTGOMERY CROSSING  
 BISCOE, NC 27209



**PLUMBING ROUGH-IN PLAN**  
**P4.0**

PLOT DATE: