

Order Plans @

PLUMBING FIXTURE SCHEDULE

MARK	DESCRIPTION	MANUFACTURER	MATERIAL	ACCESSORIES	CW	HW	WASTE	VENT	REMARKS
SK-1	HAND SINK SINK BY OWNER	-	18 GA. STAINLESS STEEL	FAUCET: BY OWNER AERATOR: -- SUPPLY: McGUIRE #H170BVRB DRAIN: McGUIRE #155WC (OFFSET GRID DRAIN) P-TRAP: McGUIRE #8872C COVERING: McGUIRE PRO-WRAP MIXING VALVE: POWERS MODEL LFE480 (ASSE 1070)	1/2"	1/2"	2"	2"	SINK AND FAUCET BY OWNER FOR PLUMBING CONTRACTOR INSTALLATION.
SK-2	VEGETABLE SINK FAUCET ONLY	ELKAY	18 GA. STAINLESS STEEL	FAUCET: ELKAY LK-4121 AERATOR: -- SUPPLY: McGUIRE #H170BVRB DRAIN: McGUIRE #155WC (OFFSET GRID DRAIN) P-TRAP: McGUIRE #8872C	1/2"	1/2"	2"	2"	SINK AND FAUCET BY OWNER FOR PLUMBING CONTRACTOR INSTALLATION.
SK-3	POT SINK SINK BY OWNER	-	18 GA. STAINLESS STEEL	FAUCET: BY OWNER AERATOR: -- SUPPLY: McGUIRE #H170BVRB DRAIN: McGUIRE #155WC (OFFSET GRID DRAIN) P-TRAP: McGUIRE #8872C	1/2"	1/2"	2"	2"	SINK AND FAUCET BY OWNER FOR PLUMBING CONTRACTOR INSTALLATION.
SK-4	HAND SINK SINK BY OWNER	-	18 GA. STAINLESS STEEL	FAUCET: BY OWNER AERATOR: -- SUPPLY: McGUIRE #H170BVRB DRAIN: McGUIRE #155WC (OFFSET GRID DRAIN) P-TRAP: McGUIRE #8872C MIXING VALVE: POWERS MODEL LFE480 (ASSE 1070)	1/2"	1/2"	2"	2"	SINK AND FAUCET BY OWNER FOR PLUMBING CONTRACTOR INSTALLATION.
MSK-1	MOP SINK	FIAT MSB-2424-3	MOLDED STONE	FAUCET: T&S BRASS #B-0665-BSTP BRACKET: FIAT #832-AA GUARD: FIAT #1239-BB MOP HANGER: FIAT #889-CC SPLASH PANEL: FIAT #MSG DRAIN GASKET: FIAT #QDC3XH	3/4"	3/4"	3"		SQUARE MOUNTED FLOOR MOUNTED - TWO HANDLE FAUCET WITH BUILT-IN STOPS AND SPRING CHECKS; MOP SINK AND FAUCET BY OWNER FOR PLUMBING CONTRACTOR INSTALLATION.
RH-1	ROOF HYDRANT	WOODFORD RHY2-MS	--		2"				FREEZE PROOF PEDESTAL HYDRANT WITH HEAVY DUTY CAST IRON SHROUD AND FLASHING.

ALL FIXTURES & FAUCETS WILL BE PROVIDED BY LOVES FOR CONTRACTOR INSTALLATION - CONTRACTOR SHALL PROVIDE ALL ACCESSORIES THAT ARE
REQUIRED FOR FULL INSTALLATION OF THESE PLUMBING FIXTURES (SUCH AS: INSULATION, ANGLE VALVES, SUPPLIES, P-TRAPS, ETC.)
ALL FLOOR DRAINS, FLOOR SINKS, AND ROOF DRAINS SHALL BE PROVIDED AND INSTALLED BY THE PLUMBING CONTRACTOR. SEE SPECIFICATIONS SECTION 311006.


WATER HEATER SCHEDULE

ID	MANUFACTURER AND MODEL NUMBER	LOCATION	TYPE	ELECTRICAL				PHYSICAL				NOTES
				RECOVERY RATE 100° F DELTA T	(AMP)	VOLTS/PHASES	NUMBER OF ELEMENTS	INPUT (KW)	TANK SIZE (GAL)	FLUE SIZE (IN)	HEIGHT/ DIA. (IN)	
FS-DWH-1	BRADFORD WHITE M-II-80-24-SF	KITCHEN	ELECTRIC STORAGE	99	66.7	208V	6	24	80	-	60/26	1-3

1. RECIRCULATION PUMP: TACO 008-BC6; BALANCE BETWEEN 1-5 GPM.
2. PROVIDE WITH EXPANSION TANK: WATTS MODEL DET1.5 GAL. ACCORDING TO VOLUME.
3. OWNER PROVIDED FOR CONTRACTOR INSTALLATION.

PLUMBING LEGEND

DEFINITION	SYMBOL OR ABBREVIATION	DEFINITION	SYMBOL OR ABBREVIATION
DOMESTIC HOT WATER	---D---	FLOOR DRAIN	□FD-X
DOMESTIC COLD WATER	---DCW---	CLEANOUT	⊙CO-X
DOMESTIC SCOT WATER	---SFWS---	WALL HYDRANT	---WH-1---
HOT WATER RETURN	---DHR---	BALANCING VALVE	⊕
VENT PIPING	---V---	BALL VALVE	⊕
SANITARY WASTE	---4" SAN---	CONDENSATE DRAIN	---CD---
GAS PIPING	---NAT---	SECONDARY COND. DRAIN	---SD---
RISER DOWN (ELBOW)	⊕	HOSE BIBB	HB-X
RISER UP (ELBOW)	⊕	LAVATORY	L-X
TEE DOWN	⊕	SHOWER	SH-X
BACKFLOW PREVENTER	⊕	URINAL	UR-X
CHECK VALVE	⊕	WATER CLOSET	WC-X
ROOF DRAIN (AREA SERVED)	⊕ 4" RD-1 (1,650 SQFT.)	VENT THRU ROOF	VTR



Pascal Aughtry & Associates, PC

405.463.3494
Fax: 405.463.3493

937 East Brison Road
Oklahoma City, OK 73114
pascalarch.com



Jan 15 2018 8:22 AM

A NEW TRAVEL STOP
STORE NO. 735
CALHOUN, GA

Loves
Travel Stops

Revisions:	
No.	Date

Project No.: LVS - 18735
Date: 05-22-18
Sheet No.:
SWP4.1
OF: