

Owner  
SHOP MORE PROPERTIES  
11430 N. Kendall Road, Suite 116  
Miami, FL 33176  
Telephone (856) 780-4460  
Fax

Architect  
SBLM Architects  
11430 N. Kendall Drive, Suite 310  
Miami, FL 33176  
Telephone 305 412 9187  
Fax 305 412 6731  
www.sblm.com

Consultants  
Civil  
Langan Engineering

Structural  
Bliss & Nytray, Inc.  
Electrical/Mechanical/Plumbing  
B&K Engineering Group

Revisions/Issues

06/21/18 PERMIT SET

Key Plan

Seal

James L. Cohen AR0015903

Project Title  
SOUTHERN PALM CROSSING  
BUILDING SHELL  
11001-11161 Southern Blvd.  
Royal Palm Beach, FL 33411

Job Number 017512.00

Drawing  
PHOTOMETRICS PLAN

Scale AS SHOWN  
Drawing Date 05/16/18

Drawing No.

EPH1.1

Sheet Of

**SOUTHERN PALM CROSSING**

**LIGHTING FIXTURE SCHEDULE**

NO.	SYMBOL	DESCRIPTION	QTY	MANUFACTURER	MODEL	WATTAGE	TYPE	NOTES
A	□	WALKWAY LIGHT FIXTURE	11	MOGRAN EDISON	ISW-AF-1000-LED-E1-T3	0.900	RECESSED	1000 LUMENS, 1000 MAINTENANCE FREE HOURS
A1	○	GENERAL ILLUMINATION LIGHT FIXTURE	12	PORTFOLIO	LD6B15D010 EU6B102080XX 6LEW1H	0.900	RECESSED	1000 LUMENS, 1000 MAINTENANCE FREE HOURS
B	□	RECESSED TRACK LIGHT WITH DIMMER	12	PORTFOLIO	LD6B15D010 EU6B102080XX 6LEW1H	0.900	RECESSED	1000 LUMENS, 1000 MAINTENANCE FREE HOURS
C	□	RECESSED TRACK LIGHT WITH DIMMER	12	PORTFOLIO	LD6B15D010 EU6B102080XX 6LEW1H	0.900	RECESSED	1000 LUMENS, 1000 MAINTENANCE FREE HOURS
D	□	RECESSED TRACK LIGHT WITH DIMMER	12	PORTFOLIO	LD6B15D010 EU6B102080XX 6LEW1H	0.900	RECESSED	1000 LUMENS, 1000 MAINTENANCE FREE HOURS
E	□	RECESSED TRACK LIGHT WITH DIMMER	12	PORTFOLIO	LD6B15D010 EU6B102080XX 6LEW1H	0.900	RECESSED	1000 LUMENS, 1000 MAINTENANCE FREE HOURS
F	□	RECESSED TRACK LIGHT WITH DIMMER	12	PORTFOLIO	LD6B15D010 EU6B102080XX 6LEW1H	0.900	RECESSED	1000 LUMENS, 1000 MAINTENANCE FREE HOURS
G	□	RECESSED TRACK LIGHT WITH DIMMER	12	PORTFOLIO	LD6B15D010 EU6B102080XX 6LEW1H	0.900	RECESSED	1000 LUMENS, 1000 MAINTENANCE FREE HOURS
H	□	RECESSED TRACK LIGHT WITH DIMMER	12	PORTFOLIO	LD6B15D010 EU6B102080XX 6LEW1H	0.900	RECESSED	1000 LUMENS, 1000 MAINTENANCE FREE HOURS
I	□	RECESSED TRACK LIGHT WITH DIMMER	12	PORTFOLIO	LD6B15D010 EU6B102080XX 6LEW1H	0.900	RECESSED	1000 LUMENS, 1000 MAINTENANCE FREE HOURS
J	□	RECESSED TRACK LIGHT WITH DIMMER	12	PORTFOLIO	LD6B15D010 EU6B102080XX 6LEW1H	0.900	RECESSED	1000 LUMENS, 1000 MAINTENANCE FREE HOURS
K	□	RECESSED TRACK LIGHT WITH DIMMER	12	PORTFOLIO	LD6B15D010 EU6B102080XX 6LEW1H	0.900	RECESSED	1000 LUMENS, 1000 MAINTENANCE FREE HOURS
L	□	RECESSED TRACK LIGHT WITH DIMMER	12	PORTFOLIO	LD6B15D010 EU6B102080XX 6LEW1H	0.900	RECESSED	1000 LUMENS, 1000 MAINTENANCE FREE HOURS
M	□	RECESSED TRACK LIGHT WITH DIMMER	12	PORTFOLIO	LD6B15D010 EU6B102080XX 6LEW1H	0.900	RECESSED	1000 LUMENS, 1000 MAINTENANCE FREE HOURS
N	□	RECESSED TRACK LIGHT WITH DIMMER	12	PORTFOLIO	LD6B15D010 EU6B102080XX 6LEW1H	0.900	RECESSED	1000 LUMENS, 1000 MAINTENANCE FREE HOURS
O	□	RECESSED TRACK LIGHT WITH DIMMER	12	PORTFOLIO	LD6B15D010 EU6B102080XX 6LEW1H	0.900	RECESSED	1000 LUMENS, 1000 MAINTENANCE FREE HOURS
P	□	RECESSED TRACK LIGHT WITH DIMMER	12	PORTFOLIO	LD6B15D010 EU6B102080XX 6LEW1H	0.900	RECESSED	1000 LUMENS, 1000 MAINTENANCE FREE HOURS
Q	□	RECESSED TRACK LIGHT WITH DIMMER	12	PORTFOLIO	LD6B15D010 EU6B102080XX 6LEW1H	0.900	RECESSED	1000 LUMENS, 1000 MAINTENANCE FREE HOURS
R	□	RECESSED TRACK LIGHT WITH DIMMER	12	PORTFOLIO	LD6B15D010 EU6B102080XX 6LEW1H	0.900	RECESSED	1000 LUMENS, 1000 MAINTENANCE FREE HOURS
S	□	RECESSED TRACK LIGHT WITH DIMMER	12	PORTFOLIO	LD6B15D010 EU6B102080XX 6LEW1H	0.900	RECESSED	1000 LUMENS, 1000 MAINTENANCE FREE HOURS
T	□	RECESSED TRACK LIGHT WITH DIMMER	12	PORTFOLIO	LD6B15D010 EU6B102080XX 6LEW1H	0.900	RECESSED	1000 LUMENS, 1000 MAINTENANCE FREE HOURS
U	□	RECESSED TRACK LIGHT WITH DIMMER	12	PORTFOLIO	LD6B15D010 EU6B102080XX 6LEW1H	0.900	RECESSED	1000 LUMENS, 1000 MAINTENANCE FREE HOURS
V	□	RECESSED TRACK LIGHT WITH DIMMER	12	PORTFOLIO	LD6B15D010 EU6B102080XX 6LEW1H	0.900	RECESSED	1000 LUMENS, 1000 MAINTENANCE FREE HOURS
W	□	RECESSED TRACK LIGHT WITH DIMMER	12	PORTFOLIO	LD6B15D010 EU6B102080XX 6LEW1H	0.900	RECESSED	1000 LUMENS, 1000 MAINTENANCE FREE HOURS
X	□	RECESSED TRACK LIGHT WITH DIMMER	12	PORTFOLIO	LD6B15D010 EU6B102080XX 6LEW1H	0.900	RECESSED	1000 LUMENS, 1000 MAINTENANCE FREE HOURS
Y	□	RECESSED TRACK LIGHT WITH DIMMER	12	PORTFOLIO	LD6B15D010 EU6B102080XX 6LEW1H	0.900	RECESSED	1000 LUMENS, 1000 MAINTENANCE FREE HOURS
Z	□	RECESSED TRACK LIGHT WITH DIMMER	12	PORTFOLIO	LD6B15D010 EU6B102080XX 6LEW1H	0.900	RECESSED	1000 LUMENS, 1000 MAINTENANCE FREE HOURS

1. FOR QUESTIONS PERTAINING TO THIS FIXTURE SCHEDULE PLEASE CONTACT GELS MADIAS @ (305) 412-9187 OR GMADIAS@SBLMARCHITECTS.COM

2. SPECIFIC LIGHT FIXTURES, SELECTED BY TYPE, PHOTOMETRIC PERFORMANCE, LIGHTING PATTERN, AND LUMEN OUTPUT, WERE USED IN THE ILLUMINATION DESIGN TO PRODUCE THE REQUIRED EFFECT AND ILLUMINATION. SUBSTITUTION OF THE LIGHT FIXTURES WILL RESULT IN DIFFERENT

3. THE ABOVE FIXTURE SCHEDULE IS PREDICATED ON PERFORMANCE, SIZE LIMITATIONS, AND IS DESIGNED TO MEET CERTAIN AESTHETIC CRITERIA. ANY ALTERNATIVE SELECTIONS MUST SUBMIT THE FOLLOWING TO THE ARCHITECT FOR APPROVAL FIFTEEN (15) DAYS PRIOR TO BID DATE...

4. IF THERE IS A DISCREPANCY BETWEEN A FIXTURE DESCRIPTION AND GENERAL NOTES, AND THE CATALOG NUMBER LISTED, THE FIXTURE DESCRIPTION AND GENERAL NOTES SHALL DICATE.

5. IT IS THE CONTRACTOR'S RESPONSIBILITY TO VERIFY ACTUAL CEILING CONSTRUCTION TYPE AS DEFINED ON THE ARCHITECTURAL DRAWINGS AND FURNISH ALL LUMINAIRES WITH THE CORRECT MOUNTING DEVICES WHETHER OR NOT SUCH VARIATIONS ARE INDICATED IN THE LUMINAIRE CATALOG.

6. ALL LUMINAIRES SHALL BEAR THE UL LISTING NUMBERS FROM A NATIONALLY RECOGNIZED TESTING LABORATORY.

Luminaire Schedule

Symbol	Qty	Label	Arrangement	Total Lamp Lumens	LLF	Description
□	11	B	SINGLE	N.A.	0.900	MOGRAN EDISON: ISW-AF-1000-LED-E1-T3
○	12	C	SINGLE	N.A.	0.900	PORTFOLIO: LD6B15D010 EU6B102080XX 6LEW1H

Calculation Summary

Label	CalcType	Units	Avg	Max	Min	Avg/Min	Max/Min
Walkway CalcPts 1	Illuminance	Fc	12.95	17.9	4.3	3.01	4.16

PHOTOMETRICS PLAN  
SCALE: 1/8" = 1'-0"

B&K PROJECT: 208-022  
PROJECT MANAGER: JAM J. BEOYTA  
06/21/2018  
DATE

2701 NW BOCA RATON BLVD  
SUITE 100  
BOCA RATON, FL 33431  
MECH DEPT.  
TEL: 561-971-7120  
ELEC DEPT.  
TEL: 954-844-9612  
CERTIFICATION OF AUTHORIZATION  
NO. 21929  
B&K Engineering Group

Order Plans @