

REVISIONS/ISSUANCES		
NO.	DATE	DESCRIPTION



**CARTER**  
Engineering Group  
6310 Peach Road, Suite 200  
Roswell, GA 30129  
478-219-5990




**Manley Spangler Smith Architects**  
A Professional Corporation

225 East Taylor St.  
P.O. Box 680  
Griffin, Georgia 30224  
Office 770.227.5473  
Fax 770.228.3442

PROJECT:  
RENOVATIONS,  
MODIFICATIONS, &  
ADDITIONS TO HENRY  
COUNTY SCHOOLS -  
GROUP 10 WOODLAND  
HIGH SCHOOL (ITEM C)  
CLIENT:  
HENRY COUNTY  
BOARD OF EDUCATION

SHEET TITLE:  
INITIAL  
STORMWATER  
POLLUTION PREVENTION  
PLAN

LU: 66  
F.T.E.: 1992  
FACILITY CODE: 0406  
© 2018 Manley Spangler Smith Architects, PC  
PROJECT NUMBER: 201731C  
DATE: 06.07.18  
SCALE: 1"=20'  
0"  
DRAWN BY: AGM/MAR/MWH  
CHECKED BY: DLC  
SHEET NO.: C6.1



**INITIAL PHASE**  
DRAINAGE AREA: 3.99 ACRES  
DISTURBED AREA: 2.02 ACRES  
CONCIDES WITH PROJECT WORK AREA  
STAGING OF CONSTRUCTION DURING INITIAL PHASE OF EROSION CONTROL:  
1. EXISTING PAVEMENT AND CURB TO BE SAW-CUT AND REMOVED TO ALLOW FOR INSTALLATION OF REDUCED SANITARY SEWER AND WATER LINE DURING EARLY PHASES OF CONSTRUCTION OPERATIONS. AREAS WHERE PAVEMENT WILL BE REMOVED SHALL BE REPLACED WITH COMPACTED GRADED AGGREGATE BASE COURSE MATERIAL PLACED LEVEL WITH REMAINING PAVEMENT SURFACE TO PROVIDE CONTINUED USE OF DRIVE. CONTRACTOR SHALL MONITOR DAILY THE CONDITION OF THE DRIVE MATERIAL AND REPAIR AS NEEDED.  
2. SECONDARY CONSTRUCTION EXIT TO BE CONSTRUCTED IMMEDIATELY AFTER REDUCED AND SANITARY SEWER AND WATER LINES HAVE BEEN INSTALLED.

NEW 2-STORY BUILDING ADDITION  
UPPER F.F.E.=621.58 (VERIFY)  
LOWER F.F.E.=807.85 (VERIFY)

F.F.E.=807.85  
(LOWER LEVEL)

EXISTING GYMNASIUM  
F.F.E.=807.85  
(LOWER LEVEL)

NEW BLDG ADDITION  
FFE=807.85

NEW ADDITION  
FFE=815.86

EXISTING  
F.F.E.=821.58  
(LOWER LEVEL)

RELOCATED BUS / SERVICE DRIVE

BAND ACCESS DRIVE

NOTE: TEMPORARY CONTOURS SHOWN FOR SEDIMENT STORAGE - SEE GRADING PLAN FOR FINAL SURFACE ELEVATIONS (TYP.)

NPDES MONITORING POINT NO. 1

NPDES MONITORING POINT NO. 2

TEMPORARY SEDIMENT STORAGE AREA 14' PROPOSED C.T.

STORMWATER STORAGE BY C.F.A. 1/4" F.F.A.

CONCRETE WASHOUT FACILITY (SEE DETAIL)

SECONDARY CONSTRUCTION EXIT (SEE NOTE NO.2)

THREE LANE ACCESS ROAD (SEE DETAIL)

Order Plans @ [www.LDOnline.com](http://www.LDOnline.com)



www.LDOnline.com