



Manley Spangler Smith Architects
A Professional Corporation

525 East Taylor St.
P.O. Box 880
Griffin, Georgia 30224
Office 770.227.5473
Fax 770.228.5442

PROJECT:
RENOVATIONS,
MODIFICATIONS, &
ADDITIONS TO HENRY
COUNTY SCHOOLS -
GROUP 10
WOODLAND HIGH SCHOOL
(ITEM C)
CLIENT:
HENRY COUNTY BOARD
OF EDUCATION

SHEET TITLE:
REFLECTED CEILING
PLAN - SECTOR "D"

LU : 67
F.T.E. : 1.887
FACILITY CODE: 675-0426

© 2018 Manley Spangler Smith Architects, PC
PROJECT NUMBER: 201731C
DATE: 08.07.18
SCALE: AS NOTED
DRAWN BY: JS
CHECKED BY: RV

SHEET NO.:
71.21D

LEGEND:

	INDICATES CEILING HEIGHT
	NEW 2' x 2' ACOUSTICAL CEILING PANELS W/ NEW GRID
	NEW D.E.F.S. SOFFIT SYSTEM
	NEW CEMENT PLASTER CEILING
	NEW GYPSUM BOARD CEILING IN SECTORS AA & ALL EXT. GYP. BD. TO BE PRINTED IN ALL OTHER SECTORS.
	NEW 2'x4' FL. LIGHT FIXTURES IN SECTORS AA, A, B, & G WHERE NEW GRID IS INDICATED. EXT. FIXTURES IN ALL OTHER SECTORS.
	EXIST. 1'x4' SURFACE MTD. FL. LIGHT FIXTURE
	NEW 1'x4' FL. LIGHT FIXTURE IN SECTORS AA, A, B, & G WHERE NEW GRID IS INDICATED. EXT. FIXTURES IN ALL OTHER SECTORS.
	NEW EXIT SIGN IN SECTORS AA, A, B, & G WHERE NEW WORK IS INDICATED. EXT. SIGNS IN ALL OTHER SECTORS.
	NEW RECESSED DOWNLIGHT IN SECTORS AA, A, B, & G WHERE NEW WORK IS INDICATED. EXT. FIXTURES IN ALL OTHER SECTORS.
	P.C.L. PRECAST CONCRETE LINTEL
	G.J. GYP. C.L.G. OR DEFS CONTROL JOINT

- GENERAL NOTES:**
- WHERE NEW GRID IS INSTALLED FINISH CEILING ELEVATION IS 10'-0" ABOVE FINISH FLOOR UNLESS NOTED OTHERWISE. ALIGN BOTTOM OF THE WALL ANGLE WITH THE TOP OF THE MORTAR JOINT IN LIEU OF LEVEL WITH THE FLOOR.
 - CONTRACTOR SHALL COORDINATE ALL TRADES BEFORE INSTALLATION OF CEILING.
 - IN AREAS WHERE GRID REMAINS, ADJUST TS AS NEEDED FOR NEW LIGHT LAYOUTS.
 - IN LOCATIONS TO RECEIVE NEW CEILING TILE, REINSTALL ALL EXISTING ITEMS LOCATED IN THE CEILING TILE INCLUDING BUT NOT LIMITED TO EXIT LIGHTS, SPRINKLER HEADS, SPEAKERS, CAMERAS, HVAC RETURN AIR GRILLS, & HVAC CEILING DIFFUSERS ETC. ADJUST SPRINKLER HEADS AND OTHER ITEMS AS NEEDED TO COORDINATE WITH NEW LIGHT LAYOUTS IN AREAS WITH NEW GRID.
 - SEE MECHANICAL DRAWINGS FOR NEW HVAC RETURN AIR GRILLS AND/OR HVAC CEILING DIFFUSERS.
 - WHEN EXPOSED STRUCTURE IS INDICATED AS "PAINTED", IT IS INTENDED TO INCLUDE THE ROOF DECK.
 - SEE FIRE PROTECTION, MECHANICAL AND ELECTRICAL DRAWINGS FOR ITEMS NOT INDICATED ON ARCHITECTURAL CEILING PLANS.
 - EXISTING AND NEW PENETRATIONS NEED TO BE SEALED FOR SMOKE AND/OR RATED PARTITIONS IN AREAS WHERE CEILING TILES ARE REPLACED AND/OR NEW.

1 REFLECTED CEILING PLAN SECTOR "D"
71.21D SCALE: 1/8" = 1'-0"

Order Plans @

WWW.LDILine.com