

71 EA OF THIS TYPE OF UNIT  
33 EA - 1ST FLOOR UNITS  
38 EA - 2ND FLOOR UNITS

4 EA OF THIS TYPE OF UNIT  
ALL 1ST FLOOR UNITS

12 EA OF THIS TYPE OF UNIT  
5 EA - 1ST FLOOR UNITS  
7 EA - 2ND FLOOR UNITS

1 EA OF THIS TYPE OF UNIT  
1ST FLOOR UNIT


2-BR TYP. RENOVATED UNIT FLOOR PLAN - PLUMBING  
SCALE: 1/4" = 1'-0"

2-BR UFAS RENOVATED UNIT FLOOR PLAN - PLUMBING  
SCALE: 1/4" = 1'-0"

3-BR TYP. 2ND RENOVATED UNIT FLOOR PLAN - PLUMBING  
SCALE: 1/4" = 1'-0"

3-BR UFAS 1ST FLOOR RENOVATED UNIT FLOOR PLAN - PLUMBING  
SCALE: 1/4" = 1'-0"

- GENERAL NOTES:
1. INFORMATION SHOWN ON THE DRAWINGS IS INTENDED TO CONVEY SCOPE AND IS ARRANGED FOR DRAWING CLARITY. IT IS NOT TO BE TAKEN AS AN AS-BUILT CONDITION. THE SYSTEM INSTALLATION SHALL BE COORDINATED WITH STRUCTURE, CEILING, WALLS, AND ALL OTHER TRADES TO PROVIDE FOR A COMPLETE AND WORKING SYSTEM. CONTRACTOR TO FIELD VERIFY EXISTING CONDITIONS.
  2. CAREFULLY COORDINATE PIPE ROUTING WITH NEW AND EXISTING STRUCTURE AS WELL AS ALL OTHER TRADES TO MAINTAIN EQUIPMENT CLEARANCE AND DESIRED CEILING HEIGHTS.
  3. PROVIDE SHUT OFF VALVES ABOVE ACCESSIBLE CEILING OR OTHER ACCESSIBLE LOCATION FOR ALL BRANCH PIPING AND INDIVIDUAL CONNECTIONS TO PLUMBING FIXTURES. OTHER STOPS ARE PROVIDED FOR INDIVIDUAL FIXTURES SHUT OFF VALVES ARE ALSO REQUIRED. PLUMBING STOPS ARE NOT CONSIDERED A SUBSTITUTE FOR SHUT OFF VALVES.
- PLAN NOTES:
1. FOR NEW LAV, CONNECT NEW STOPS AND RISERS TO EXISTING HW AND CW PIPING. REUSE EXISTING SANITARY AND VENT PIPING.
  2. FOR NEW WATER CLOSET, CONNECT NEW STOP AND RISER TO EXISTING CW PIPING. REUSE EXISTING SANITARY AND VENT PIPING.
  3. REUSE EXISTING CW AND HW PIPING FOR CONNECTION TO NEW SHOWER/TUB VALVE.
  4. 1/2" CW DOWN TO ICE MAKER WATER CONNECTION BOX. CONNECT TO EXISTING PIPING AT SINK.
  5. 1/2" CW, 1/2" HW TO SINK. CONNECT NEW STOPS AND RISERS TO EXISTING HW AND CW PIPING.
  6. INSTALL WATER HEATER IN SECONDARY OVERFLOW PAN. ROUTE PIPING FROM T/P RELIEF VALVE AND DRAIN PIPING FROM OVERFLOW PAN TO FLOOR DRAIN. CONNECT TO EXISTING CW AND HW PIPING.
  7. 3" PIPING RISER FOR RADON MITIGATION SYSTEM. REFER TO DETAIL ON SHEET ME3.0.



STRATHAM PLACE  
APARTMENTS  
GREENVILLE, GREENVILLE COUNTY, SOUTH CAROLINA

smith & boucher  
ENGINEERS  
25501 west valley parkway, suite 200  
olathe, ks 66061  
p.913.945.2127 / 888.299.7540 f.913.345.0617  
project number 1728500

COPYRIGHT © 2018

1ST ISSUE  
08 JUNE, 2018

REVISIONS

ADD #1	07/27/18
△	
△	
△	


SHEET NO.  
**P1.0**

JOB NO.  
3304

ADD #1

WWW.LDLINE.COM

Order Plans @



PROJECT NAME: STRATHAM PLACE, Greenville, SC  
 AUTOCAD FILE LOCATION: \\1728500\Drawings\1728500\1728500\_P1.0.dwg  
 XREF: 1728500\_Visual\Drawings\1728500\_Visual.dwg  
 LAST CORRECTION BY: DATE: TIME:  
 PLOTTED BY: DATE: TIME:  
 Presenta Pairo Monday, August 6, 2018 8:27:30 AM