

1 S-601 JOIST NET UPLIFT DIAGRAM

1/8" = 1'-0"

0 5 10 25 FT

GENERAL NOTES:

1. DESIGN VALUES SHOWN IN THIS DIAGRAM ARE SERVICE-LEVEL VALUES TO BE USED WITH ASD DESIGN. DESIGN VALUES ARE BASED ON LOAD COMBINATION 0.6D + 0.6W.



2 S-601 DECK ATTACHMENT DIAGRAM

1/8" = 1'-0"

0 5 25 FT

GENERAL NOTES:

1. ATTACHMENT AT SUPPORTING STEEL MEMBERS IN LOW FLUTE OF DECK PROFILE IS 5/8" DIAMETER PUDDLE WELD (SEE PLAN FOR PATTERN PER DECK SHEET). DECK SHEET SIDELAP ATTACHMENT BETWEEN EACH SUPPORTS #10-16 HWH SELF-DRILLING SCREW (SEE PLAN FOR QUANTITY).



3 S-601 EXTERIOR WALL LOUVER OPENING PLAN

1/8" = 1'-0"

0 5 10 25 FT



5 S-601 DETAIL

1" = 1'-0"

0 6" 1 2 3 FT



4 S-601 EXTERIOR LOUVER WALL OPENING SUPPORT

1/4" = 1'-0"

0 5 10 FT



NOTE: CONTRACTORS OPTION TO WELD NEW STEEL BEAM WITH A FLARE BEVEL WELD ALL THE WAY AROUND AT EXISTING COLUMNS INSTEAD OF USING CLIP ANGLES TOP & BOT.

6 S-601 DETAIL

1" = 1'-0"

0 6" 1 2 3 FT

Order Plans @ WWW.LDI-line.com

CONSTRUCTION DOCS.

REV.	DATE/BY	DESCRIPTION
C	2018-02-21	95% SUBMITTAL
0	2018-04-13	FOR CONSTRUCTION
1	2018-06-01	FOR CONSTRUCTION

CIVIL ENGINEERING
94th AIRLIFT WING
DOBBINS AIR RESERVE BASE, GEORGIA

CROFT
Croft & Associates
3400 Blue Springs Road, Suite 200
Kennesaw, GA 30144
770.529.7714 (p)
770.529.7716 (f)
www.croftaa.com

PES STRUCTURAL ENGINEERS

GEORGIA REGISTERED NO 019132 PROFESSIONAL ENGINEER JAMES BENJAMIN PURVIS
6/01/2018

REPAIR FACILITY & ADDITION
BUILDING 747
FGWB 08-0027
DOBBINS AIR RESERVE BASE, GEORGIA

DIAGRAMS

PROJECT CONTACT:
ROBERT ERNST - DSN 625-3132
robert.ernst.2@us.af.mil

PROJECT	LOCATION	DRAWING	CONTACT

PROJECT No.	2017-238
PROJ. OFFICER	J. MORGAN
DESIGNED	M. WILSON
CHECKED	M. PLANER
DATE	2018-06-01

DRAWING 10 OF 45

S-601