


PARTITION SCHEDULE NOTES

- ALL PARTITIONS CONNECTED TO THE BOTTOM OF DECK/STRUCTURE SHALL HAVE A SLIP-JOINT CONNECTION TO ALLOW FOR MOVEMENT. GC SHALL SUBMIT TO ARCHITECT THE INSTALLER'S RECOMMENDATION FOR ARCHITECT'S REVIEW AND APPROVAL PRIOR TO ORDERING AND INSTALLATION.
- ALL WALLBOARD TO BE CUT 1/2" SHORT TOP AND BOTTOM TO ALLOW MOVEMENT. INSTALL WATERPROOF SEALANT AT ALL FLOOR/WALL JOINTS. ACOUSTICAL SEALANT AT CEILING/WALL JOINTS WHERE WALLBOARD EXTENDS TO DECK/STRUCTURE.


GEORGE SARFATTY, AIA
 ARCHITECT
 807 GOLF LINKS, SUITE 415, BOCA RATON, FL 33433
 Copyright © 2018

KRISPY KREME DOUGHNUTS
 1730 EAST 9 MILE ROAD
 PENSACOLA, FL 32514




SEAL:
 DATE: 08/23/18
 PROJECT NO.: 18-004
 CHECKED BY: JML
 DRAWN BY: DW/DRN/HH
 SHEET TITLE: WALL TYPES
 SHEET NO.:


T2.1




** WALL SHALL CONFORM TO IBC 2012 TABLE 721.1(2) & NCMA TEK 07-01C.
WALL TYPE A (T/SLAB TO 3'-0" A.F.F.)




** WALL SHALL CONFORM TO IBC 2012 TABLE 721.1(2).
WALL TYPE A (3'-0" A.F.F. & ABOVE)




** WALL SHALL CONFORM TO IBC 2012 TABLE 721.1(2) & NCMA TEK 07-01C.
WALL TYPE A1 (T/SLAB TO 3'-0" A.F.F.)




** WALL SHALL CONFORM TO IBC 2012 TABLE 721.1(2).
WALL TYPE A1 (3'-0" A.F.F. & ABOVE)




** WALL SHALL CONFORM TO IBC 2012 TABLE 721.1(2) & NCMA TEK 07-01C.
WALL TYPE A2 (T/SLAB TO 3'-0" A.F.F.)




** WALL SHALL CONFORM TO IBC 2012 TABLE 721.1(2).
WALL TYPE A2 (3'-0" A.F.F. & ABOVE)




** WALL SHALL CONFORM TO IBC 2012 TABLE 721.1(2) & NCMA TEK 07-01C.
WALL TYPE A3 (T/SLAB TO 3'-0" A.F.F.)




** WALL SHALL CONFORM TO IBC 2012 TABLE 721.1(2).
WALL TYPE A3 (3'-0" A.F.F. & ABOVE)




** WALL SHALL CONFORM TO IBC 2012 TABLE 721.1(2) & NCMA TEK 07-01C.
WALL TYPE A4 (T/SLAB TO 3'-0" A.F.F.)




** WALL SHALL CONFORM TO IBC 2012 TABLE 721.1(2).
WALL TYPE A4 (3'-0" A.F.F. & ABOVE)




** WALL SHALL CONFORM TO IBC 2012 TABLE 721.1(2) & NCMA TEK 07-01C.
WALL TYPE A5 (T/SLAB TO 3'-0" A.F.F.)




** WALL SHALL CONFORM TO IBC 2012 TABLE 721.1(2).
WALL TYPE A5 (3'-0" A.F.F. & ABOVE)




** WALL SHALL CONFORM TO IBC 2012 TABLE 721.1(2) & NCMA TEK 07-01C.
WALL TYPE B (T/SLAB TO 3'-0" A.F.F.)




** WALL SHALL CONFORM TO IBC 2012 TABLE 721.1(2).
WALL TYPE B (3'-0" A.F.F. & ABOVE)




** WALL SHALL CONFORM TO IBC 2012 TABLE 721.1(2) & NCMA TEK 07-01C.
WALL TYPE C




** WALL SHALL CONFORM TO IBC 2012 TABLE 721.1(2).
WALL TYPE D




** WALL SHALL CONFORM TO IBC 2012 TABLE 721.1(2) & NCMA TEK 07-01C.
WALL TYPE E



** WALL SHALL CONFORM TO IBC 2012 TABLE 721.1(2) & NCMA TEK 07-01C.
WALL TYPE E1



** WALL SHALL CONFORM TO IBC 2012 TABLE 721.1(2) & NCMA TEK 07-01C.
WALL TYPE E2



** WALL SHALL CONFORM TO IBC 2012 TABLE 721.1(2) & NCMA TEK 07-01C.
WALL TYPE E3

Order Plans

WWW.LDILine.com