



1 PLUMBING ROOF PLAN  
 P4 SCALE: 1/4" = 1'-0"

**GENERAL NOTES:**

- SEE SHEET P1 FOR ALL GENERAL NOTES.
- TYPICAL VENT THRU ROOF DETAIL 12/PS.
- ALL PLUMBING VENTS AND MECHANICAL EXHAUST OUTLETS SHALL BE INSTALLED 10' (MIN) FROM ANY BUILDING FRESH AIR INTAKE.
- ALL PENETRATIONS THRU ROOF SHALL BE BY GC AS PER ROOF MFR STANDARD DETAILS.
- DO NOT SCALE DRAWING.
- ALL PLUMBING VENT OUTLETS THROUGH ROOF SHALL TERMINATE BELOW VISIBLE SIGHT FROM GROUND.
- GC SHALL PROVIDE WATER HEATER CURB AND BRACING. SEE ARCHITECTURAL DETAILS.
- ALL PIPING ON ROOF MUST BE PERMANENTLY SECURED AND ABLE TO WITHSTAND 140 MPH WIND LOAD (WHERE REQUIRED).

**CONSTRUCTION NOTES:**

- GC SHALL PROVIDE AND INSTALL UNION, GAS COCK AND DRIP LEG FOR EACH GAS CONNECTION.
- GC SHALL INSTALL SCH. 40 1" PVC CONDENSATE DRAIN LINE FROM EACH RTU AND ROUTE THROUGH ROOF TO MOP SINK. SEE SHEET P2 FOR CONTINUATION AND DETAIL 6/PS.
- GAS PIPING ROOF PENETRATION.
- GAS PIPING LOCATED ON ROOF.

GEORGE SARFATTY, AIA  
 100 Davis Street, Suite 410, Fernandina, FL 32035  
 904/761-1100 www.gsaia.com Copyright © 2014

KENNETH L. KRAUS  
 P.E. # 74120  
 388 Oak Grove Drive  
 Wausonville, FL 32094  
 T (847) 719-1708 F (847) 719-1738  
 Plumbing Mechanical Electrical

KRISPY KREME DOUGHNUTS  
 1730 E. NINE MILE ROAD  
 PENSACOLA, FL 32514



IF ANY DISCREPANCIES ARE FOUND ON THE PLANS, THE PLUMBING CONTRACTOR SHALL BID AND INSTALL THE MORE CONSERVATIVE SPECIFICATION AND CALL ENGINEER FOR CLARIFICATION.

WHILE EVERY ATTEMPT HAS BEEN MADE IN THE PREPARATION OF THIS PLAN TO AVOID MISTAKES, THE DESIGNER AND COMPANY CANNOT GUARANTEE AGAINST ERROR OR UNFORESEEN FIELD CONDITIONS. THE CONTRACTOR OR BUILDER MUST CHECK ALL DIMENSIONS, DETAILS AND REPORT ANY DISCREPANCIES.

PROJECT NO.:	18-004
CHECKED BY:	KJK
DRAWN BY:	STAFF
SHEET TITLE:	PLUMBING ROOF PLAN
SHEET NO.:	

P4