

Order Plans @

1 WASTE/VENT RISER
P7 SCALE: N.T.S.

ALL UNDERGROUND SANITARY AND GREASE LINES SHALL BE A MINIMUM 4" IN DIA.

SEE SITE PLAN FOR EXACT LOCATION OF GREASE INTERCEPTOR AND CONFIGURATION OF SANITARY WASTE TIE IN.


TO INCREASE INTERCEPTOR - SEE CIVIL FOR CONTINUATION

SEE SITE UTILITY PLAN FOR CONTINUATION

OFFSET AS REQUIRED TO MAINTAIN 2'-0" CLEARANCE FROM ROOF SHEET WALL (TYPICAL).

KENNETH L. KRAUS
P.E. # 74120
306 Oak Grove Drive
Wausonville, FL 32094
T (847) 719-1708 F (847) 719-1738
Plumbing Mechanical Electrical

KRISPY KREME DOUGHNUTS
1730 E. NINE MILE ROAD
PENSACOLA, FL 32514



| | |
|--------------|------------------------------|
| DATE: | 06/23/18 |
| PROJECT NO.: | 18-004 |
| CHECKED BY: | KLK |
| DRAWN BY: | STAFF |
| SHEET TITLE: | PLUMBING WASTE/VENT RISER |
| SHEET NO.: | |

P7