



- KEYNOTES:**
- 1 PRECAST CONC PANEL
 - 2 PARAPET WALL
 - 3 1/4" FT SLOPED INSULATION
 - 4 STEEL DECK SEE STRUCTURAL
 - 5 BEAM BRACKET BEYOND SEE STRUCTURAL
 - 6 STEEL LUGS AND BEAM SEE STRUCTURAL
 - 7 POURED CONC BEAM SEE STRUCTURAL
 - 8 POURED CONC COLUMN AT LONG SPAN TRUSSES SEE STRUCTURAL
 - 9 8" CONC BLOCK W/ HORIZONTAL JOINT REINFORCING @ 16" O.C. SEE STRUCTURAL
 - 10 INTERMEDIATE CONC BEAM SEE STRUCTURAL
 - 11 CONTINUOUS POURED U BLOCK W/ (2) #5 REBAR SEE STRUCTURAL
 - 12 FACE BRICK TO MATCH ADJACENT BOILER BUILDING
 - 13 CONC SLAB SEE STRUCTURAL
 - 14 CONC FOUNDATION SEE STRUCTURAL
 - 15 3'-6" HIGH STEEL GUARDRAIL
 - 16 3'-0" HIGH STEEL HANDRAIL
 - 17 STEEL JOIST SEE STRUCTURAL
 - 18 5/8" GYP BD ON 7/8" FURRING CHANNELS @ 16" O.C. ON 1 1/2" COLD ROLLED CHANNELS @ 48" O.C.
 - 19 2FT X 4FT ACOUSTICAL TILE CEILING
 - 20 PRE-FABRICATED STEEL LADDER WITH PROTECTIVE CAGE
 - 21 METAL CATWALK
 - 22 STEEL ANGLE SEE STRUCTURAL
 - 23 STEEL GRAB BAR MOUNTED TO CONC BLOCK WALL
 - 24 ROOF HATCH
 - 25 LADDER SUPPORTS @ 6'-0" O.C. MAX
 - 26 BITUMINOUS WATERPROOFING ALL CMU AND POURED IN PLACE EXTERIOR SURFACES TYPICAL

3 ROOF/CATWALK ACCESS LADDER SECTION
SCALE: 1/4"=1'-0"

1 TRANSVERSE BUILDING SECTION
SCALE: 1/4"=1'-0"

4 CATWALK ACCESS LADDER SECTION
SCALE: 1/4"=1'-0"

5 CATWALK ACCESS LADDER ELEVATION
SCALE: 1/4"=1'-0"

2 TRANSVERSE BUILDING SECTION
SCALE: 1/4"=1'-0"

FINAL DESIGN
APPROVED FOR CONSTRUCTION

Order Plans @

CONSULTANTS: 	ARCHITECT-OF-RECORD THOMAS R. GILLIS/THOMAS R. GILLIS ARCHITECTS ARCHITECT/ENGINEERS: AKEA INC. 3803 NW 95th Street, Suite B Gainesville, FL 32606 Phone: (352) 474-6124 Fax: (352) 553-4437 OJA: FL #26693 AKEA Project No. 085-14	Drawing Title TRANSVERSE BUILDING SECTIONS	Project Title REPLACE BOILERS - FCA D. ENERGY AT THE MALCOM RANDALL VAMC	Project Number 573-14-600	Office of Construction and Facilities Management Department of Veterans Affairs
		Approved: Project Director	Location GAINESVILLE, FLORIDA	Building Number 	
Revisions: 	Date:	Date MARCH 9, 2016	Checked THG	Drawn JG	VA FORM 08-6221