

OLLIE'S BARGAIN OUTLET


SPAULDING VILLAGE
1424 NORTH EXPRESSWAY, SUITE 147-B
GRIFFIN, GEORGIA 30223



ABBREVIATIONS LEGEND

A	ACOUSTICAL	F	FINISH	M	MANHOLE	S	SOUTH
AC	AIR CONDITIONING	FL	FINISHED FLOOR LINE	MO	MASONRY OPENING	SG	SAFETY GLASS
AF	ABOVE FINISHED FLOOR	FEC	FIRE EXTINGUISHER CABINET	MAX	MAXIMUM	SO	SCHEDULE
ALUM	ALUMINUM	FHC	FIRE HOSE CABINET	MED	MEDIUM	SEC	SECTION/SECRETARY
ARCH	ARCHITECT	FR	FIRE RATED	MTL	METAL	SS	SERVICE SINK
AB	ANCHOR BOLTS	FL	FLOOR LINE OR FLOW LINE	MIN	MINIMUM	SH	SHEET
B		FD	FLOOR DRAIN	MIR	MIRROR	SM	SMILAR
BES	BANK EQUIPMENT SUPPLIER	FLO	FLOURESCENT	MISC	MISCELLANEOUS	SC	SOLID CORE
BFF	BELOW FINISHED FLOOR	FT	FOOT/FEET	MULL	MULLION	SPR	SPEAKER
BJ	BAR JOIST	FTG	FOOTING	MUNT	MUNTIN	SPCS	SPECIFICATIONS
BLK	BLOCK/BLOCKING	FAS	FASTEN	MC	MECHANICAL CONTRACTOR	SQ	SQARE
BD	BOARD	FEC	FIRE EXTINGUISHER CABINET	MECH	MECHANICAL	SF	SQARE FEET
BDY	BOTH WAYS	FF	FINISH FLOOR	MGR	MANAGER	STD	STANDARD
BLDG	BUILDING	FLR	FLOOR	ML	METAL LATH	STL	STEEEL
BU ROOF	BUILT UP ROOFING	FLSG	FLASHING	MDSG	MOLDING	STR	STRUCTURAL
BR	BULLET RESISTANT OR BAGER ROD	FND	FOUNDATION	MT	METAL THRESHOLD	SUSP	SUSPENDED
BB	BULLETIN BOARD	FOS	FACE OF STUD/STEEL	MTP	METAL TOILET PARTITION	SHLV	SHELVES/SHELVING
BL	BUILDING LINE	FRGB	FIBER GLASS REINFORCED GYPSUM WALL BOARD	N	NIGHT DEPOSIT	SHR	SHOWER
BMA	BENCH MARK	FRT	FIRE-RETARDANT-TREATED FIBERGLASS REINFORCED	ND	NOMINAL	ST	STREET
BO	BOTTOM OF	FRF	FIBERGLASS REINFORCED FLOOR FINISH	NOM	NOT IN CONTRACT	STA	STATION
BRM	BEDROOM	FTG	FOOTING	NIC	NOT TO SCALE	STO	STORAGE
BSMT	BASEMENT	FURN	FURNITURE	NIS	NOT TO SCALE NUMBER (#)	T	TELEPHONE
C		G	GAGE, GAUGE	NO	NORTH	TV	TELEVISION
CAB	CABINET	GA	GENERAL CONTRACTOR	O	ON CENTER	TEMP	TEMPERED
CAF	CAFET	GC	GLASS, GLAZING	OC	ON CENTER	THK	THICK
CI	CAST IRON	GL	GLASS, GLAZING	OPNG	OPENING	TK	THICK
CLG	CEILING	GB	GRAB BAR	CRH	COMPOSITE HAND	TPD	TOILET PAPER DISPENSER
CTR	CENTER	GR BM	GRADE BEAM	OZ	OUNCE	TC	TOP OF CURB/CONCRETE
CLR	CLEARANCE	GR	GRADE, GRADING	CD	CUTSIDE DIAMETER / DIMENSION	TJ	TOP OF JOIST
CW	COLD WATER	QSP	GYPSUM	CH	OVER-HEAD	TS	TOP OF SLAB
CONC	CONCRETE	GAL	GALVANIZED			TOS	TOP OF STEEL
CMU	CONCRETE MASONRY UNIT	GWB	GYPSUM WALLBOARD			TPP	TYPICAL
CONST	CONSTRUCTION	H	HARDWARE	P	PAGE	TD	TOWEL DISPENSER
CONT	CONTINUOUS OR CONTINUE	HDW	HARDWARE	PNT	PAINT	T	TREADS/TOILET
CT	CONTROL JOINT	HTG	HEATING	PRT	PARTITION	TB	TACKBOARD
CB	CATCH BASIN/RAILBOARD	HT	HEIGHT	PVMT	PAVEMENT	TH	TEST HOLE
CEM	CEMENT	HM	HOLLOW METAL	/		U	UNDERWRITERS LABORATORY
CLO	CLOSET	HCR	HORIZONTAL	%	PERCENT	UL	UNLESS NOTED OTHERWISE
COL	COLUMN	HCB	HOSE BIBB	PLAM	PLASTIC LAMINATE	UNCR	UNDER COUNTER REFRIGERATOR
CONN	CONNECTION	HW	HOT WATER	PVC	POLYVINYL CHLORIDE	V	VARIABLE
CG	CORNER GUARD	H	HIGH	PPT	PRESSURE PRESERVATIVE TREATED PAPER TOWEL DISPENSER	VAR	VOLUME
CT	CERAMIC TILE	HC	HOLLOW CORE	PCC	PRECAST CONCRETE	VB	VAPOR BARRIER
CGR	CURTAIN AND ROD			PE	PORCELAIN ENAMEL	VCGB	VINYL COVERED GYPSUM BOARD
CWS	CURTAIN WALL STUDS			PL	PLASTER/PLASTIC LAMINATE	VERT	VERTICALLY
D		I	INCH (")	PTD	PAPER TOWEL DISPENSER	VEST	VESTIBULE
DIM	DIMENSION	IN	INSIDE DIAMETER DIMENSION	PTD	PAPER TOWEL DISPENSER	VWC	VINYL WALL COVERING
DW	DISHWASHER	INFO	INFORMATION	R	RADIUS	W	WEST
DSP	DISPOSAL	INT	INTERIOR	RE	REFERENCE	WCST	WAINSCOT
DR	DOOR	J	JANITOR'S CLOSET	REF	REFRIGERATOR	WC	WATER CLOSET
DN	DOWN	JAN	JANITOR'S SINK	RA	RETURN AIR	WH	WATER HEATER
DS	DOWNSPOUT	JS	JOIST	RH	RIGHT HAND REVERSE	WP	WATERPROOFING
DWG	DRAWING	INT	INTERIOR	JB	JUNCTION BOX	WS	WATERSTOP / WEATHERSTRIP
DF	DRINKING FOUNTAIN	K	KICKPLATE	ROW	RIGHT OF WAY	WT	WEIGHT
DA	DOUBLE ACTION	KPL	KICKPLATE	RD	ROOF DRAIN	WWM	WELDED WIRE MESH (FABRIC)
DEPT	DEPARTMENT	L	LAMINATE	RFG	ROOFING	W	WIDE
DET	DETAIL	LAM	LAMINATE	RO	ROUGH OPENING	WW	WINDOW WALL
DIA	DIAMETER	LAV	LAVATORY	REG	REGISTER	W	WITH
DO	DOOR ACTION	LAB	LABORATORY	RENF	REINFORCINGS	WO	WITHOUT
DP	DAMP PROOFING	LH	LEFT HAND	REQ	REQUIRED	WD	WOOD
DW	DISHWASHER	LHR	LEFT HAND REVERSE			W	WEST
DWV	DRYWALL STUDS	LT	LIGHT			WDM	WINDOW DIMENSION
E		LWF	LIGHT WEIGHT FILL			WDW	WINDOW
EA	EACH	LR	LIVING ROOM			WFF	WELDED WIRE MESH
EL	ELEVATION	LVR	LOUVER				
ELEV	ELEVATOR	LB	LOUVER				
EQ	EQUIP	LKR	LEAD LINED				
EQUIP	EQUIPMENT	LL	LEAD LINED				
EXH	EXHAUST	LOC	LIMITS OF CONSTRUCTION				
EF	EXHAUST FAN	LWCMU	LIGHT WEIGHT CONCRETE MASONRY UNIT				
EJ	EXPANSION JOINT						
EXT	EXTERIOR						
EPS	EXTERIOR INSULATING FINISH SYSTEM						
E							
EC	ELECTRICAL CONTRACTOR						
EF	EXTERIOR INSULATING FINISH						
ELEC	ELECTRICAL						
EP	ELECTRICAL PANEL						
EWC	ELECTRIC WATER COOLER						
EXP	EXPOSED						

VICINITY MAP



PROJECT TEAM

BUILDING OWNER

RCG-GRIFFIN, LLC

3060 PEACHTREE ROAD, SUITE 147-B
ATLANTA, GEORGIA 30305
CONTACT: SANDRA MEI
OFFICE: 404-665-1846

TENANT

OLLIE'S BARGAIN OUTLET

1424 NORTH EXPRESSWAY, SUITE 147-B
GRIFFIN, GEORGIA 30223
CONTACT: BRYCE CLICHE
BCLICHE@OLLIES.US
OFFICE: 717-215-4932

ARCHITECT

JEFFERSON BROWNE GRESHAM ARCHITECTS, INC.

150 HUDDLESTON RD., SUITE #1000
PEACHTREE CITY, GEORGIA 30269
CONTACT: PAUL GRESHAM - PROJECT ARCHITECT
PAUL@JEFFERSONBROWNE.COM
OFFICE: 770-632-9545

STRUCTURAL ENGINEER

TRILOGY ENGINEERING, LLC


2550 SANDY PLAINS ROAD, SUITE 225, PMB 103
MARIETTA, GEORGIA 30066
CONTACT: CHAD MCDONALD
OFFICE: 404-556-5923
trilogyengineering@comcast.net

MECH / ELEC / PLUMBING ENGINEER

PROFICIENT ENGINEERING, INC.

6991 PEACHTREE INDUSTRIAL BLVD, BLDG 700
PEACHTREE CORNERS, GA 30092
CONTACT: BRIAN ARWENTA
OFFICE: 404-330-9798
brian@peiatl.com

BUILDING KEY



GENERAL INFORMATION

- CONTRACTOR SHALL VISIT SITE AND FIELD VERIFY EXISTING CONDITIONS PRIOR TO BIDDING.
- CONTRACTOR IS RESPONSIBLE FOR CHECKING ALL FIELD CONDITIONS AND DIMENSIONS FOR ACCURACY AND CONFIRMING THAT WORK IS AS SHOWN PRIOR TO PROCEEDING WITH CONSTRUCTION. OBTAIN CLARIFICATION FROM THE ARCHITECT IF THERE ARE ANY DISCREPANCIES.
- IT IS THE CONTRACTOR'S RESPONSIBILITY TO PROVIDE ALL NECESSARY BRACING, SHORING, AND OTHER SAFEGUARDS TO MAINTAIN ALL PARTS OF THE EXISTING WORK IN A SAFE CONDITION DURING THE PROCESS OF DEMOLITION AND CONSTRUCTION AND TO PROTECT FROM DAMAGE, DUST AND DEBRIS DURING DEMOLITION AND CONSTRUCTION.
- CONTRACTOR SHALL PROVIDE ALL LABOR, MATERIALS, TOOLS, AND INCIDENTAL PARTS AND MATERIALS FOR A COMPLETE OPERATIVE INSTALLATION.
- THOSE ITEMS NOTED N/C (NOT IN CONTRACT), OR NOTED TO BE PERFORMED BY OTHERS, SHALL BE COORDINATED IN A MUTUALLY AGREEABLE AND COOPERATIVE MANNER BY THE CONTRACTOR SO AS TO ALLOW TIMELY INTEGRATION INTO THE PROJECT AS REQUIRED.
- UNLESS NOTED OTHERWISE, MOVING OF FURNITURE, FURNISHINGS, AND EQUIPMENT SHALL BE PERFORMED BY TENANT. COORDINATE TIMING WITH GENERAL CONTRACTOR.
- COORDINATE WITH OWNER AND TENANT TO OBTAIN MUTUAL CONSENT AND IN ADVANCE, THE CONSTRUCTION SCHEDULE AND DURATION, INCLUDING ANY REQUIRED BUILDING SYSTEM INTERRUPTIONS.
- MAINTAIN A JOB SITE SET OF CONSTRUCTION DOCUMENTS ON SITE. RECORD ANY DEVIATIONS FROM THE ORIGINAL PLANS. LOCATE, COLOR-CODED PLUMBING RINGS, AND SYSTEM TIE-INS, TURN 'AS BUILT' SET OVER TO OWNER / ARCHITECT UPON COMPLETION OF PROJECT.
- CONFINE CONSTRUCTION ACTIVITIES TO DESIGNATED CONSTRUCTION AREAS ONLY. STAGING AND STORAGE IN CONSTRUCTION AREAS, OR IF ADDITIONAL SPACE IS REQUIRED, IN OWNER / TENANT DESIGNATED AREA OR ROOM, SUPPLY AND REMOVAL OF MATERIALS BY PRIOR APPROVED ROUTES ONLY. USE PROTECTION PADS WHEN USING ELEVATORS (WHEN APPLICABLE).
- ALL DEMOLISHED MATERIALS SHALL BE DISPOSED OF OFF-SITE BY CONTRACTOR, UNLESS NOTED OTHERWISE.
- CLEAN CONSTRUCTION AREA THOROUGHLY UPON COMPLETION. DO NOT USE BUILDING DUMPSTERS. DISPOSE OF DEBRIS IN ACCORDANCE WITH LOCAL REGULATIONS.
- ALL WORK SHALL BE PERFORMED IN COMPLIANCE WITH LOCALLY APPLICABLE CODES AND REGULATIONS, INCLUDING LOCAL COUNTY BUILDING CODE (N.E.C., A.D.A.S.) AND STATE ACCESSIBILITY STANDARDS FOR THE ELIMINATION OF ARCHITECTURAL BARRIERS, CURRENT AS OF DATE OF ISSUANCE OF THESE DOCUMENTS.
- LOCATE THE TOP OF ALL NEW AND RELOCATED SWITCHES AND CONTROLS AT 48" AFF.
- LOCATE ALL NEW EXPOSED WALL OUTLETS AT 15" AFF., UNLESS OTHERWISE NOTED. OUTLETS IN CABINETS SHALL BE AT 90" AFF.
- ALL DIMENSIONS SHOWN ARE TO FINISH, UNLESS OTHERWISE NOTED.
- IT IS THE INTENT THAT SPECIFIED PRODUCTS ARE TO BE USED ON THIS PROJECT. THEY WERE SELECTED AS PART OF THE DESIGN CONCEPT. ARCHITECT WILL ONLY ANALYZE PROPOSED SUBSTITUTIONS THAT WILL BENEFIT THE OWNER BY A SIGNIFICANTLY LOWER COST OR AN IMPROVED QUALITY, OR IN THE CASE OF PRODUCT UNAVAILABILITY OR OTHER CONDITIONS BEYOND THE CONTROL OF THE CONTRACTOR. IF ANY SUBSTITUTION AFFECTS A CORRELATED FUNCTION, ADJACENT CONSTRUCTION, OR WORK OF OTHER TRADES OR CONTRACTORS, THE NECESSARY CHANGES AND MODIFICATIONS SHALL BE CONSIDERED AN ESSENTIAL PART OF THE PROPOSED SUBSTITUTION, TO BE ACCOMPLISHED BY CONTRACTOR WITHOUT ADDITIONAL EXPENSE TO THE OWNER IF AND WHEN ACCEPTED.
- SUBMIT SHOP DRAWINGS / PRODUCT INFORMATION / SAMPLES OF SPECIFIED PRODUCTS. FABRICATIONS SHALL BEGIN ONLY AFTER APPROVED SHOP DRAWINGS HAVE BEEN RETURNED BY ARCHITECT TO CONTRACTOR.
- CONTRACTOR SHALL SUBMIT CONFIRMATION OF DELIVERY DATES OF PRODUCTS WITH LONG LEAD TIMES WITH PRODUCT SUBMITTALS AND INSTRUCTIONS.
- INSTALL ALL MANUFACTURED ITEMS, MATERIALS, AND EQUIPMENT IN STRICT ACCORDANCE WITH MANUFACTURER'S RECOMMENDATIONS AND INSTRUCTIONS.
- CONTRACTORS SHALL CONFINE THEMSELVES TO CONSTRUCTION AREAS. CONSTRUCTION PARKING ANY IN DESIGNATED LOCATIONS.
- CONTRACTOR SHALL BE PERMITTED TO USE BUILDING ELECTRICITY AND WATER TO A REASONABLE EXTENT. PROVIDE OWN SOURCES FOR EXCESSIVE CONSTRUCTION POWER REQUIREMENTS. DO NOT USE RESTROOMS FOR TOOL, BRUSH, ETC. CLEANING. USE DESIGNATED CLEAN UP FACILITIES ONLY.
- NO FLOOR DRILLING OR OTHER EXCESSIVELY NOISY ACTIVITIES SHALL BE PERMITTED DURING REGULAR BUSINESS HOURS, UNLESS BUILDING IS UNOCCUPIED.
- PRIOR TO COMMENCING WORK, CONTRACTOR SHALL, ACCOMPANIED BY REPRESENTATIVE BUILDING MANAGEMENT, TAKE AND DOCUMENT INVENTORY OF EXISTING FINISHES AND SYSTEMS TO REMAIN IN CONSTRUCTION AREA, AND ESTABLISH ANY EXISTING DAMAGE. ANY SUBSEQUENT DAMAGE ATTRIBUTABLE TO CONSTRUCTION ACTIVITIES SHALL BE REPAIRED TO COMPENSATED FOR BY CONTRACTOR.
- RESTOR ALL EXISTING AND NEW PENETRATIONS THROUGH TENANT SEPARATION WALL.
- ALL PERMITS, LICENSES AND INSPECTIONS REQUIRED TO PERFORM AND COMPLETE WORK SHALL BE SECONDARY AND PAID FOR BY CONTRACTOR.
- OBTAIN A COPY OF MANAGEMENT CONSTRUCTION RULES PRIOR TO BIDDING FOR ADDITIONAL AND UPDATED REQUIREMENTS AND RESTRICTIONS AS PER THESE RULES AT ALL TIMES.
- WELDING TO AND WITH-IN AN EXISTING FACILITY PRESENTS POTENTIAL HAZARDS INCLUDING:
1. FIRE HAZARD DUE TO THE EXISTING CONSTRUCTION AND BUILDING CONTENTS.
2. STRUCTURAL LOOSENING DUE TO WELDING ACROSS THE FULL SECTION OF STRUCTURAL STEEL MEMBERS.
RECOMMENDATIONS TO PREVENT THESE HAZARDS INCLUDE:
a. HAZARD PROJECT EXISTING COMBUSTIBLES PRIOR TO WELDING. KEEP A SEPARATE WATCHMAN AND SEVERAL FIRE EXTINGUISHERS ON HAND.
b. STRUCTURAL LOOSENING HAZARD IN SMALL INCREMENTS. ALLOW WELDS TO HARDEN BEFORE CONTINUING TO THE NEXT INCREMENT.
c. DO NOT LEAVE THE SITE UNTIL SATISFIED THAT NO FIRE HAZARD EXISTS.
- LANDLORD WILL DELIVER THE PREMISES FREE FROM ASBESTOS AND OTHER HAZARDOUS MATERIALS AND SHALL SUBMIT A REPORT SUCH AS A PHASE 1 ENVIRONMENTAL REPORT OR EQUIVALENT TO SHOW THERE ARE NO HAZARDOUS MATERIALS ON SITE.
- LANDLORD WILL INFORM TENANT IF SPACE IS IN A FEMA FLOOD ZONE AND INDICATE WHICH ZONE IT IS IN.
- TENANT SPACE SHALL COMPLY WITH ALL FEDERAL AND LOCAL ADA LAWS.
- LANDLORD WILL WARRANTY NEW AND EXISTING FLOORING AND DOORS FOR A PERIOD OF ONE (1) YEAR.

PERMIT INFORMATION

- SUMMARY OF THE WORK:
- INTERIOR BUILD-OUT IN AN EXISTING ONE STORY RETAIL BUILDING
 - JEFFERSON BROWNE GRESHAM, INC. WILL NOT BE PROVIDING CONTRACT/CONSTRUCTION ADMINISTRATION SERVICES FOR THIS PROJECT

- APPLICABLE CODES:
- INTERNATIONAL BUILDING CODE 2012 w/ LATEST GEORGIA AMENDMENTS
 - INTERNATIONAL FIRE CODE 2012
 - NATIONAL FIRE PROTECTION ASSOCIATION "LIFE SAFETY CODE" 101-2012
 - EDITED
 - GEORGIA ACCESSIBILITY CODE FOR BUILDINGS & FACILITIES, 190-3-20 HANDICAP ACCESSIBILITY LAW
 - 2010 ADA STANDARDS FOR ACCESSIBLE DESIGN
 - INTERNATIONAL PLUMBING CODE 2012
 - INTERNATIONAL MECHANICAL CODE 2012
 - INTERNATIONAL FUEL GAS CODE 2012
 - INTERNATIONAL ELECTRIC CODE 2014
 - INTERNATIONAL ENERGY CONSERVATION CODE 2009 WITH 2012 AMENDMENTS
 - ALL GEORGIA 2014 AMENDMENTS SHALL APPLY TO THE CODES ABOVE

CONSTRUCTION TYPE: II-B, SPRINKLERED
 1 STORY BUILDING
 TENANT: 31,831 SF
 OCCUPANCY CLASSIFICATION: NEW BUSINESS
 TENANT OCCUPANT LOAD: 977 OCCUPANTS

DRAWING INDEX

ARCHITECTURAL

- A-001 COVER INDEX SHEET
- A-002 LIFE SAFETY PLAN
- A-100 EXISTING PLAN
- A-101 DEMOLITION PLAN
- A-102 FLOOR PLAN
- A-103 REFLECTED CEILING PLAN
- A-104 FIXTURE PLAN
- A-201 ADA ACCESSIBILITY DETAILS
- A-202 ADA ENLARGED RESTROOMS
- A-301 EXTERIOR ELEVATION
- A-401 WALL SECTIONS
- A-402 ENLARGED PLANS
- A-601 STOREFRONT SCHEDULE AND DETAILS
- A-602 CEILING DETAILS
- F-101 FIRE PROTECTION WALL DETAIL & SPECIFICATIONS

MECHANICAL

- M-001 GENERAL
- M-002 DETAILS
- M-003 SCHEDULES
- M-101 FLOOR PLAN

PLUMBING

- P-001 GENERAL
- P-002 SCHEDULES AND DETAILS
- P-101 FLOOR PLAN

ELECTRICAL

- E-001 GENERAL
- E-002 SCHEDULES
- E-101 FLOOR PLAN - ELECTRICAL

GENERAL COORDINATION NOTES

- FIRE ALARM, SPRINKLER & SIGNAGE DRAWINGS WILL BE SUBMITTED FOR PERMIT SEPARATELY.
- GENERAL CONTRACTOR TO PROVIDE AND INSTALL CART CORRAL(S) IN THE PARKING LOT AREA IN FRONT OF THE DEMISED PREMISES. COORDINATE WITH LANDLORD FOR SPECIFICATION AND QUANTITY.

DOCUMENTATION GENERAL CONTRACTOR TO PROVIDE AT COMPLETION:

- SPRINKLER CERTIFICATION MUST BE PERFORMED NO MORE THAN 30 DAYS PRIOR TO GC COMPLETION.
- PEST INSPECTION REPORT MUST BE PERFORMED NO MORE THAN 30 DAYS PRIOR TO GC COMPLETION.
- SEE MECHANICAL DRAWINGS FOR HVAC WARRANTY REQUIREMENTS AND PROVIDE WRITTEN WARRANTIES.

REVISIONS

NO.	DESCRIPTION

OLLIE'S BARGAIN OUTLET
SPAULDING VILLAGE
1424 NORTH EXPRESSWAY, SUITE 146, 147A
GRIFFIN, GEORGIA 30223



SEPTEMBER 24, 2018
PERMIT DOCUMENTS
RELEASED FOR CONSTRUCTION
RELEASE DATE

COVER INDEX SHEET

DRAWING TITLE
© COPYRIGHT 2018
JEFFERSON BROWNE GRESHAM ARCHITECTS, INC.
THIS DOCUMENT AS AN INSTRUMENT OF SERVICE REMAINS THE PROPERTY OF JEFFERSON BROWNE ARCHITECTS AND NO PART THEREOF MAY BE REPRODUCED IN ANY FORM WITHOUT WRITTEN PERMISSION FROM JEFFERSON BROWNE ARCHITECTS.

Checked By: **A-001**
PROJECT # 18-2671 SHEET 01 OF 15