

ESTERLY SCHNEIDER & ASSOCIATES, INC.
 ARCHITECTS & PLANNERS
 AIA

PROJECT: NEW O'REILLY AUTO PARTS STORE
 U.S. HWY 64
 SOMERVILLE, TN
 INTERIOR FINISH PLAN

O'Reilly AUTO PARTS
 CORPORATE OFFICES
 233 SOUTH PATTERSON
 SPRINGFIELD, MISSOURI 65802
 (417) 862-2674 TELEPHONE

COMM # 4231
 DATE: 9-11-18
 REVISION
 DATE:

SYMBOLS LEGEND


- F-1. POLISHED CONCRETE
- F-2. LIQUID DENSIFIER TREATED CONCRETE
- B-1. BASE

GENERAL NOTES

- (A) REFER TO PROJECT MANUAL FOR ADDITIONAL REQUIREMENTS.
- (B) FIXTURES AND EQUIPMENT SHOWN FOR REFERENCE ONLY AND ARE OWNER FURNISHED AND INSTALLED.
- (C) DIMENSIONS TO ROUGH FACE OF ROUGH FRAMING OR FACE OF FIXTURE UNLESS OTHERWISE NOTED.
- (D) ALL FINISH SUBSTITUTION REQUEST REQUIRE OWNER PRE-APPROVAL.
- (E) PROVIDE SUSPENDED CEILING SEISMIC BRACING WHERE REQUIRED. REFER TO DETAIL 9/A4.

INTERIOR FINISH TYPES

- FLOORS**
- F-1: TYPE: POLISHED CONCRETE FINISH
 MFG: REFER TO PROJECT MANUAL - SECTION 03 35 43
 COLOR: NATURAL CONCRETE, CLEAR
- F-2: TYPE: LIQUID DENSIFIER TREATED CONCRETE FINISH
 MFG: (REFER TO PROJECT MANUAL - SECTION 03 30 00)
 COLOR: NATURAL CONCRETE, CLEAR
- BASE**
- B-1: TYPE: RESILIENT BASE
 MFG: EQUAL TO VPI
 SIZE: 4" COVE
 COLOR: JET, #01
- WALLS**
- W-1: TYPE: PAINT
 MFG: SHERWIN WILLIAMS
 SERIES: FLAT LATEX
 COLOR: SW6126 "NAVAJO WHITE"
- W-2: TYPE: PAINT
 MFG: SHERWIN WILLIAMS
 SERIES: SEMI GLOSS LATEX
 COLOR: SW6126 "NAVAJO WHITE"
- W-3: TYPE: PAINT
 MFG: SHERWIN WILLIAMS
 SERIES: SEMI GLOSS LATEX
 COLOR: SW6468 "HUNT CLUB"
- W-4: TYPE: SANITARY WALL AND CEILING PANEL SYSTEM
 MFG: (REFER PROJECT MANUAL)
 COLOR: WHITE
- W-5: (ONLY WHERE INDICATED)
 TYPE: PRE-ENGINEERED METAL BUILDING INTERIOR LINER PANEL
 MFG: (REFER TO PRE-ENGINEERED METAL BUILDING SHOP DRAWINGS)
 SERIES: EQUAL TO BUTLER BUILDING "MOD 36" (28 GA.)
 COLOR: PREFINISHED EQUAL TO BUTLER BUILDING "WHITE" OR "LIGHT STONE"
- CEILINGS**
- C-1: TYPE: ACOUSTICAL TILE CEILING
 SIZE: 24" X 48" X 5/8" SQUARE EDGE
 MFG: ARMSTRONG SPECIFIED
 SERIES: 1729 "FINE FIGURED"
 COLOR: WHITE
 GRID SERIES: "PRELUDE" 15/16" EXPOSED TEE SYSTEM
 GRID COLOR: WHITE
- SEISMIC DESIGN CATEGORY "C":
 CONFORM TO ASTM E580
 -MINIMUM 7/8" WALL MOLDING
 -SUSPENSION SYSTEM MUST NOT BE ATTACHED TO THE WALL MOLDING
 -MINIMUM 3/8" CLEARANCE ON ALL SIDES
 -MINIMUM 3/8" OVERLAP OF THE SUSPENSION SYSTEM ON THE WALL MOLDING
 -ENDS OF MAIN BEAMS AND CROSS TEES MUST BE TIED TOGETHER TO PREVENT THEIR SPREADING
 -SAFETY WIRES REQUIRED ON LIGHT FIXTURES.
- C-2: TYPE: PAINT
 MFG: SHERWIN WILLIAMS
 SERIES: FLAT LATEX
 COLOR: SW6126 "NAVAJO WHITE"
- C-3: TYPE: PAINT
 MFG: SHERWIN WILLIAMS
 SERIES: SEMI GLOSS LATEX
 COLOR: SW6126 "NAVAJO WHITE"
- C-4: TYPE: EXPOSED INSULATION VAPOR BARRIER (WHITE) AND EXPOSED STEEL FRAMING SYSTEM (FACTORY PRIMED)
- DOORS AND FRAMES**
- D-1 (INTERIOR WOOD DOORS):
 TYPE: STAIN
 SPECIES: CUSTOM GRADE ROTARY SLICED NATURAL BIRCH
 FINISH: FACTORY FINISHED
 COLOR: EQUAL TO "GRAHAM" #300, MEDIUM BROWN
- D-2 (INTERIOR HOLLOW METAL FRAMES):
 TYPE: PAINT
 MFG: SHERWIN WILLIAMS
 SERIES: SEMI GLOSS ENAMEL
 COLOR: SW6468 "HUNT CLUB"
- D-3 (EXTERIOR DOORS & FRAMES):
 TYPE: PAINT
 FINISH: REFER TO EXTERIOR FINISH SCHEDULE
 COLOR: REFER TO EXTERIOR FINISH SCHEDULE



1 FINISH PLAN
 A1.2 SCALE: 1/8" = 1'-0"

INTERIOR FINISH SCHEDULE

NO.	ROOM OR SPACE	FLOORING		WALLS				CEILING		DOORS		NOTES
		TYPE	BASE	NORTH	EAST	SOUTH	WEST	TYPE	HEIGHT	DOOR	FRAME	
100	PARTS AREA (A)	F-1	B-1	W-1	W-1	W-1	W-1	C-1	11'-6"	D-3	D-3	2, 4
101	PARTS AREA (B)	F-2	N/A	W-3/W-5	W-2	W-5	W-5	C-4	VARIES	-	-	1, 2, 3, 5
102	OFFICE	F-2	B-1	W-2	W-2	W-2	W-2	C-2	8'-6"	D-1	D-2	
103	REST ROOM	F-2	B-1	W-4	W-4	W-4	W-4	C-3	8'-6"	D-1	D-2	
104	REST ROOM	F-2	B-1	W-4	W-4	W-4	W-4	C-3	8'-6"	D-1	D-2	
105	PARTS AREA (C)	F-2	N/A	W-3/W-5	W-5	W-2	W-3/W-5	C-4	VARIES	D-3	D-3	1, 2, 5

INTERIOR FINISH SCHEDULE NOTES:

1. PAINT EXTERIOR OF (102) OFFICE, (103) RESTROOM, AND (104) RESTROOM WITH W-3 AND PROVIDE BASE B-1. WHERE MULTIPLE WALL FINISH TYPES INDICATED IN SCHEDULE RELATES TO VARIOUS WALL FINISH TYPES BY ROOM OR SPACE PLAN ORIENTATION ONLY AND IS NOT INTENDED AS WAINSCOT PATTERNING OF FINISHES ON A SINGLE WALL PLANE.

2. LOCATION OF BASE GRAPHICALLY INDICATED ON DRAWING, REFER SYMBOLS LEGEND.

3. PROVIDE PIECES OF 2' LENGTH BASE FOR INSTALLATION AT ENDS OF PARTS AREA "B" FIXTURES FACING PARTS AREA "A".

4. REFER TO ELECTRICAL DRAWINGS FOR GRID LAYOUT.

5. (WHERE OCCURS) PAINT INTERIOR ISOLATED EXPOSED STRUCTURAL STEEL COLUMNS TO MATCH W-3. (UNLESS OTHERWISE INDICATED) EXPOSED EXTERIOR PERIMETER STRUCTURAL STEEL COLUMNS TO BE FACTORY PRIMED ONLY.

Order Plans @ WWW.LDILING.COM