

ELEVATION KEYED NOTES:

- 1 EIFS CHARCOAL COLOR BRICK SYSTEM BY DRYVIT - OUTSULATION
- 2 SYNTHETIC STUCCO SYSTEM BY DRYVIT - OUTSULATION- SEE WALL SECTIONS
- 3 LOCKABLE HOSE BIBB
- 4 SYNTHETIC STUCCO BANDING. COORDINATE WITH WALL SECTIONS/SLOPE TOP TO DRAIN AWAY FROM BUILDING-TYPICAL.
- 5 1" INSUL. TEMP. GLASS IN BRONZE ANODIZED ALUMINUM STOREFRONT SYSTEM- CONTRACTOR TO SUBMIT SAMPLE FOR APPROVAL.
- 6 PRE-FINISHED ALUMINUM CAP FLASHING. COLOR AS SELECTED BY ARCHITECT.
- 7 TENANT IDENTITY SIGNAGE. COORDINATE EXACT LOCATION AND SIGN WITH TENANT. SIGN IS TENANT SUPPLIED AND INSTALLED AND SHOWN ON THESE ELEVATIONS FOR COORDINATION ONLY.
- 8 DASHED LINE INDICATES APPROXIMATE LOCATION OF THE SLOPED SINGLE PLY ROOF BEYOND THE PARAPET WALL. SEE ROOF PLAN.
- 9 CONCRETE LEAVE OUT
- 10 BRONZE DOWNSPOUT TIED TO UNDERGROUND RETENTION SYSTEM SEE CIVIL DRAWING - DO NOT SHEET FLOW WATER
- 11 GENERAL CONTRACTOR TO BID ON ALL SIDEWALKS - SEE CIVIL DRAWINGS FOR DETAILED SIDE WALK INFORMATION
- 12 BARREL TILE CONCRETE ROOF TILES - CONTRACTOR SUBMIT SAMPLE FOR APPROVAL
- 13 DECORATIVE LIGHTS AS SELECTED BY ARCHITECT SUBMIT CUT SHEETS AND ACTUAL LIGHT FIXTURE FOR APPROVAL LIGHTS ON EXTERIOR TO BE NOT HIGHER THAN 12' ABOVE SIDEWALK

- 14 EXTERIOR WALL-MOUNTED SECURITY LIGHT FIXTURES. COORDINATE EXACT LOCATION WITH ELECT. DWGS. PROVIDE BEAD OF SEALANT AROUND PERIMETER OF LIGHT FIXTURE/ MOUNT NO HIGHER THAN 12' ABOVE SIDEWALK. LIGHTS TO HAVE HOOD OR DEFLECTOR DIRECTING LIGHT DOWN
- 15 SLOPE TO YARD DRAINS
- 16 FIRE RETARDANT FADE RESISTANT SUNBRELLA BLACK FABRIC AWNING
- 18 PRE FAB BRONZE ALUM TRELIS SYSTEM BY OTHERS CONTRACTOR TO SUBMIT PRE ENGINEERED SHOP DRAWINGS
- 19 INTERIOR STEEL COLUMNS. SEE STRUCTURAL DRAWINGS FOR SIZE AND TYPE
- 20 CANVASS AWNING SYSTEM BY OTHERS
- 21 38" TALL SPECTIS RAILING SYSTEM - PAINT WHITE PER MAN. INSTRUCTIONS
- 22 OPENING FOR ROLL UP DOOR - CONTRACTOR TO COORDINATE WITH TENANT ARCHITECT OPENING SIZE AND STRUCTURAL EQUIPMENTS
- 23 42" TALL ALUM RAILING SYSTEM PER CODE AROUND SEATING AREA IF SEATING AREA IS ELEVATED ABOVE ADJACENT SIDEWALK COORDINATE WITH CIVIL
- 24 4" TALL ELEVATED CONCRETE BASE WITH CHAMFERED EDGES AT FREE STANDING COLUMNS
- 25 CONTROL JOINT IN EIFS
- 26 BANDING AT EXTERIOR FACE OF BUILDING ONLY - DOES NOT WRAP AROUND



FRONT ELEVATION

WINDOW TYPES - SEE SHEET A-8

ROY WILLIAMS ARCHITECT, INC.
ARCHITECTURE • LAND PLANNING • GRAPHICS
2445 US-1, SUITE 84, ST AUGUSTINE, FL 32080
904-422-8886, RWARCHITECTUREGROUP@GMAIL.COM

JOYCE DEVELOPMENT GROUP

BUILDING 1
BRANAN FIELD WALK
MIDDLEBURG, FLORIDA

ENLARGED FRONT ELEVATION

SEAL

| RELEASED FOR PERMIT | DATE | REVISIONS |
|---------------------|------|-----------|
| | | |
| | | |
| | | |

This drawing is an instrument of service and property of Roy Williams Architect, Inc. and shall remain the property of Roy Williams Architect, Inc. The use of this drawing shall be restricted to the project site for which it is prepared and publication thereof is expressly limited to such use.

Date: 10/1/2018
Scale: 3/16" = 1'-0"
Drawn:
Checked:
Sheet No:

A-1.1
OF