



GENERAL NOTES

- ROOF INSULATION SHALL BE TWO LAYERS WITH JOISTS STAGGERED (OFFSET) AND TOTAL THICKNESS AS REQUIRED TO MEET THE MINIMUM R-VALUE AS SHOWN ON THE ROOF PLAN
- GUTTERS SHALL BE CONTIGUOUS AND SEAMS:
- COORDINATE ALL PLUMBING PENETRATIONS WITH THE PLUMBING DRAWINGS
- DOWNSPOUTS SHALL BE LOCATED AT TOP OF PARAPET PLATE LOCATIONS TO PREVENT ROOF MEMBRANE DAMAGE AND TEAR.
- NOTATIONS ON ROOF PLAN INDICATE ADDITIONAL THICKNESS OF TAPERED INSULATION ADDED TO THE BASE INSULATION THICKNESS TO DIRECT WATER TO SCUPPERS AND/OR ROOF DRAINS.
- CONTRACTOR TO UTILIZE TAPERED INSULATION AT ALL CRICKETS. SQUARE EDGES WILL NOT BE ACCEPTABLE.
- CONTRACTOR TO PROVIDE CRICKETS ON UPWIND SIDE OF ALL EQUIPMENT CURBS. CRICKETS SHALL SLOPE 1" < 4" FROM CENTER NOISE AND EXTEND TO THE OUTSIDE EDGE OF THE CURB.
- LIGHT FIXTURES ON OVERHANGS SHALL NOT BE MOUNTED WITHIN 1' OF ROOF DRAINS.

ROOF PLAN NOTES

WALKWAY PAD NOTES

- ROOF WALKWAY PADS SHALL BE WHITE WITH YELLOW SAFETY STRIP. BE A MAXIMUM OF 10' IN LENGTH AND BE FULLY WELDED AT THE PERIMETER
- EDGE OF WALKWAY PADS SHALL BE A MINIMUM OF 2" FROM ROOF SEAMS. DO NOT INSTALL WALKWAY PADS OVER ROOF SEAMS
- WALKWAY PADS SHALL BE CURBED AT EDGES OF CRICKETS.
- EXTEND ROOF WALKWAY PADS FROM ROOF LADDER TO ALL EQUIPMENT LOCATIONS. EXHAUST CURBS, ACCESS DOORS, VENTILATORS, AND ALL OTHER PENETRATIONS THROUGH THE ROOF MEMBRANE. CRICKETS SHALL BE PLACED AT THE PERIMETER TO PLACE THREE (3) LOOSE WALKWAY PADS IN TOWER FOR LOTTERY VENDOR.

Order Plans @ www.drawing.com

CLIENT NAME
WAWA
260 WEST BALTIMORE PIKE
WAWA, PENNSYLVANIA 19053

PROJECT NAME
WAWA F85FB 2018.01 STORE #5275-LIT
9021 STATE ROAD 52
HUDSON, FL 34689

SHEET TITLE
ROOF PLAN

DATE
03/27/2017

REVISIONS

No.	Description	Date
1	PRELIMINARY REVIEW SET	03/27/2017
2	REVISED REVIEW SET	04/10/2017
3	REVISED REVIEW SET	04/10/2017
4	REVISED REVIEW SET	04/10/2017
5	REVISED REVIEW SET	04/10/2017

CREATED BY
J. B. BROWN

CHECKED BY
M. J. BROWN

DATE
03/27/2017

SCALE
AS SHOWN

PROJECT NO.
2017-001

DRAWING NO.
R-01

PROJECT NO.
2017-001

DRAWING NO.
R-01

PROJECT NO. 2017-001
DRAWING NO. R-01
PROJECT NO. 2017-001
DRAWING NO. R-01