

**2**  
E1.5  
ENHANCED DISPENSER HUB (E.D.H.)  
N.T.S.

**1**  
E1.5  
LOW VOLTAGE RISER DIAGRAM  
N.T.S.

NOTE: IN EXISTING STORES, VERIFY THE EXISTENCE OF A CAT6 CABLE WITH RJ45 CONNECTORS ON EACH END OF THE CABLE AS THE CONNECTION FROM THE AUTOMATIC TANK MONITOR (ATG) TO THE IN STORE PROCESS OR (ISP)

- \* ALL CABLING IS CAT-6 AND WIRED TO TIA/EIA 568B EXCEPT FOR POS REGISTERS WHICH SHALL BE WIRED TO TIA/EIA 568A.
- \*\* EC TO INSTALL OWNER PROVIDED CONDUIT AND BOXES FOR ALL LOW VOLTAGE WIRING EXCEPT ATG WHICH IS TO BE PROVIDED BY FUELING CONTRACTOR.
- + EC TO PROVIDE PULL STRING IN CONDUIT. WIRING AND TERMINATIONS WILL BE PROVIDED BY THE FUELING CONTRACTOR.
- 4 INDICATES QUANTITY OF CABLES TO BE PULLED.

Order Plans @ WWW.LDLine.com

**bates**  
 502 SW A STREET, SUITE 2  
 BENTONVILLE, ARKANSAS 72712  
 WWW.BATESARCHITECTS.COM  
 TEL: 479.633.1111

Florida Certified Authority #12366  
 Copyright © 2018 Bates & Associates, Inc.  
 All rights reserved. This document is the property of Bates & Associates, Inc. and shall remain the property of Bates & Associates, Inc. Any use or reproduction of this document without the written consent of Bates & Associates, Inc. is prohibited.

DESIGNER: BATES & ASSOCIATES, INC.  
 PROJECT: 18042  
 DATE: 08/08/2018

CONSTRUCTION MANAGER  
 CAPCO REAL ESTATE  
 101 E KENNEDY BLVD. SUITE 1425,  
 TAMPA, FL 33602


TENANT  
 7-ELEVEN INC.  
 3200 HACKBERRY ROAD  
 IRVING, TX 75063

STRUCTURAL CONSULTANT  
 SELECT STRUCTURAL  
 12573 NEW BRITANNY BLVD FORT MYERS, FL 33907  
 CONTACT: SHAWN ANDERSON

PROTO:04-30-2018

**7-ELEVEN STORE**  
 802 E. MARTIN LUTHER KING JR. BLVD.  
 TAMPA, FL 33603

CAPCO REAL ESTATE  
 101 E KENNEDY BLVD. SUITE 1425,  
 TAMPA, FL 33602



08/08/2018  
**Engineer Name** - ANDREW D FINNEGAN  
**Engineer Number** - 80051

REVISIONS	
NO.	DESCRIPTION

PROJECT NUMBER: 18042  
 RELEASE DATE: 08/08/2018

LOW VOLTAGE DETAILS

**E1.5**