


STORM STRUCTURE LEGEND



COBB COUNTY AS-BUILT STORMWATER

INFRASTRUCTURE NOTE
AN AS-BUILT SURVEY OF STORMWATER INFRASTRUCTURES MUST BE SUBMITTED TO COBB COUNTY STORMWATER MANAGEMENT (118-418-6450) PRIOR TO FINAL PLAT APPROVAL OR OBTAINING A CERTIFICATE OF OCCUPANCY. A TABLE LISTING THE STRUCTURE NAME, WORKING ELEVATION, PIPE MATERIAL, INVERT, AND FINISH ELEVATIONS FOR EACH STRUCTURE MUST BE INCLUDED ON THE AS-BUILT DRAWINGS SUBMITTED TO COBB COUNTY STORMWATER MANAGEMENT. INVERTS AND FINISHES SHOULD BE BASED ON STATE PLANE COORDINATE SYSTEM.

COMPACTION REPORT SUBMITTALS
CONTRACTOR SHALL RETAIN COMPACTION REPORTS PERFORMED BY THE OWNER'S GEOTECHNICAL ENGINEER TO DOCUMENT CONSTRUCTION PRACTICES REQUIRED FOR INSTALLATION OF THE UNDERGROUND DETENTION SYSTEM AND CONSTRUCTION OF ROAD DATA. CONTRACTOR SHALL MAKE AVAILABLE TO COUNTY INSPECTORS UPON REQUEST.

STORMWATER FACILITY OWNERSHIP
ALL STORMWATER INFRASTRUCTURES ON THIS SITE ARE PRIVATELY OWNED, AND ANY MAINTENANCE OR REPLACEMENT IS THE OWNER'S RESPONSIBILITY.

FLOODPLAIN NOTE
THIS PROPERTY IS NOT LOCATED IN A SPECIAL FLOOD HAZARD AREA BASED ON THE FLOOD INSURANCE MAP FOR THIS AREA. THE MAP FOR THIS AREA IS 100450101 AND THE DATE OF SAID MAP IS MARCH 4, 2003.

100-YR STRUCTURE PONDING CALCULATIONS AT SAG POINTS table with columns: Structure Label, Structure Type, Top / Throat Elev., 100-Yr Pond Depth (in.), 100-Yr Pond Elev.

DRAWING ISSUE RECORD table with columns: DATE, REVISIONS, NO.



HARMONY LELAND CLAY ELEM. SCHOOL BLDG. F.F.E. 1047.00

COBB COUNTY STORMWATER NOTES:
1. THE DEPARTMENT OF TRANSPORTATION, STATE OF GEORGIA STANDARD PIPE CULVERTS NUMBER 8000, LATEST EDITION SHALL BE USED IN DETERMINING THE CLASS OF REINFORCED CONCRETE PIPE OR CLASS OF CORRUGATED STEEL PIPE OR TYPE 2 CORRUGATED ALUMINUM PIPE UNDER FILL AND THE METHOD OF BACK-FILLING THE MINIMUM GAGE FOR CORRUGATED STEEL PIPE. PIPE ALLOWED UNDER COBB COUNTY STANDARDS IS 3' (MINIMUM) TO 4' (MAXIMUM) CORRUGATED STEEL PIPE. ALL PIPE SHALL BE FULLY COATED. THE MINIMUM GAGE FOR TYPE 2 CORRUGATED ALUMINUM PIPE UNDER COBB COUNTY STANDARDS IS 4' (MINIMUM) TO 5' (MAXIMUM).



NOTE: ALL NON-METALLIC LATERALS SHALL BE INSTALLED WITH TRACER WIRE AND RECORDED ON AS-BUILT SURVEY

CAUTION section containing utility symbols, a scale bar (SCALE: 1"=40'-0"), and a disclaimer: 'THE UTILITIES SHOWN ARE SHOWN FOR THE CONTRACTOR'S CONVENIENCE... CONTRACTOR SHALL BE RESPONSIBLE TO OBTAIN THE SERVICES OF A PRIVATE UTILITY LOCATOR PRIOR TO CONSTRUCTION...'



ENGINEER'S RUNOFF CONTROL CERTIFICATION:
THE PROPOSED EROSION AND RUNOFF CONTROL MEASURES ARE IN ACCORDANCE WITH THE COBB COUNTY EROSION CONTROL AND FLOOD PROTECTION REGULATIONS AND WILL NOT INCREASE THE RUNOFF RATE FROM THE SITE FOR RAINFALLS WITH A RETURN PERIOD OF 1 TO 100 YEARS.

Vertical banner for 'cunningham forehand matthews & moore' with contact information: 'cunningham, forehand, matthews & moore, architects, inc. - 2011 manchester street, n.e. - atlanta, georgia 30324 - phone (404) 873-2152' and 'C3.1' at the bottom.