DRAWING ISSUE RECORD		
DATE:	REVISIONS:	NO.
11-1-18	ISSUED TO BID	

PARTIAL ROOF FRAMING PLAN

SCALE: 1/8" = 1'-0"

1 S4.1

N

ROOF FRAMING PLAN NOTES:

1. ② DENOTES 22 GA 1-1/2" B WIDE RIB METAL ROOF DECK
   MINIMUM DECK PROPERTIES:
   Ip = 0.155 IN⁴/FT Ip = 0.183 IN⁴/FT
   Sp = 0.186 IN³/FT Sn = 0.192 IN³/FT
   ③ DENOTES TECTUM ROOF DECK (SEE ARCH)
2. T/STEEL = (+) 14'-5 1/2" (UNLESS NOTED OTHERWISE)
3. GC SHALL VERIFY ALL OPENING DIMENSIONS WITH MECHANICAL.
4. c = x" DENOTES THE AMOUNT OF CAMBER ON THE BEAM OR GIRDER.
5. (SDB) DENOTES SLOPES AT DECK BEARING ELEVATION
6. ▶— DENOTES MOMENT CONNECTION. DESIGN CONNECTIONS FOR MAX ALLOWABLE MOMENT CONNECTION BASED ON BEAM SIZE (DIRECT WELD TO COLUMN).
7. - - - DENOTES BRACED FRAME (SEE ELEVATIONS).
8. ▨ DENOTES CMU SHEAR WALL BELOW
9. ALL MISC SOFFIT FRAMING SHALL BE SUPPORTED USING L4x4x1/4 (MIN)

HARMONY LEE AND CLAY
REPLACEMENT ELEMENTARY SCHOOL
6326 FACTORY SHOALS RD. SW
AUSTELL, GEORGIA 30168
FOR COBB COUNTY SCHOOL DISTRICT
COBB COUNTY, GA
CCSD PROJECT No. A004 / DOE FACILITY CODE

DATE JULY 18, 2018 | JOB NO. SHL-DD2-18 | DWG. BY TJL | CK. BY RMS

DO NOT DUPLICATE WITHOUT PERMISSION

PES STRUCTURAL ENGINEERS
ADDRESS 1852 Century Place NE, Suite 201, Atlanta, Georgia 30345
PHONE 770.457.5823 FAX 770.457.8969 WEB www.pesengineers.com
PES PROJECT NUMBER:0218161

GEORGIA REGISTERED PROFESSIONAL ENGINEER 31724 — 11/01/2018

cunningham forehand matthews & moore
cunningham, forehand, matthews & moore, architects, inc. - 2011 manchester street, n.e. - atlanta, georgia 30324 - phone (404) 873-2152

S4.1

Order Plans @ WWW.IDLine.com