

DRAWING ISSUE RECORD		
DATE	REVISION	NO.
10/06/06	BID SET	

FINISH SCHEDULE					
NO.	FLOOR	BASE	WALLS	CEILING	REMARKS
F0	EF:TR	EF:TR	EF:TR	EF:TR	
F1	EF:TR	EF:TR	EF:TR	2x2 ACoust. LAT-IN TYPE 1	DDDD DDDD
F2	EF:TR	EF:TR	EF:TR	MOIST. RESIST. GYP. BD. (EPOXY PAINT)	DDDDDDDD

FINISH SCHEDULE NOTES:

NOTES ARE REFERENCED TO SPECIFIC AREAS FOR CONVENIENCE, BUT MAY APPLY TO THE SAME GENERAL CONDITION WHEREVER IT IS FOUND. THESE NOTES APPLY TO ALL DRAWINGS.


- WHERE SCHEDULE CALLS FOR NEW ACOUSTICAL LAT-IN CEILING IN AREAS WHERE EXISTING LAT-IN CEILING EXISTS, REMOVE EXISTING CEILING AND GRID AND INSTALL NEW GRID AND LAT-IN CEILING TO ACHIEVE A CONSISTENT FINISH OF CEILING IN ENTIRE SPACE. WHERE EXISTING GLO. TILES ARE REPLACED BY NEW CONTRACTOR SHALL MATCH NEW GLO. TILES BY SURROUNDING EXISTING TILES. INSTALL NEW CEILING GRID AT SAME ELEVATION AS EXISTING. IF GRID IS GETTING REPLACED, WHERE NEW CEILING AND GRID ARE INSTALLED, CONTRACTOR SHALL INSTALL CEILING GRID TO COMP. WITH BEARING DETAILS 3(A) & 4(A).
- AT ALL GLO. FASCIAS, RUN-DOWNS, AND SOFFITS DISTURBED BY CONSTRUCTION, PATCH, PREP, AND PAINT INTERIOR GYP. BD. AT GLO. RUN-DOWNS AND SOFFITS IN WITH FLAT PAINT.
- ALL CEILINGS REQUIRING PAINTING, PAINT SHALL BE WHITE - (SEE SPECIFICATIONS SECTION 095000).
- WHERE AREAS HAVE EXPOSED STRUCTURE, ALL NEW STEEL STRUCTURE, NEW DUCTWORK, NEW PIPING, NEW CONDUIT, ETC. (AND ALL STEEL STRUCTURE, DUCTWORK, PIPING CONDUIT, ETC. DISTURBED BY CONSTRUCTION) SHALL BE PAINTED (TYPICAL).
- AT NEW GYPSUM BOARD CEILING, PROVIDE DRYWALL EXPANSION JOINT FOR EVERY 30 SQUARE FEET OF CEILING. PROVIDE V&P JOINT FOR CALKING AT ALL PERIMETER WALLS. CALK EXPANSION JOINT PRIOR TO PAINTING (TYPICAL).
- DURING COURSE OF CEILING DEMO AND HVAC REMOVAL/INSTALLATION - PROTECT LIGHTS FOR REUSE. DAMAGED LIGHTS SHALL BE REPLACED BY G.C.
- IN ALL SPACES WHERE CONSTRUCTION TAKES PLACE, THE G.C. SHOULD TAKE CARE TO MAINTAIN THE FINISHING QUALITY OF FINISHES AND MATERIALS IN THESE SPACES, WHERE EXISTING MATERIALS OR FINISHES ARE DAMAGED, IT IS THE RESPONSIBILITY OF THE G.C. TO REPLACE.
- AREAS DISTURBED BY CONSTRUCTION THAT REQUIRE "PAINT" IN EXISTING CONSTRUCTION, CONTRACTOR SHALL DETERMINE TYPE OF EXISTING PAINT ON EXISTING SURFACES PRIOR TO OBTAINING MATERIAL FOR INSTALLATION. WHERE NECESSARY, CONTRACTOR SHALL REMOVE ALL LOOSE OR PEELING PAINT, FEATHER EDGES OF EXISTING PAINT EDGES WITH GOOD SAND, AND PROVIDE BARRIER COATS AS REQUIRED BY MANUFACTURER. EXISTING PAINT EDGES WITH GOOD SAND, CONTRACTOR SHALL SUB & BLOCK FILL WALLS TO REPAIR EXPOSURE, WHERE THEY ARE REMOVED, AND PROVIDE BARRIER COATS AS NECESSARY PRIOR TO INSTALLING NEW PAINT.

NOTES ARE REFERENCED TO SPECIFIC AREAS FOR CONVENIENCE, BUT MAY APPLY TO THE SAME GENERAL CONDITION WHEREVER IT IS FOUND. THESE NOTES APPLY TO ALL DRAWINGS.

- LEGEND**
- 222 - DOOR NUMBER
 - A1 - COLUMN NUMBER
 - X2 - ROOF NUMBER
 - F2 - FINISH NUMBER (SEE SCHEDULE FOR FINISH SCHEDULE)
 - UNLESS NOTED OTHERWISE
 - CJ - CEILING HEIGHT
 - CJ - CONTROL JOINT
 - EF:TR - EXISTING FINISH REMAIN
 - RE - REMOVE
 - MR - MOISTURE RESISTANT
 - N/C - NOT IN CONTRACT








WATCH FOR FLOOR MARKS INDICATES CEILING AREAS DISTURBED BY ALL PLUMBING, MECHANICAL, AND ELECTRICAL WORK ASSOCIATED WITH HVAC REPLACEMENT. CEILING REPLACEMENT WORK NOT BE LIMITED TO AREAS HATCHED. G.C. MUST PROVIDE A CONSISTENT CEILING FINISH IN ALL AREAS WHERE CEILING ARE DISTURBED. IN SOME INSTANCES THE CEILING TILE IN THESE SPACES WILL REQUIRE REPLACEMENT. ALL DAMAGED TILE MUST BE REPLACED.

SEE PLUMBING, MECHANICAL, AND ELECTRICAL FOR EXTENT AND VERIFICATION OF ROOF-TOP WORK.



HVAC REPLACEMENT FOR NORTH OCOOEE HIGH SCHOOL
 EC: 108-0101
 FOR THE OCOOEE COUNTY BOARD OF EDUCATION
 WATKINSVILLE, GEORGIA
 DATE: SEPT 14, 2016
 SHEET NO. 314 - 009-18
 SHEET: JL

cunningham forehand matthews moe
 cunningham, forehand, matthews & moore, architects, inc. - 2011 manchester street, n.e. - atlanta, georgia 30324 - phone (404) 873-2152



3 ENLARGED UPPER LEVEL FLOOR PLAN AT BUILDING "E4"-COMMONS 1/8"=1'-0"

2 ENLARGED MAIN LEVEL FLOOR PLAN AT BUILDING "E4"-COMMONS 1/8"=1'-0"

1 ENLARGED ROOF PLAN AT BUILDING "E4"-COMMONS 1/8"=1'-0"