

DESIGN INFORMATION:
DRAINAGE AREA: 3.28 ACRES
IMPERVIOUS AREA: 1.83 ACRES
TIME OF CONC: 5 MINUTES
WQ PEAK FLOW RATE: 2.11 CFS
25-YR FLOW RATE: 11.9 CFS

INFORMATION PROVIDED ABOVE IS FOR REFERENCE ONLY. CONTRACTOR SHALL PROVIDE SHOP DRAWINGS FROM MANUFACTURER FOR REVIEW AND APPROVAL PRIOR TO ORDERING. CONTRACTOR SHALL BE RESPONSIBLE FOR ALL RISERS REQUIRED TO ADJUST STRUCTURE ACCESS TOPS TO FINISHED GRADE WHERE NOT PROVIDED BY THE MANUFACTURER AS PART OF THE WATER QUALITY UNIT.

1 CRYSTAL STREAM MODEL 1056 - STRUCTURE #G2

NOT TO SCALE



DESIGN INFORMATION:
DRAINAGE AREA: 3.28 ACRES
IMPERVIOUS AREA: 1.83 ACRES
TIME OF CONC: 5 MINUTES
WQ PEAK FLOW RATE: 2.11 CFS
25-YR FLOW RATE: 11.9 CFS

INFORMATION PROVIDED ABOVE IS FOR REFERENCE ONLY. CONTRACTOR SHALL PROVIDE SHOP DRAWINGS FROM MANUFACTURER FOR REVIEW AND APPROVAL PRIOR TO ORDERING. CONTRACTOR SHALL BE RESPONSIBLE FOR ALL RISERS REQUIRED TO ADJUST STRUCTURE ACCESS TOPS TO FINISHED GRADE WHERE NOT PROVIDED BY THE MANUFACTURER AS PART OF THE WATER QUALITY UNIT.

2 CRYSTAL STREAM MODEL 1056 - STRUCTURE #G2

NOT TO SCALE

Order Plans @ www.LDILine.com

Architecture
Planning
Facilitation Design

CGLS
ARCHITECTS

CHAPMAN GRIFFIN LANIER SUSSENBACH ARCHITECTS
© 2018

RELEASED FOR CONSTRUCTION

CONSULTANT
BREEDLOVE LAND PLANNING

SEAL
GEORGIA REGISTERED
PROFESSIONAL ENGINEER
WILLIAM WATSON, MEMBER
11/01/2018

DATE	NO.	DESCRIPTION
05/28/18		GDOT PRELIMINARY SUBMITTAL / DESIGN DEVELOPMENT
08/19/18		90% CONSTRUCTION DOCUMENTS
09/17/18		GDOT CHECK SET/ PERMIT SET
10/10/18		FINAL GDOT SUBMITTAL
11/01/18		ISSUED FOR PROPOSALS

CHAPMAN GRIFFIN LANIER SUSSENBACH ARCHITECTS
400 Galleria Pkwy . Suite 100 . Atlanta, Ga 30339 . Phone: 404.733.5493

DOE FACILITY CODE 860 -3066

RIVERWOOD HIGH SCHOOL - PHASE 3-8
AUDITORIUM/GYMNASIUM ADDITION

5900 RAIDER DRIVE NW SANDY SPRINGS, GA 30328

FULTON COUNTY SCHOOLS RFP NO. 411-19

SHEET TITLE
WATER QUALITY UNITS DETAILS

PROJECT NO. 16015.02

DATE: 09.17.18

DRAWN BY: KWW
CHECKED BY: HOB

SHEET NO.
C-332