


Order Plans @ www.LDILine.com

GENERAL NOTES

1. GYPSUM BOARD: 1/2" UNLESS NOTED OTHERWISE.
2. CEMENT BOARD: 1/2" UNLESS NOTED OTHERWISE.
3. METAL STUDS: 3 1/2" SPACED 24" O.C. UNLESS NOTED OTHERWISE. RE: SPECS.
4. DEFLECTION TRACK: 3" LONG LEGS TO PROVIDE 1 1/2" OF VERTICAL MOVEMENT. DO NOT ATTACH METAL STUD WALL OR GYPSUM BOARD TO DEFLECTION TRACK. HOLD GYPSUM BOARD SHORT OF DECK BY 1 1/2".
5. FLOOR FINISH AND BASE: REFER TO INTERIOR DECOR PLANS & ROOM FINISH SCHEDULE.
6. IN ROOMS WITH CEILING EXTEND GYPSUM BOARD TO 6" ABOVE CEILING. METAL STUDS DO NOT NEED TO EXTEND TO DECK (U.N.O.) BUT CAN BE BRACED BACK TO STRUCTURE ABOVE AT 48" O.C. MAX.
7. FIRE BLOCKING: PROVIDE 1" ROCKWOOL OR SOLID WOOD BLOCKING (CONTRACTOR'S OPTION) BETWEEN STUDS @ CEILING LINE. IF ROCKWOOL IS USED, FRICTION FIT BETWEEN EACH STUD.


WALL NOMENCLATURE

WALL TYPE BOX - WALL TYPE ID
 X - WALL TYPE ID
 METAL STUD WIDTH - INDICATED LEFT OR RIGHT OF WALL ID BOX
 LEFT BLANK - 3/8" METAL STUD WIDTH - STANDARD (SEE NOTES NOTED OTHERWISE)
 XX" - EXTEND ASSEMBLY SHOWN DISTANCE ABOVE FLOOR
 EXAMPLE: 
 WALL TYPE BOX - WALL TYPE ID - STUD WIDTH - FINISH HEIGHT
 THIS INFORMATION IS REQUIRED TO EXTEND FULL HEIGHT TO DECK ABOVE. PROVIDE 3/8" MIN. JOINTS ONE SIDE MIN. FILL OPEN JOINT FULLY WITH SEALANT. PROVIDE 3/8" MIN. JOINTS ON TRACK WITH SEALANT.

KEYNOTES


- 09-001 FINISHED CEILING: RE: A1.3 - REFLECTED CEILING PLAN.
- 09-011 METAL STUD FRAMING: RE: A1.1 - FLOOR PLAN, A3.2 - INTERIOR WALL TYPES PLAN & A3.21 - INTERIOR WALL TYPES FOR ADDITIONAL INFORMATION.
- 09-000 GYPSUM WALL BOARD.

EXECUTED BY: Author
 REVIEWED BY: Checker
 PROJECT: 100 West 1st Street, Suite 200, Seattle, WA 98101
 PHONE: 206.469.4949
 FAX: 206.469.4950
 WWW: www.zr-architects.com
 100 West 1st Street, Suite 200, Seattle, WA 98101
 PHONE: 206.469.4949
 FAX: 206.469.4950
 WWW: www.zr-architects.com
 zr architects + design
 creating extraordinary places
 www.zr-architects.com
 206.469.4949

OWNER

 DATE: ISSUED
 10/28/18 90% OWNER REVIEW
 11/01/18 100% BID PERMIT

DATE	REVISION

PROJECT TITLE
KROGER STORE R543
 1050 W. Mercury Blvd., Hampton, VA 23666
 COMMISSION NO: 518344
 ISSUE DATE: 11/01/18
 SHEET TITLE
INTERIOR WALL TYPES
 SHEET NO:
A3.2.2
 11/01/18



THIS DOCUMENT IS THE PROPERTY OF LDILINE.COM. IT IS TO BE USED ONLY FOR THE PROJECT AND SITE SPECIFICALLY IDENTIFIED HEREIN. IT IS NOT TO BE REPRODUCED, COPIED, OR DISTRIBUTED IN ANY MANNER WITHOUT THE WRITTEN PERMISSION OF LDILINE.COM. ALL RIGHTS ARE RESERVED.