WINDOW TYPES



ALL WINDOWS ARE ALUMINUM FRAME PER SPECIFICATIONS

GLASS TYPES (REFER TO SPECS FOR ADDITIONAL INFORMATION)
TYPE A: FLOATPLATE GLASS
TYPE C: FLOATPLATE GLASS - TEMPERED
TYPE J: TRANSPARENT MIRRORED GLASS
TYPE 1: INSULATED GLASS - LOW-E
TYPE 2: INSULATED GLASS - LOW-E, TEMPERED
TYPE S: INSULATED GLASS - CLEAR, INTERIOR

(T) INDICATED TEMPERED GLASS

BREAK METAL TO MATCH WINDOW MULLIONS

DOOR SCHEDULE

LABEL	FINISH ABBREVIATIONS	FRAME TYPE	DOOR TYPE	GLAZING	LOUVER	NOTES
A UL 3 HR. B UL 1-1/2 HR. C UL 3/4 HR. D UL 1/3 HR.	AL ALUMINUM BR BRONZE CLT CLEAR TEMPERED HM HOLLOW METAL SC SOLID CORE P PRIMED WD WOOD PF PREFINISHED U UNFINISHED GAL GALVANIZED	F1 ALUMINUM F2 HOLLOW METAL - 2" HEAD F3 OVERHEAD DOOR GUIDE F4 SIDE-STACKING COILING GRILLE F5 HOLLOW METAL - 4" HEAD F6 STEEL COL FOR CHAIN LINK FENCE F7 BENT PLATE F8 CHANNEL FRAME F9 POCKET DOOR WITH HEAVY DUTY SUSPENSION RAIL & HARDWARE F10 SPECIAL REINFORCED HOLLOW METAL FRAME F11 GALVANIZED FRAME BY COOLER PANEL MANUFACTURER	D1 AUTOMATIC BIPARTING W/ SIDELITE D2 HOLLOW METAL D3 STL INSUL. OVERHEAD SECTIONAL D4 SIDE-STACKING COILING GRILLE D5 INSULATED HOLLOW METAL D6 CHAIN LINK GATE D7 ABS PLASTIC D8 FLAT GRIDS D9 PREF IN ALUM DOOR W/ GLAZING D10 CLUTCH DOOR D11 EXTERIOR ACCESS DOOR D12 ELEVATOR DOOR D13 OVERHEAD COILING D14 BI-PARTING ACCORDIAN PARTITION	G1 CLEAR TEMPERED G2 HALF GLASS - CLEAR TEMPERED G3 10" x 10" - MIRROR TEMPERED G4 LOW-E TEMPERED	HARDWARE SET REFER TO SPECIFICATIONS FOR HARDWARE SET INFORMATION.	NOTE: FOR ALL LOCKING MECHANISMS, PROVIDE FOR BEST HARDWARE. 1. DRILL AND TAP TOP OF JAMB GUARD AND FASTEN BOTTOM PIN ASSEMBLY WITH STUD BOLTS. 2. THESE DOORS SUPPLIED W/ HINGES. RE: SPECS. INDIVIDUAL DOOR LEAVES ARE OPERABLE AS SWING DOORS IN THE EVENT OF AN EMERGENCY. 3. NET CLEAR OPENING WIDTH EQUAL TO DOOR WIDTH MINUS 15" 4. NET CLEAR OPENING WIDTH EQUAL TO DOOR WIDTH MINUS 9" 5. NO ACCESS REQUIRED FROM EXTERIOR SIDE OF DOOR. 6. PROVIDE TACTILE EXIT SIGNAGE 5'-0" A.F.F. ON THE ADJACENT WALL ON THE LATCH SIDE OF DOOR. 7. PROVIDE ACCESSIBLE SIGNAGE. RE: A4.1 FOR ADDITIONAL INFORMATION. 8. INSTALL TOP MOUNTED WEATHER STRIPPING. PNET# 080-00009912 9. PROVIDE SIGN WITH BRAILLE ROOM IDENTIFICATION MOUNTED TO FACE OF DOOR. 10. GLAZING TO BE FROSTED WITH VINYL FILM ON EXAM ROOM SIDE. RE: SPECIFICATIONS.

DOOR SCHEDULE

DOOR NO	OPENING LOCATION FROM	OPENING LOCATION TO	DOOR SIZE W	DOOR SIZE H	LABEL	FRAME TYPE	FRAME FINISH	FRAME DETAIL HEAD	FRAME DETAIL JAMB	FRAME DETAIL SILL	DOOR TYPE	DOOR FINISH	DOOR GLAZING	DOOR LOUVER	HARDWARE	NOTES	REMARKS
100A	EXTERIOR	VESTIBULE 1	14'-0"	7'-8"	-	F1	PF	-	-	S2	D1	PF	G4		7	3,6	AUTOMATIC BI-PARTING DOORS
100B	EXTERIOR	VESTIBULE 1	14'-0"	7'-8"	-	F1	PF	-	-	S2	D1	PF	G4		7	3,6	AUTOMATIC BI-PARTING DOORS
100C	SALES	VESTIBULE 1	14'-0"	7'-8"	-	F1	PF	H4	J8	-	D1	PF	G1		7	3,6	AUTOMATIC BI-PARTING DOORS
100D	SALES	VESTIBULE 1	14'-0"	7'-8"	-	F1	PF	H4	J8	-	D1	PF	G1		7	3,6	AUTOMATIC BI-PARTING DOORS
101	EXTERIOR	CART CORRAL 1	8'-6"	7'-0"	-	F3	P	-	J6A	-	D3	P	-		15	8	DOOR SIZE REFERS TO ACTUAL WIDTH. REFER TO A1.1 FOR MASONRY OPENING.
103	FLORAL PREP	FLORAL STOR.	3'-0"	7'-0"	-	F10	P	H6	ASD-56	-	D7	PF			17	1,2	DOUBLE ACTING
105	STARBUCKS STORAGE	SALES	3'-0"	6'-8"	-	F2	P	H13	J13	-	D2	P			10	-	
107A	SEATING	VESTIBULE 3	3'-0"	7'-0"	-	F1	PF	H10	J10	-	D9	PF	G1		7	6	
107B	EXTERIOR	VESTIBULE 3	3'-0"	7'-0"	-	F1	PF	-	J4	-	D9	PF	G4		8B	6	EGRESS DOOR WITH DELAYED EGRESS PANIC LOCK PER ESD-22 SEE SPEC. 08 41 13 FOR ADDITIONAL HARDWARE REQUIREMENTS
108	CUSTOMER WOMEN	RESTROOM ALCOVE	3'-0"	6'-8"	-	F2	P	H13	J13	-	D2	P	-		3	7	
109	RESTROOM ALCOVE	FAMILY	3'-0"	6'-8"	-	F2	P	H13	J13	-	D2	P	-		18	7	
110	CUSTOMER MEN	RESTROOM ALCOVE	3'-0"	6'-8"	-	F2	P	H13	J13	-	D2	P	-		3	7	
112	RESTROOM ALCOVE	STORAGE	3'-0"	6'-8"	-	F2	P	H13	J13	-	D2	P	-			-	
119	DELI PREP 'B'	DELI RTE COOLER	3'-0"	7'-0"	-	F11	P	ASD-55	ASD-55	-	D7	PF			17	1,2	DOUBLE ACTING
126	HALL 'A'	SALES	7'-0"	9'-0"	-	F10	P	H6	ASD-56	-	D7	PF			17	1,2	DOUBLE ACTING
127	HALL 'A'	PRODUCE PREP	6'-0"	8'-0"	-	F11	P	ASD-55	ASD-55	-	D7	PF			17	1,2	DOUBLE ACTING
128	PRODUCE PREP	PRODUCE COOLER	6'-0"	8'-0"	-	F11	P	ASD-55	ASD-55	-	D7	PF			17	1,2	INSULATED, DOUBLE ACTING
131	MEAT / SEAFOOD SERVICE	MEAT PREP	3'-0"	7'-0"	-	F11	P	ASD-55	ASD-55	-	D7	PF			17	1,2	DOUBLE ACTING
133A	EXTERIOR	BACKROOM	3'-8"	7'-0"	-	F5	P	H1	J1	S1	D5	P	-		8	5,6	EGRESS DOOR WITH DELAYED EGRESS PANIC LOCK PER ESD-22
133B	DOCK	BACKROOM	8'-0"	9'-0"	-	F7	P	[illegible]	ASD-56A	-	D8	[illegible]	-		17	1,2	DOUBLE ACTING
133C	DOCK	BACKROOM	8'-0"	9'-0"	-	F7	P	H5	ASD-56A	-	D8	[illegible]	-		17	1,2	DOUBLE ACTING
134	DEMO STORAGE	BACKROOM	6'-0"	7'-0"	-	F6	PF	-	-	-	D6					-	
137	DOCK	ELECTRICAL	3'-0"	6'-8"	-	F2	P	H13	J13	-	D2	P			14	-	
137A	EXTERIOR	DOCK	8'-6"	9'-0"	A	F3	P	-	[illegible]	-	D3	[illegible]			15	-	DOOR SIZE REFERS TO ACTUAL WIDTH, REFER TO A1.1 FOR MASONRY OPENING
137B	EXTERIOR	DOCK	8'-6"	9'-0"	A	F3	P	-	[illegible]	-	D13	[illegible]			15	-	DOOR SIZE REFERS TO ACTUAL WIDTH, REFER TO A1.1 FOR MASONRY OPENING
137C	EXTERIOR	DOCK	8'-6"	9'-0"	A	F3	P	-	J1	-	D13	P	-		15	-	DOOR SIZE REFERS TO ACTUAL WIDTH, REFER TO A1.1 FOR MASONRY OPENING
137D	EXTERIOR	DOCK	3'-8"	7'-0"	-	F5	P	H1	J1	S1	D5	P	-		8F	5,6	EGRESS DOOR WITH DELAYED EGRESS PANIC LOCK PER ESD-22B
137E	DOCK	EXTERIOR	5'-6"	7'-0"	-	F3	P	-	J7	-	D13	P	-		15		DOOR SIZE REFERS TO ACTUAL WIDTH, REFER TO A1.1 FOR MASONRY OPENING
137F	EXTERIOR	DOCK	3'-8"	7'-0"	A	F5	P	H1	J1	S1	D5	P	-		5F	6	
137G	EXTERIOR	DOCK	3'-4"	4'-0"	-	F3	P	-	-	-	D5	P	-		19		DOOR SIZE REFERS TO ACTUAL WIDTH, REFER TO A1.1 FOR MASONRY OPENING. RE: ASD-21
139	PHONE	DOCK	3'-0"	7'-6"	-	[illegible]	PF		-	-	D6	PF	-		15	-	
140	SPRINKLER	DOCK	3'-0"	7'-6"	-	[illegible]		-	-	-	D6	PF	-		15	-	
141	LIQUOR STORAGE	DOCK	6'-0"	7'-0"	-	F6	PF	-	-	-	D6	PF			15	-	
142	GM STORAGE	BACKROOM	8'-0"	6'-0"	-	F6	PF	-	-	-	D6	PF			15	-	RE: GISD 60 FOR ADDITIONAL INFORMATION
143	GM STORAGE	BACKROOM	8'-0"	6'-0"	-	F6	PF	-	-	-	D6	PF			15	-	RE: GISD 60 FOR ADDITIONAL INFORMATION
144	RX RECORDS	BACKROOM	8'-0"	6'-0"	-	F6	PF	-	-	-	D6	PF			15	-	RE: GISD 60 FOR ADDITIONAL INFORMATION
145	OFFICE RECORDS	BACKROOM	8'-0"	6'-0"	-	F6	PF	-	-	-	D6	PF			15	-	RE: GISD 60 FOR ADDITIONAL INFORMATION
147	BACKROOM		7'-0"	9'-0"	-	F10	P	H6	ASD-56	-	D7	PF	-		17	1,2	DOUBLE ACTING
[illegible]	CLICKLIST	EXTERIOR	9'-0 1/2"	7'-8"	-	F1	PF	-	J4	S2	D1	PF	G4		7	4,6	AUTOMATIC PARTING DOOR
[illegible]	SALES	PHARMACY	2'-6"	5'-2"	-	F1	PF	H10	J10	S10	D9	PF	-		7	-	RE: ASD-74A FOR ADDITIONAL INFORMATION
[illegible]	PHARMACY	SALES	3'-0"	6'-8"	-	F2	P	H13	J13	-	D2	P	G2		10A	-	
150C	PHARMACY	RX WAITING	17'-0"	8'-0"	-	F4	PF	ASD-49	ASD-50	-	D4	PF			-	-	RE: ASD-49 AND 50 FOR ADDITIONAL INFORMATION
152A	[illegible]	RX WAITING	3'-0"	6'-8"	-	F2	P	H13	J13	-	D2	P	G2		10A	-	PROVIDE HORIZONTAL BLINDS
152B	[illegible]	PHARMACY	3'-0"	6'-8"	-	F2	P	H13	J13	-	D2	P	G2		10A	-	PROVIDE HORIZONTAL BLINDS
[illegible]	RX WAITING	RX WAITING	9 1/2"	8'-0"	-	-	PF	ASD-49	ASD-49	-	-				-	-	RE: ASD-49; CABINET GRADE PLYWOOD DOOR W/ LAMINATE FINISH TO MATCH PHARMACY
[illegible]	HALL 'C'	FAMILY 1	3'-0"	6'-8"	-	F2	P	H13	J13	-	D2	P			18	7	
156	EXTERIOR	CART CORRAL 2	8'-6"	7'-0"	-	F3	P	-	J6A	-	D3	P	-		15	8	DOOR SIZE REFERS TO ACTUAL WIDTH, REFER TO A1.1 FOR MASONRY OPENING
157A	EXTERIOR	VESTIBULE 2	16'-0"	7'-8"	-	F1	PF	-	J5	S2	D1	PF	G4		7	4,6	AUTOMATIC BI-PARTING DOORS
157B	VESTIBULE 2	SALES	18'-0"	7'-8"	-	F1	PF	-	-	-	D1	PF	G1	-	7	3,6	AUTOMATIC BI-PARTING DOORS
158	SALES	LOSS PREVENTION	3'-0"	6'-8"	-	F2	P	H13	J13	-	D2	P	G3		2	-	
159	ACCT.	CUSTOMER SERVICE	3'-6"	6'-8"	-	F2	P	H13	J13	-	D2	P	-		1	-	
161A	SALES	EXTERIOR	3'-0"	7'-0"	-	F1	PF	H4	J5	-	D9	PF	G4		8A	6	EGRESS DOOR WITH DELAYED EGRESS PANIC LOCK PER ESD-22D
161B	SALES	BACKROOM	7'-0"	9'-0"	-	F10	P	H6	ASD-56	-	D7	PF	-		17	1,2	DOUBLE ACTING
161C	SALES	BACKROOM	7'-0"	9'-0"	-	F10	P	H6	ASD-56	-	D7	PF	-		17	1,2	DOUBLE ACTING
161D	EXTERIOR	SALES	3'-8"	7'-0"	-	F5	P	H1	J1	S1	D5	P	-		8	5,6	EGRESS DOOR WITH DELAYED EGRESS PANIC LOCK PER ESD-22
200	KTV CONFERENCE ROOM	OPEN OFFICE	19'-5 3/4"	7'-8"	-	-	PF	H16	J16	-	D14	PF	-		-	-	
202	HR OFFICE	OPEN OFFICE	3'-0"	6'-8"	-	F2	P	H13	J13	-	D2	P	G2		11	-	PROVIDE HORIZONTAL BLINDS
203	MANAGER	OPEN OFFICE	3'-0"	6'-8"	-	F2	P	H13	J13	-	D2	P	G2		11	-	PROVIDE HORIZONTAL BLINDS
204	ECR	OPEN OFFICE	3'-0"	6'-8"	-	F2	P	H13	J13	-	D2	P	G2		12	-	
205	ELEV. EQUIP.	BREAK ROOM	3'-6"	6'-8"	-	F2	P	H13	J13	-	D2	P	-		2	9	
207	ASSOCIATE WOMEN	HALL 'D'	3'-0"	6'-8"	-	F2	P	H13	J13	-	D2	P	-		3	7	
208	HALL 'D'	HEALTH & WELLNESS	3'-0"	6'-8"	-	F2	P	H13	J13	-	D2	P			6	-	
209	ASSOCIATE MEN	HALL 'D'	3'-0"	6'-8"	-	F2	P	H13	J13	-	D2	P	-		3	7	
210	STAIR 2	BREAK ROOM	3'-0"	6'-8"	-	F2	P	H13	J13	-	D2	P	G3		21	6	
212	ELECTRICAL CLOSET	EMPLOYEE SECURE STORAGE	3'-0"	6'-8"	-	F2	P	H13	J13	-	D2	P			14	9	
300	ELEVATOR	SEATING	3'-6"	7'-0"	-	-	-	-	-	-	D12	P	-		-	-	
300A	ELEVATOR	BREAK ROOM	3'-6"	7'-0"	-	-	-	-	-	-	D12	P	-		-	-	

*PROVIDE HARDWARE GROUP 15 FOR ROOF HATCH

DOOR TYPES



EXECUTED BY: GB
REVIEWED BY: AF

CINCINNATI 600 Vine Street, Suite 2100 Cincinnati, OH 45202 P 513.721.1000
DENVER 1675 Broadway, Suite 2100 Denver, CO 80202 P 303.623.1449
DALLAS 2021 McKinney Ave, Suite 1100 Dallas, TX 75201 P 214.871.2388
SEATTLE 500 2nd Avenue, Suite 2030 Seattle, WA 98104 P 206.622.6846

cr architecture + design
creating extraordinary places
www.cr-architects.com
800.469.4849

CONSULTANTS

OWNER

Kroger

DATE	ISSUE
10/29/2018	90% OWNER REVIEW
11/01/2018	100% BID/PERMIT

#	DATE	REVISION

PROJECT TITLE
KROGER STORE R543

1050 W. Mercury Blvd.
Hampton, VA 23666

COMMISSION NO. 518344
ISSUE DATE 11/01/18

SHEET TITLE
DOOR/WINDOW DETAILS + SCHEDULES

SHEET NO.
A6.1

© 2018 Cole Hersee Architects, Inc.

THIS DOCUMENT IS THE PROPERTY OF COLE HERSEE ARCHITECTS, INC. NEITHER THE DOCUMENT NOR THE INFORMATION IT CONTAINS MAY BE COPIED OR USED FOR ANY PURPOSE WITHOUT THE SPECIFIC WRITTEN PERMISSION OF COLE HERSEE ARCHITECTS, INC.

11/1/2018 4:16:41 PM

Order Plans @ WWW.PLBline.com