

- KEYED NOTES**
- PW05 RECLAIM TANK TYPE RC1. HEAT RECLAIM. SEE WATER HEATER SCHEDULE. PLUMBING CONTRACTOR TO MAKE FINAL CONNECTION. SEE DETAIL PSD-49 ON SHEET PS-1.
  - PW06 WATER HEATER TYPE WC1. SEE WATER HEATER SCHEDULE. #1 FLE UP THRU ROOF PROVIDED BY PC. SEE DETAIL PSD-49 ON SHEET PS-1 AND WATER HEATER DETAIL ON SHEET PS-2.
  - PW08 FREEZE PROOF WALL HYDRANT TO BE MOUNTED 4'-0" ABOVE GRADE. PLUMBER TO PROVIDE A HOSE TO CONNECT WALL HYDRANT TO HOSE REEL. REFER TO ARCHITECTURAL PLANS FOR HOSE REEL LOCATION. REFER TO PSD-107 ON SHEET PS-2.
  - PW09 HW DOWN COORDINATE WITH REFRIGERATION PIPE GROUPS. REFER TO DETAIL PSD-21.
  - PW10 BRANCH ISOLATION VALVES TO BE MOUNTED AT 18" A.F.F. UNLESS PHYSICALLY IMPOSSIBLE. IN WHICH CASE MOUNT AS CLOSE TO 18" A.F.F. AS POSSIBLE. MAKE ACCESSIBLE AND HIDDEN FROM PUBLIC VIEW.
  - PW12 ROUTE HW PIPING ALONG THE TOP OF CASES TO HIBB. AUTOMATIC BALANCING VALVES TO BE UTILIZED TO EQUALIZE FLOW THROUGH PREP AREAS ON EACH HALF OF HW LOOP SPLIT.
  - PW24 HW/DW DOWN. ROUTE TO STARBUCKS Kiosk AND ROUTE THROUGH CABINETS TO SERVE EQUIPMENT. REFER TO STARBUCKS PLAN FOR EXACT LOCATIONS. REFER TO DETAIL PSD-22 FOR INSTALLATION OF EYEWASH STATION.
  - PW25 WATER PIPING UP THROUGH ROOF TO SERVE ROOF HYDRANT. REFER TO SHEET PSD-23 FOR CONTINUATION CAP PIPING FOR STARBUCKS CONNECTION. REFER TO SHEET DETAILS ON SHEETS PS-3 AND PS-4 FOR STARBUCKS PLANS FOR PIPING LAYOUT AND INSTALLATION.

www.LDILine.com

creating extraordinary places  
www.architects.com  
800-460-4848

**CR**  
architecture + design

CONSULTANTS

MECHANICAL/ELECTRICAL ENGINEERS  
WWW.KHENGIS.COM  
LEWINGTON, KENTUCKY  
LOUISVILLE, KENTUCKY  
NEW YORK, NEW YORK

**SEKLH**  
ENGINEERS

150 ALEXANDRIA BROS. SUITE 11  
P.O. BOX 10000  
LEWINGTON, KY 40341  
959-442-8286 FAX

OWNER

**Kroger**

DATE	ISSUE
10/22/18	5% OWNER REVIEW
11/01/18	10% BOPERMAT

DATE	REVISION

PROJECT TITLE  
**KROGER STORE R543**

MERCURY BLVD.  
HAMPTON, VA

COMMISSIONING: 5/17/15  
ISSUE DATE: 10/23/2018  
SHEET TITLE:  
**WATER PLAN - EAST**

SHEET NO.  
**P1.2b**

©2018 Architectural Record, Inc.

WATER PLAN - EAST  
3/32" = 1'-0"

2" REFERENCE LINE

ORDERING OF MATERIALS OR SERVICE OF CONTRACTOR SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR. THE CONSULTANT'S RESPONSIBILITY IS LIMITED TO THE DESIGN AND CONSTRUCTION OF THE PROJECT AS SHOWN ON THESE PLANS. THE CONSULTANT SHALL NOT BE RESPONSIBLE FOR THE ACCURACY OF THE INFORMATION PROVIDED BY THE CONTRACTOR OR OTHER SOURCES. THE CONSULTANT SHALL NOT BE RESPONSIBLE FOR THE ACCURACY OF THE INFORMATION PROVIDED BY THE CONTRACTOR OR OTHER SOURCES. THE CONSULTANT SHALL NOT BE RESPONSIBLE FOR THE ACCURACY OF THE INFORMATION PROVIDED BY THE CONTRACTOR OR OTHER SOURCES.

Order Plans @ www.LDILine.com

