

1 FRONT GROCERY PLUMBING PLAN
1/8" = 1'-0"

KEYNOTES

15.402 CONNECT TO EXISTING HOT WATER PIPE OF EQUAL OR LARGER SIZE. VERIFY SIZE AND LOCATION AT SITE. PROVIDE SHUT-OFF VALVE IN NEW PIPE AT POINT OF CONNECTION.

15.406 PLUMBING CONTRACTOR TO MAKE ALL NECESSARY DISCONNECTS AND RECONNECTS OF PLUMBING FIXTURES BEING RELOCATED OR NEW.

15.425 REMOVE CONCRETE CLOSE TO RIM OF EXISTING FLOOR CLEANOUT AND ADJUST TOP OF FLOOR CLEANOUT FLUSH WITH FINISHED FLOOR. IF FLOOR CLEANOUT CANNOT BE ADJUSTED FLUSH WITH FINISHED FLOOR, REPLACE EXISTING FLOOR CLEANOUT WITH NEW FCO1.

15.447 PROVIDE WPG WATER PRESSURE GAUGE IN THE BAKERY OVEN WATER SUPPLY LINE DOWNSTREAM OF BACKFLOW PREVENTER. REFER TO SPECIALTY PLUMBING FIXTURE SCHEDULE. INSTALL GAUGE IN A LOCATION VISIBLE TO ASSOCIATES WITHOUT USING A LADDER AND EXTEND PIPING TO GAUGE AS REQUIRED. PROVIDE CUSTOM ENGRAVED BLACK PHENOLIC NAMEPLATE FROM SETON.COM (OR EQUAL) WITH MOUNTING HOLES AND 1/4" TALL WHITE LETTERS "OVEN WATER PRESSURE" AND ATTACH NAMEPLATE JUST BELOW THE GAUGES WITH STAINLESS STEEL AIRCRAFT CABLE.

GENERAL NOTES

REFER TO MP1 FOR GENERAL NOTES PERTAINING TO THIS SHEET.

FOOD PREP AREA NOTES

12.20.13

1. ROUTE ALL PIPING CONCEALED WITHIN STUD WALLS WHENEVER POSSIBLE.
2. ALL EXPOSED PIPE INSULATION SHALL BE CLAD PER SPECIFICATIONS. EXPOSED PIPING SHALL COMPLY WITH ONE OF THE FOLLOWING INSTALLATION OPTIONS:
   A. SURFACE MOUNTING PIPING WITH NON-CORROSIVE ANCHORS; SEAL BOTH SIDES OF PIPE TO SURFACE CONTINUOUSLY WITH SEALANT.
   B. INSTALL PIPING 1/2" OFF FACE OF SURFACE TO ALLOW FOR CLEANING. USE ONLY NON-CORROSIVE MATERIALS FOR ANCHORS AND SPACERS.
   C. COVER PIPING WITH 20 GAUGE STAINLESS STEEL BENT PLATES MOUNTED TO SURFACE WITH NON-CORROSIVE ANCHORS; APPLY CONTINUOUS SEALANT ALONG EDGES AND JOINTS.
3. PROPER INSTALLATION OF SEALANTS IS CRITICAL TO MEETING WALMART QUALITY STANDARDS. PROVIDE SEALANTS IN ACCORDANCE WITH DRAWINGS AND SPECIFICATIONS. REFER TO SECTION 07900 FOR SEALANT SCHEDULE.
4. INTERIOR SEALANTS USED IN FOOD PREP AREAS SHALL MEET THE REQUIREMENTS FOR USE IN USDA REGULATED FACILITIES.
5. PROVIDE CONTINUOUS USDA APPROVED SEALANT AT ALL JOINTS BETWEEN MATERIALS ON WALLS IN FOOD PREPARATION COOLER AND FREEZER AREAS.
6. ALL JOINTS BETWEEN DISSIMILAR MATERIALS SHALL BE SEALED AS REQUIRED FOR A COMPLETE AND PROPER INSTALLATION, REGARDLESS OF WHETHER SHOWN ON THE DRAWINGS FOR NOT.

EXISTING CONDITIONS WERE TAKEN FROM ORIGINAL DRAWINGS AND MAY NOT REFLECT EXACT "AS-BUILT" CONDITIONS. CONTRACTOR SHALL FIELD VERIFY ALL EXISTING CONDITIONS PRIOR TO SUBMITTING FINAL BIDS. CONTRACTOR SHALL CAREFULLY COORDINATE NEW WORK AND DEMOLITION WITH ALL OTHER DISCIPLINES AND EXISTING CONDITIONS.

EACH SUBCONTRACTOR IS RESPONSIBLE FOR HAVING A THOROUGH KNOWLEDGE OF ALL DRAWINGS AND SPECIFICATIONS IN THEIR RELATED FIELD. THE FAILURE TO ACQUAINT THEMSELF WITH THIS KNOWLEDGE DOES NOT RELIEVE THE RESPONSIBILITY OF PERFORMING THE WORK PROPERLY. NO ADDITIONAL COMPENSATION SHALL BE ALLOWED BECAUSE OF CONDITIONS THAT OCCUR DUE TO FAILURE TO FAMILIARIZE WORKERS WITH THIS KNOWLEDGE.

Cuhaci & Peterson
Architects Engineers Planners
1925 Prospect Ave
Orlando, FL 32814
P (407) 661-9100
F (407) 661-9101
www.c-p.com

STIPULATION FOR REUSE

THIS DRAWING WAS PREPARED FOR USE ON A SPECIFIC SITE AT: JESUP, GA CONTEMPORANEOUSLY WITH ITS ISSUE DATE ON 10/26/18 SUITABLE FOR USE A DIFFERENT PROJECT SITE OR AT A LATER TIME. USE OF THIS DRAWING FOR REFERENCE OR EXAMPLE ON ANOTHER PROJECT REQUIRES THE SERVICES OF PROPERLY LICENSED ARCHITECTS AND ENGINEERS. REPRODUCTION OF THIS DRAWING FOR REUSE ON ANOTHER PROJECT IS NOT AUTHORIZED AND MAY BE CONTRARY TO THE LAW.

CONSULTANTS

Walmart
JESUP, GA
STORE NO: 2630
JOB NUMBER: 2180278 PROTO: 139

ISSUE BLOCK		
1	PR#1	10/26/18

CHECKED BY:	JJD
DRAWN BY:	JM
PROTO CYCLE:	07/27/18
DOCUMENT DATE:	10/26/18

NOT FOR CONSTRUCTION

FRONT GROCERY PLUMBING PLAN

SHEET: GP1

10/26/2018 11:48:02 AM
C:\Users\JosephD\Documents\Jesup_GA_139_R_MEP_V18_JosephD.rvt

Order Plans @ www.LDILine.com