




1 PROPOSED NORTH (FRONT) ELEVATION
A2.1 SCALE: 1/8" = 1'-0"



2 PROPOSED SOUTH (REAR) ELEVATION
A2.1 SCALE: 1/8" = 1'-0"



3 PROPOSED WEST (RIGHT SIDE) ELEVATION
A2.1 SCALE: 1/8" = 1'-0"



4 PROPOSED EAST (LEFT SIDE) ELEVATION
A2.1 SCALE: 1/8" = 1'-0"

GENERAL NOTES

- REFER TO ARCHITECTURAL GENERAL SPECIFICATIONS FOR ADDITIONAL INFORMATION.
- REFER TO DEMOLITION FLOOR PLAN AND MECHANICAL, ELECTRICAL AND PLUMBING DRAWINGS FOR ADDITIONAL DEMOLITION INFORMATION.
- BUILDING CLEANING NOTE:** ALL EXISTING EXTERIOR CONSTRUCTION NOTED TO REMAIN INCLUDING BUT NOT LIMITED TO: C.M.U. CONSTRUCTION, BOLLARDS, EXPOSED STEEL, GUTTERS, DOWNSPOUTS, ETC. SHALL BE CLEANED AND POWER WASHED. PATCH AND REPAIR TO LIKE NEW CONDITION AND TO BE PAINTED AS NOTED ON ELEVATIONS. SURFACES NOT NOTED FOR NEW FINISHES ARE TO BE COORDINATED WITH O'REILLY'S PROJECT ADMINISTRATOR PRIOR TO FINAL BID SUBMITTAL.
- BUILDING REPAIR NOTE:** GENERAL CONTRACTOR IS TO REPAIR AND SEAL ALL AREAS ALONG THE EXTERIOR SIDES OF BUILDING WALLS OF THE PROPOSED O'REILLY'S SPACE INCLUDING BUT NOT LIMITED TO: CRACKS, DAMAGED CONCRETE FOUNDATION, METAL ROOF COPINGS, DAMAGED MASONRY, TEXTURED FINISHES, METAL PANELING, ETC. WHERE ITEMS SHOWN TO BE REMOVED, THE GENERAL CONTRACTOR IS TO PATCH ALL EXISTING SURFACES TO MATCH ADJACENT SURFACES AND PAINT TO MATCH EXISTING OR TO MATCH NEW SCHEDULED FINISHES AS SHOWN.
- EXISTING STOREFRONT SYSTEM TO REMAIN NOTE:** EXISTING STOREFRONT SYSTEM IS TO REMAIN. GENERAL CONTRACTOR TO VERIFY IF EXISTING GLAZING SYSTEM REQUIRES TO BE RE-GASKET AND RE-SEALED, IF SO REPAIR AND REPLACE AS REQUIRED. REMOVE ALL EXISTING DECALS FROM THE INTERIOR AND EXTERIOR SIDE OF STOREFRONT SYSTEM. CLEAN AND REPAIR TO LIKE NEW CONDITION.
- REFER TO SHEET A5.1 FOR ALUMINUM STOREFRONT SYSTEM, GLAZING TINT AND EXTERIOR DOOR INFORMATION.
- ALL SIGNAGE TO BE PROVIDED UNDER SEPARATE PERMIT APPLICATION TO O'REILLY. REFER TO SIGNAGE DRAWINGS FOR ADDITIONAL INFORMATION.
- DEMOLITION / REPAIR SCOPE:** REFER TO THE DEMOLITION FLOOR PLAN FOR EXTERIOR DEMOLITION SCOPE. ALL CONSTRUCTION NOTED TO BE REMOVED, THE EXISTING TO REMAIN ADJACENT CONSTRUCTION IS TO BE PATCHED AND REPAIR TO MATCH EXISTING CONSTRUCTION. ALL APPLICABLE MATERIALS TO BE FINISHED TO MATCH ADJACENT EXISTING FINISH OR NEW SCHEDULED FINISH.

KEYNOTES

- APPROXIMATE OUTLINE SIGN. PROVIDE BLOCKING AS REQUIRED FOR MOUNTING OF SIGN. COORDINATE WITH SIGN COMPANY FOR EXACT SIGN PLACEMENT. TENANT FURNISHED AND INSTALLED LOGO. REFER TO SIGN PACKET FOR ADDITIONAL INFORMATION.
- INSTALL HIGH WHITE VINYL ADDRESS NUMBERS BY G.C.
- INSTALL INTERNATIONAL SYMBOL OF ACCESSIBILITY AT MAIN ENTRANCE. REFER TO 13/A4.1 FOR ADDITIONAL INFORMATION.
- NEW LED WALL MOUNTED LIGHT TO BE INSTALLED. MOUNT LIGHT FIXTURE 12'-0" A.F.F. AND CENTERED OVER DOORS AT 12'-0" A.F.F. REFER TO ELECTRICAL DRAWINGS FOR ADDITIONAL INFORMATION.
- EXISTING DOWNSPOUT TO REMAIN. PAINT TO MATCH ADJACENT WALL.
- EXISTING GUTTER TO REMAIN. PAINT TO MATCH ADJACENT WALL.
- EXISTING GAS METER TO REMAIN.
- EXISTING ELECTRICAL PANELS TO REMAIN.
- PATCH AND REPAIR STUCCO.
- EXISTING CONTROL JOINT TO REMAIN.
- REMOVE DISCONNECT PANEL IF NOT REQUIRED. (SEE MECHANICAL)
- EXISTING CLAY TILE COPING TO REMAIN.
- FILL OPENING TO MATCH ADJACENT WALL SYSTEM. SEE DEMO PLAN.
- RUSTICATION JOINT. REFER TO DETAIL 4/A3.1
- NEW ALUMINUM STOREFRONT SYSTEM. REFER TO SHEET A5.2 FOR ADDITIONAL INFORMATION.
- EXISTING MASONRY BRICK TO REMAIN.
- EXISTING STUCCO TO REMAIN.

EXTERIOR FINISH SCHEDULE

NOTE:

- REFER TO ARCHITECTURAL SPECIFICATIONS FOR ADDITIONAL PAINT REQUIREMENTS.
- PAINT COLORS ARE BASED ON SHERWIN WILLIAMS (SW) UNLESS OTHERWISE NOTED.
- ALL NEW EXTERIOR DOORS TO BE FACTORY PRIMED.
- ALL METALS, CONCRETE, MASONRY SCHEDULED TO RECEIVE NEW PAINT FINISH SHALL HAVE A SEMI-GLOSS SHEEN UNLESS OTHERWISE NOTED.
- REFER TO KEY NOTES FOR ADDITIONAL FINISHES.
- NOT ALL TYPES SHOWN BELOW MAY BE INCLUDED ON THIS SHEET OR WITHIN THESE CONSTRUCTION DOCUMENTS. REFER TO ELEVATIONS FOR MATERIAL TYPES.
- FINISH SYMBOL INDICATES NEW OR REPAINTED AREAS REQUIRED BY THE GENERAL CONTRACTOR BUT NOT LIMITED TO ITEMS INDICATED BELOW. FINISH SYMBOL PLACEMENT SHOWN ON ELEVATIONS ARE TYPICAL THROUGHOUT ENTIRE ELEVATION AND NOT JUST AT LOCATION SHOWN.

#	TYPE (EXISTING OR NEW)	FINISH
1	METAL DOOR AND FRAME	FIELD PAINT "SOFTER TAN" (SW6141)
2	SIGN FASCIA EXTERIOR INSULATION AND FINISH SYSTEM (E.I.F.S.)	DRYVIT SPECIFIED, EQUAL BY STO OR BASK (NO SUBSTITUTES); SERIES: OUTSULATION PLUS MD TEXTURE: SANDBLAST COLOR: DRYVIT "ORPAP01030S" STRATOTONE HIGH PERFORMANCE COLOR STANDARD: "POSITIVE RED" (SW6871) "SHER-CRYL" GLOSS
2A	EXISTING E.I.F.S. EXTERIOR INSULATION AND FINISH SYSTEM (E.I.F.S.)	PATCH AND REPAIR AS REQUIRED COLOR: FIELD PAINT "SOFTER TAN" (SW6141)
2C	MASONRY	FIELD PAINT "SOFTER TAN" (SW6141)
3	WAINSCOT ACCENT CONCRETE / MASONRY / E.I.F.S.	FIELD PAINT "LATTE" (SW6108)

CASCO + R5
 12 Sunnen Drive, Suite 100,
 St. Louis, MO 63143
 314.221.1100

O'Reilly AUTO PARTS

PROJECT:
RE-MODEL O'REILLY AUTO PARTS STORE
103 E. GORDON AVE.
GORDONSVILLE, VA 22942
EXTERIOR ELEVATIONS

Professional of Record
 License # 9075841
 Exp. Date: 11/30/19

DRAWN: RLJ
 CHECKED: MGC
 DATE: 10-17-2018
 JOB NO.: 118168 (GDV)
 SHEET:

A2.1

COPYRIGHT 2018. DESIGNS, DRAWINGS AND SPECIFICATIONS ARE INSTRUMENTS OF SERVICE AND ARE THE PROPERTY OF THE DESIGN PROFESSIONAL. REPRODUCTION PROHIBITED WITHOUT THE EXPRESSED WRITTEN CONSENT OF THE DESIGN PROFESSIONAL.