




PARTITION TYPE	DESCRIPTION	PARTITION TYPE	DESCRIPTION
A	1 HOUR RATED BEARING WALL	B	1 HOUR RATED BEARING WALL
STC 45-49 UL: U337	W = AS PER 2X6 STUD SIZE	STC 50- 54 UL: U311	W = AS PER 2X6 STUD SIZE




PARTITION TYPE	DESCRIPTION
C	EXTERIOR MASONRY WALL WITH EIFS. HEIGHT OF MASONRY VARIES. SEE ELEVATIONS.
UL: U356	1 HOUR RATED BEARING WALL




PARTITION TYPE	DESCRIPTION
D	3 HOUR RATED INTERIOR CMU WALL
U.L. DESIGN U914	CONCRETE MASONRY WALL




PARTITION TYPE	DESCRIPTION
E	EXTERIOR MASONRY ON CMU WALL WITH EIFS.
UL: U906	CMU WITH EIFS BEARING WALL - 2-HOUR




PARTITION TYPE	DESCRIPTION
M	EXTERIOR MASONRY ON CMU WALL WITH STUCCO. HEIGHT OF MASONRY VARIES. SEE ELEVATIONS.
U-906	BEARING WALL 2 HOUR RATED




PARTITION TYPE	DESCRIPTION	PARTITION TYPE	DESCRIPTION
F1(4"), F2(6") F3(8")	1 HOUR RATED PARTITION	G(6") & L(4")	2 HOUR RATED PARTITION
STC 45-49 UL: U337	W = AS PER 2X4, 2X6, 2X8 STUD SIZE	STC 45-49 UL: U334	W = AS PER 6" STUD SIZE
			W = AS PER 4" STUD SIZE



PARTITION TYPE	DESCRIPTION
H	EXTERIOR MASONRY WALL.
UL: U356	1 HOUR FIRE RATED EXTERIOR LOAD BEARING WALL




PARTITION TYPE	DESCRIPTION
J	EXTERIOR MASONRY ON CMU WALL WITH STONE
UL: U906	CMU WITH STONE BEARING WALL - 2-HOUR



PARTITION TYPE	DESCRIPTION
K	BUILT UP EIFS WALL
	1 HOUR FLOOR RATING BASED ON ICC ER-3433 AND ICC ESR-1153
	1 HOUR ROOF RATING BASED ON UL P522

REVISIONS		
No.	Date	Description

Information contained on this drawing and in all digital files associated is authorized for use on the project named herein only and is the property of MISHRA ARCHITECTURE PLLC and may not be reproduced in any manner without express written or verbal permission from authorized individuals. Original drawing is 24"x36" and scales are as indicated. © 2008 MISHRA ARCHITECTURE PLLC



KEY PLAN

VTM Hotels, LLC

Home2Suites

2630 Wilde Lake Blvd.
Pensacola, FL 32526

Drawing Title
Wall Types

Phase	Construction Documents
Project No.	17-101
Prepared by	Author
Checked by	Checker
Date	Aug 06, 2018
Sheet No.	A407
Review	

Order Plans