

1 P201 **KING STUDIO WATER SUPPLY**
SCALE: 1/4" = 1'-0"



2 P201 **ACC KING STUDIO WATER SUPPLY**
SCALE: 1/4" = 1'-0"



3 P201 **QUEEN STUDIO WATER SUPPLY**
SCALE: 1/4" = 1'-0"



4 P201 **ACC QUEEN STUDIO WATER SUPPLY**
SCALE: 1/4" = 1'-0"



5 P201 **KING ONE BEDROOM WATER SUPPLY**
SCALE: 1/4" = 1'-0"



6 P201 **ACC. KING ROLL-IN ONE BEDROOM WATER SUPPLY**
SCALE: 1/4" = 1'-0"



7 P201 **ACC. KING ONE BEDROOM WATER SUPPLY**
SCALE: 1/4" = 1'-0"



8 P201 **KING STUDIO WASTE AND VENT**
SCALE: 1/4" = 1'-0"



9 P201 **ACC KING STUDIO WASTE AND VENT**
SCALE: 1/4" = 1'-0"



10 P201 **QUEEN STUDIO WASTE AND VENT**
SCALE: 1/4" = 1'-0"



11 P201 **ACC QUEEN STUDIO WASTE AND VENT**
SCALE: 1/4" = 1'-0"



12 P201 **KING ONE BEDROOM WASTE AND VENT**
SCALE: 1/4" = 1'-0"



13 P201 **ACC. KING ROLL-IN ONE BEDROOM WASTE AND VENT**
SCALE: 1/4" = 1'-0"



14 P201 **ACC. KING ONE BEDROOM WASTE AND VENT**
SCALE: 1/4" = 1'-0"

ALL WATER PIPING SHOWN ON THIS SHEET SHALL BE RUN ABOVE CEILINGS IN AREAS WITH CEILINGS AND SHALL BE RUN AS HIGH AS POSSIBLE IN AREAS WITHOUT CEILINGS, UNLESS OTHERWISE NOTED.

ALL WATER PIPING SHOWN ON THIS SHEET IS 1/2" UNLESS OTHERWISE NOTED ON THIS SHEET OR RISER DIAGRAMS.

GUEST ROOM PIPING LAYOUTS ARE TYPICAL FOR EACH TYPE OF GUEST ROOM INDICATED. SEE FLOOR PLANS FOR ROOM LOCATIONS AND ADDITIONAL INFORMATION.

SEE FIXTURE SCHEDULE ON SHEET P002 FOR SIZES OF SANITARY AND VENT CONNECTIONS TO INDIVIDUAL FIXTURES.

MINIMUM SIZE FOR SANITARY AND VENT PIPING BELOW GROUND SHALL BE 2".

ALL VENT PIPING SHOWN ON THIS SHEET SHALL BE RUN ABOVE CEILINGS IN AREAS WITH CEILINGS AND SHALL BE RUN AS HIGH AS POSSIBLE IN AREAS WITHOUT CEILINGS, UNLESS OTHERWISE NOTED; ALL SANITARY PIPING SHOWN ON THIS SHEET SHALL BE RUN BELOW FLOORS, UNLESS OTHERWISE NOTED.

KEYED NOTES THIS SHEET

1. PROVIDE VALVES ABOVE CEILING ON LEVEL WHERE ROOM IS LOCATED
2. EXTEND 1/2" HW TO DISHWASHER FROM SINK HW SUPPLY. PROVIDE BALL VALVE AND PROVIDE WATTS SERIES LF7 DUAL CHECK VALVE, UNLESS DISHWASHER HAS AN INTEGRAL BACKFLOW PREVENTER. EXTEND DISHWASHER DRAIN HOSE AND CONNECT TO DISPOSER. DRAIN HOSE SHALL RISE AND BE SECURELY FASTENED TO THE UNDERSIDE OF THE COUNTERTOP.
3. REFER TO WATER RISER DIAGRAMS FOR RISER SIZE

Order Plans @ WWW.LDLine.com

ALLIED CONSULTING ENGINEERS
2905-D Queen City Dr.
Charlotte, NC 28208
P: (704) 399-3943
www.allied-engineers.com
ALLIED #18102

MISHRA ARCHITECTURE PLLC
680 South Creek Dr. Charlotte, NC 28277
Ph:(704) 625-6588 Fax:(704) 919-5822
Email: info@mishraarch.com
WEB: www.mishraarch.com

CIVIL:
Choctaw Engineering, Inc.
112 Truxton Avenue
Fort Walton Beach, FL 32547
Phone: (650) 862-6211
Fax: (650) 863-8059
Email: msiner@choctaweng.com

STRUCTURAL:
Whisonant Engineering Services, LLC
122 Nut Tree Court
Lexington, SC 29074
Phone: (803) 957-4008
Email: bill@weslex.com

MEP:
Allied Consulting Engineers
2905-D Queen City Drive
Charlotte, NC 28208
Phone: (704) 399-3943
Email: dbelk@allied-engineers.com

REVISIONS		
No.	Date	Description

Information contained on this drawing and in all digital files associated is authorized for use on the project named herein only and is the property of MISHRA ARCHITECTURE PLLC and may not be reproduced in any manner without express written or verbal permission from authorized individuals. Original drawing is 24"x36" and scales are as indicated. © 2008 MISHRA ARCHITECTURE PLLC

EDWIN D. BELK LICENSE NO. 70897 STATE OF FLORIDA PROFESSIONAL ENGINEER
7/31/18

KEY PLAN

VTM Hotels, LLC

Home2Suites

2630 Wilde Lake Blvd.
Pensacola, FL 32526

Drawing Title
PLUMBING
GUEST ROOM PLANS

Phase
Construction Documents

Project No.	17-101
Prepared by	JDH
Checked by	CED
Date	July 31, 2018

Sheet No. P201

Review

Home2Suites