



GENERAL NOTES

- ALL FINISH FLOOR ELEVATIONS TAKEN FROM TOP OF TILE. COFFEE, FROZEN DRINK DISPENSER AND YOGURT MACHINES TO COMPLY WITH THE REACH RANGES OR 15" LOW & 48" HIGH PER 2010 ADA STANDARDS, SECTION 308.
- ALL SELF-SERVICE STATIONS SHALL BE INSTALLED TO HAVE A MAX. REACH HEIGHT OF 48" AS MEASURED TO THE HIGHEST OPERABLE PART (44" IF REACH 20"-25").
- DRINKING FOUNTAINS (2010 ADA SECTION 602); THE SPOUT SHALL BE LOCATED 15" MIN. FROM VERTICAL SUPPORT AND 5" MAX FROM THE FRONT EDGE OF THE UNIT, INCLUDING BUMPERS. THE SPOUT SHALL PROVIDE A FLOW OF WATER 4" HIGH MIN AND SHALL BE LOCATED 5" FROM THE FRONT OF THE UNIT. WHERE SPOUTS ARE LOCATED LESS THAN 3" OF THE FRONT OF THE UNIT, THE ANGLE OF THE WATER STREAM SHALL BE GREENS MAX. (MEASURED HORIZONTALLY FROM THE FRONT OF THE UNIT, WHERE SPOUTS ARE LOCATED BETWEEN 3" AND 5" MAX. FROM THE FRONT OF THE UNIT, THE ANGLE OF THE WATER STREAM SHALL BE GREENS MAX.)
- DRINKING FOUNTAINS (2010 ADA SECTION 602); DRINKING FOUNTAINS FOR STANDING PERSONS SHALL HAVE A SPOUT HEIGHT OF 36" TO 43" AND SHALL COMPLY WITH ABOVE NOTE.
- ALL INTERIOR METAL SPOUTS ARE 3/8" U.O.N.
- ALL GREENBOARD TO BE USED SHALL BE GREENBOARD WITH KILTZ PROTECTIVE FINISH UNLESS NOTED OTHERWISE.
- PROVIDE DRYWALL FINISH LEVEL 4 WHERE FLAT PAINTS, LIGHT TEXTURES OR WALLCOVERINGS ARE TO BE APPLIED.
- PROVIDE DRYWALL FINISH LEVEL 5 WHERE GLOSS, SEMI-GLOSS, ENAMEL, OR NON-TEXTURED FLAT PAINTS ARE SPECIFIED OR WHERE SEVERE LIGHTING CONDITIONS OCCUR.
- PROVIDE JOINT SEALANT AND JUNCTURE OF ALL DISSIMILAR MATERIALS.
- INSTALL GREENBOARD ON OUTSIDE FACES OF WALK-IN COOLERS AND FREEZERS:
 - LIGHTLY SAND SURFACE OF COOLER/FREEZER FACES TO INSURE BONDING OF ADHESIVE.
 - ADHESIVE TO BE BOSTIK, ULTRA-SET APPROVED EQUAL.
 - INSTALL GREENBOARD IN FULL BED OF ADHESIVE WITH NOTCHED TROWEL. PROVIDE INSTALLATION IN ACCORDANCE WITH THE ADHESIVE MANUFACTURERS PRINTED INSTRUCTIONS.
- PROVIDE BLOCKING AS REQUIRED FOR ALL WALL MOUNTED FIXTURES AND EQUIPMENT.

SHEET KEYNOTES

- PLACE CERAMIC TILE BASE UP TO COOLER DOOR FRAME.
- SHEETROCK ENTIRE FACE OF WALK-IN COOLERS AND FREEZER PANELS. SEE GENERAL NOTE #11.
- BULKHEAD AT 10'-0"
- PROVIDE SCHLUTER CORNER GUARD 8'-0" HIGH DEFENDER SERIES 2340. 1" UNDRILLED WITH ADHESIVE.
- MILLWORK BY MILLWORK VENDOR.
- MARKETING BY RACETRAC.
- SWIRL WORLD SIGN.
- EXIT SIGN.
- STOREFRONT SYSTEM BEYOND.
- STOREFRONT ENTRY AS SCHEDULED BEYOND WITH TRANSOM AND SIDELIGHTS.
- PROVIDE SCHLUTER CORNER GUARD. FULL HEIGHT OF TILE. SEE DETAIL 6/A501.
- PROVIDE SCHLUTER CORNER GUARD. FULL HEIGHT OF TILE. SEE DETAIL 6/A501.
- PROVIDE BLOCKING FOR COMMERCIAL DISPLAYS PER MANUFACTURER RECOMMENDATIONS.
- VINYL GRAPHICS BY OTHERS.

RaceTrac
THESE PLANS ARE SUBJECT TO FEDERAL COPYRIGHT LAWS: ANY USE OF SAME WITHOUT THE EXPRESSED WRITTEN PERMISSION OF RACETRAC PETROLEUM, INC. IS PROHIBITED. 2018 RACETRAC PETROLEUM INC.

DESIGN PROFESSIONALS
HILLFOLEYROSS & ASSOCIATES
ARCHITECTURE
ENGINEERING
3688 Pleasant Hill Road
Suite 200
Duluth, Georgia 30096
p 770.622.9858
f 770.622.9535
www.hillfoleyross.com

ISSUE/REVISION RECORD

DATE	DESCRIPTION
08/21/18	ISSUED FOR PERMIT
08/21/18	REV-1 PERMIT COMMENTS

RaceTrac
RACETRAC PETROLEUM, INC.
200 GALLERIA PKWY SE
SUITE 900
ATLANTA, GEORGIA 30339
(770) 431-7600

PROJECT NAME
EAST MAIN STREET

CARTERSVILLE GEORGIA
1325 E. MAIN ST.
CARTERSVILLE, GA 30121

RACETRAC PROJECT NUMBER
1310

PROTOTYPE SERIES 5.5K 2.0
2018 RH MO

PLAN MODIFICATION NOTICE

SPB NO.	DATE

STANDARD PLAN BULLETINS (SPB) MODIFY THE PROTOTYPE SERIES SET NOTED ABOVE. THE LISTED SPB REPRESENTS THE LATEST MODIFICATION INCORPORATED TO THIS PROTOTYPE SERIES SET AT ORIGINAL RELEASE. THE ISSUE/REVISION RECORD COLUMN ABOVE LISTS ANY REVISIONS OR SPB INCORPORATED IN THIS SET AFTER THE ORIGINAL RELEASE. CONTACT RACETRAC ENGINEERING AND CONSTRUCTION FOR ANY SUBSEQUENT BULLETINS NOT INCORPORATED HEREIN.

PROFESSIONAL SEAL

STATE OF GEORGIA
JON B. ERICKSON
REGISTERED PROFESSIONAL ARCHITECT
08/21/18

PROJECT NUMBER
18,714.00

SHEET TITLE
INTERIOR ELEVATIONS

SHEET NUMBER
A501

ISSUE FOR PERMIT

Order Plans @

WWW.DJLINC.COM