





17 FCB REAR ELEV.
1/4" = 1'-0"




16 B.O.H. FOUNTAIN AREA
1/4" = 1'-0"




15 YOGURT WALL ELEV.
1/4" = 1'-0"

14 B.O. YOGURT WALL
1/4" = 1'-0"




13 BACK OF FOOD BAR
1/4" = 1'-0"




12 DRY GOODS RECEIVING B.O.H.
1/4" = 1'-0"




11 DRY GOODS RECEIVING BACK OF HOUSE
1/4" = 1'-0"




10 DRY GOODS RECEIVING BACK OF HOUSE
1/4" = 1'-0"

9 DRY GOODS RECEIVING BACK OF HOUSE
1/4" = 1'-0"




8 RECEIVING BACK OF HOUSE
1/4" = 1'-0"




7 RECEIVING BACK OF HOUSE
1/4" = 1'-0"




6 RECEIVING BACK OF HOUSE
1/4" = 1'-0"




5 FREEZER BACK OF HOUSE
1/4" = 1'-0"




4 BACK OF HOUSE
1/4" = 1'-0"




3 BACK OF HOUSE
1/4" = 1'-0"




2 BACK OF HOUSE
1/4" = 1'-0"




1 BACK OF HOUSE
1/4" = 1'-0"

## GENERAL NOTES

1. ALL FINISH FLOOR ELEVATIONS TAKEN FROM TOP OF TILE.
2. COFFEE, FROZEN DRINK DISPENSER AND YOGURT MACHINES TO COMPLY WITH THE REACH RANGES OR 15" LOW AND 48" HIGH PER 2010 STANDARDS, SECTION 904S.1
3. ALL SELF SERVICE STATIONS SHALL BE INSTALLED TO HAVE A MAX. REACH HEIGHT OF 48" AS MEASURED TO THE HIGHEST OPERABLE PART (44" IF REACH 20"-25")
4. DRINKING FOUNTAINS (2010 S.A.D. 602): THE SPOUT SHALL BE LOCATED 15" MIN. FROM VERTICAL SUPPORT AND 5" MAX FROM THE FRONT EDGE OF THE UNIT, INCLUDING BUMPERS. THE SPOUT SHALL PROVIDE A FLOW OF WATE 4" HIGH MIN AND SHALL BE LOCATED 5" MAX FROM THE FRONT OF THE UNIT. WHERE SPOUTS ARE LOCATED LESS THAN 3" OF THE FRONT OF THE UNIT, THE ANGLE OF WATER STREAM SHALL BE 30 DEGREES MAXIMUM MEASURE HORIZONTALLY FROM THE FACE OF THE UNIT. WHERE SPOUTS ARE LOCATED BETWEEN 3" AND 5" MAX FROM THE FRONT OF THE UNIT, THE ANGLE OF THE WA STREAM SHALL BE 15 DEGREES MAX
5. DRINKING FOUNTAINS (2010 S.A.D. 602): DRINKING FOUNTAINS FOR STANDING PERSONS SHALL HAVE A SPOUT HEIGHT OF 34" TO 38" AND SHALL COMPLY WITH ABOVE NOTE.
6. ALL INTERIOR METAL DOORS ARE 3'-0" U.O.N.
7. ALL GYPSUM BOARD TO BE FRP OR GREENBOARD PAINTED WITH KILTZ PRIMER UNLESS NOTED OTHERWISE.
8. PROVIDE DRYWALL FINISH LEVEL 4 WHERE FLAT PAINTS, LIGHT TEXTURES OR WALLCOVERINGS ARE TO BE APPLIED.
9. PROVIDE DRYWALL FINISH LEVEL 5 WHERE GLOSS, SEMI-GLOSS PAINT, EIL, OR NON-TEXTURED FLAT PAINTS ARE SPECIFIED OR WHERE SEVERE LIGHTING CONDITIONS OCCUR.
10. PROVIDE JOINT SEALANT AND JUNCTURE OF ALL DISSIMILAR MATERIALS.
11. INSTALL GYPSUM BOARD ON OUTSIDE FACES OF WALK-IN COOLERS AND FREEZERS:
    A. LIGHTLY SAND SURFACE OF COOLER/FREEZER FACES TO INSURE BONDING OF ADHESIVE
    B. ADHESIVE TO BE BOSTIK, ULTRA-SET APPROVED EQUAL
    C. INSTALL GYPSUM BOARD IN FULL BED OF ADHESIVE WITH NOTCHED TROWEL. PROVIDE INSTALLATION IN ACCORDANCE WITH THE ADHESIVE MANUFACTURERS PRINTED INSTRUCTIONS.
    D. PROVIDE BLOCKING AS REQUIRED FOR ALL WALL MOUNTED FIXTURES AND EQUIPMENT.

## SHEET KEYNOTES

| | |
|---|---|
| 1 | WATER HEATER ON SHELF 6' - 1 1/2" |


RaceTrac.
COPYRIGHT NOTICE
THESE PLANS ARE SUBJECT TO FEDERAL COPYRIGHT LAWS: ANY USE OF SAME WITHOUT THE EXPRESSED WRITTEN PERMISSION OF RACETRAC PETROLEUM, INC. IS PROHIBITED. 2016 RACETRAC PETROLEUM INC.



DESIGN PROFESSIONALS
HILLFOLEYROSSI & ASSOCIATES
ARCHITECTURE
ENGINEERING
3680 Pleasant Hill Road
Suite 200
Duluth, Georgia 30096
p 770.622.9858
f 770.622.9535
www.hillfoleyrossi.com



© Copyright (as dated below)
This drawing and all reproductions thereof are the property of Hill Foley Rossi & Associates, LLC (HFR). It is intended for the sole use of the project named hereon. Reproduction without the written consent of HFR is unlawful. All rights are to be retained by HFR upon project completion.


ISSUE/REVISION RECORD

| DATE | DESCRIPTION |
|---|---|
| 08/21/18 | ISSUED FOR PERMIT |


RaceTrac.
RACETRAC PETROLEUM, INC.
200 GALLERIA PARKWAY SOUTHEAST
SUITE 900
ATLANTA, GEORGIA 30339
(770) 431-7600


PROJECT NAME

# EAST MAIN STREET

## CARTERSVILLE
GEORGIA
1325 E. MAIN ST.
CARTERSVILLE, GA 30121

RACETRAC STORE NUMBER
1310

PROTOTYPE SERIES 5.5K 2.0
2018 RH MO

PLAN MODIFICATION NOTICE

| SPB NO. | DATE |
|---|---|

STANDARD PLAN BULLETINS (SPB) MODIFY THE PROTOTYPE SERIES SET NOTED ABOVE. THE LISTED SPB REPRESENTS THE LATEST MODIFICATION INCORPORATED TO THIS PROTOTYPE SERIES SET AT ORIGINAL RELEASE. THE ISSUE/ REVISION RECORD COLUMN ABOVE LISTS ANY REVISIONS OR SPB INCORPORATED IN THIS SET AFTER THE ORIGINAL RELEASE. CONTACT RACETRAC ENGINEERING AND CONSTRUCTION FOR ANY SUBSEQUENT BULLETINS NOT INCORPORATED HEREIN.

PROFESSIONAL SEAL
STATE OF GEORGIA
JON S. ERICKSON
CERTIFICATE NO. 040170
REGISTERED ARCHITECT
08/21/18

PROJECT NUMBER
18.714.00

SHEET TITLE
INTERIOR ELEVATIONS

SHEET NUMBER
A502
ISSUED FOR PERMIT


Order Plans @ WWW.DILIN.COM