



Signed & Sealed 8/1/2018

Copyright © 2014 YSM Design, P.C.  
All rights reserved. Reproduction, compilation, distribution, or other use of the drawings and information contained herein is prohibited without the written consent of YSM Design, P.C. This is a controlled document.

Rev	Date	Comments

**BID SET**  
Every Contractor or Subcontractor, by submitting a bid for this project declares that they have reviewed all aspects of this project and have included all work required to provide a complete project that meets all building codes.

If questions or discrepancies are found between these plans, they should be submitted by the bidding Contractor as a Request for Information before bids are due. These clarifications will be issued to all Bidders in Atlanta. No consideration will be given after the bid date for issues that could clearly have been answered during the Bidding Period.

**Information to all Bidders**  
For more information about this bid, including a list of the most current documents, instructions to Bidders, Responsibility Chart, answers to RFIs, etc., go to project website. Note this address will be provided to bidders with invitation to bid.

It is the responsibility of ALL Bidders to become familiar with this site and the additional information that is contained there. If you do not have access to the internet you MUST contact your General Contractor for this information. No Change Orders will be accepted for not reviewing this information.

No consideration will be given for Change Order Requests based on any of the following:  
1. Items requiring clarification but not clearly indicated as an exception on the initial bid  
2. Items requiring clarification but not submitted to Architect as a request for information during bidding  
3. Items deemed to be industry standards for a particular system or assembly  
4. Items that can reasonably be inferred from contract documents



Client:  
**JIM ELLIS CADILLAC**

5880 PEACHTREE BLVD  
ATLANTA, GA 30341


Project:  
**JIM ELLIS CADILLAC**

5880 PEACHTREE BLVD  
ATLANTA, GA 30341

Project Number: 18123  
Drawn By: TTN  
Checked By: ARK  
Approved By: BP

Sheet Title:  
**SECOND FLOOR FRAMING PLAN**

Sheet Number:  
**S102**



**SECOND FLOOR FRAMING PLAN**  
1/8" = 1'-0"

**NOTES:**  
1. SEE ARCHITECTURAL DRAWINGS FOR DIMENSIONS, SLOPES, ELEVATIONS AND OTHER INFORMATION NOT SHOWN.  
2. REFERENCE FINISHED SECOND FLOOR ELEVATION = 14'-7".  
3. THE FLOOR FRAMING FOR THE ELEVATED PORTIONS OF THE SERVICE SHOP AND PARTS DEPARTMENT HAS BEEN EVALUATED FOR VIBRATIONS PER 2016 ASCE DESIGN GUIDE 11 TITLED, "VIBRATION OF STEEL-FRAMED STRUCTURAL SYSTEMS DUE TO HUMAN ACTIVITY," AS DESIGNED. THE FLOOR VIBRATIONS ARE ANTICIPATED TO BE IN THE ACCEPTABLE RANGE FOR OFFICES AND RESIDENCES, QUIET AREAS.

**LEGENDS:**  
 INDICATES MOMENT CONNECTION SEE S501.  
 INDICATES DECK DIRECTION OF 1.00-24 GA GALVANIZED FORM METAL DECK WITH 3" NORMAL WEIGHT CONCRETE (4" TOTAL THICKNESS) PROVIDE 6x6 W/ 1x12 1 W/W FASTEN FLOOR DECK WITH 3/4" PATTERN WITH (1) #10 TEK SCREWS ON SIDELAP AND #12 TEK SUPPORT FASTENERS (DO NOT WELD).  
 INDICATES DECK DIRECTION OF 1.5822 GALVANIZED METAL ROOF DECK OVER 3 SPANS MIN WITH #12 TEK SCREWS OVER SUPPORTS IN A 363 PATTERN AND (3) #10 TEK SCREWS SIDELAP FASTENERS. (DO NOT WELD).  
 INDICATES LOCATION OF X-BRACE FRAME SEE S501.  
 INDICATES EXISTING STRUCTURAL COLUMN LINES.  
 PROPOSED CONSTRUCTION COLUMN LINES.

C:\Users\mshug\My Documents\18123-SEC-Struct-REV17\_Mechia Augustin.rvt  
8/30/2018 3:07 PM

Order Plans @ [www.yline.com](mailto:www.yline.com)

www.yline.com

www.yline.com

NOT REPRODUCED FOR CONSTRUCTION