

BID SET

Every Contractor or Subcontractor, by submitting a bid for this project declares that they have reviewed all aspects of this project and have included all work required to provide a complete project that meets all building codes.

If questions or discrepancies are found between trades, bidders should be submitted by the building General Contractor as a Request for Information on the bid date. These questions will be issued to all Bidders in Atlanta. No consideration will be given after the bid date for issues that could clearly have been assessed during the bidding period.

Information to all Bidders:
For more information about this bid, including a list of the next current documents, instructions to bidders, Responsibility Chart, answers to RFI, etc. go to project website. Note: this address will be provided to bidders with invitation to bid.

It is the responsibility of ALL bidders to become familiar with this set and the additional information that is contained therein. If you do not have access to the internet you MUST contact your General Contractor for this information. NO CHANGE ORDERS will be accepted for not reviewing this information.

No consideration will be given for Change Order Requests based on any of the following:
1. Items requiring clarification but not clearly indicated as an exception on the bid set.
2. Items requiring clarification but not submitted to Architect as a request for information during bidding.
3. Items deemed to be industry standard for a particular system or assembly.
4. Items that can reasonably be inferred or assumed from contract documents.

CODE	MATERIAL	LOCATION	MANUFACTURER	LIGHT SOURCE	SOURCE TYPE	INTEGRATED OPTICS	OPTICS TYPE	OPTIC ORIENTATION	CRI	CCT	DRIVER	WIRING	FINISH	MOUNTING	AESTHETICS	ELECTRICAL LISTING(S)	SURGE ENDURANCE	POTENTIAL ALTERNATE
A	RECESSED DOWNLIGHT	MAIN ENTRY + SHOWROOM	DMF LIGHTING	SOLID STATE	LED	YES	FIXED DISCRETE	ZENITH	90 MIN - 2 STEP SDCM	4100K	DEDICATED	MODULAR	WHITE	RECESSED FLUSH	DISCRETE NO VISIBLE GASKETS OR SEAMS	UL, CEC LISTED, U.L. WET LISTED FOR EXTERIOR	IEEE C92.41	SOLAIS
B	EXTERIOR LINEAR LED	FRONT FAÇADE	ORGANIC LIGHTING SYSTEMS	SOLID STATE	LED	YES	FIXED PER SPECIFIC DEGREE	11 DEGREES	90 MIN - 2 STEP SDCM	4100K	DEDICATED	MODULAR	WHITE	SURFACE MOUNT CONCEALED	CONCEALED ASYMMETRIC CONTINUOUS	UL, TITLE 24 COMPLIANT, CEC LISTED, U.L. WET FOR EXTERIOR REQUIRED	IEEE C92.41	AXIS
C	RECESSED DOWNLIGHT	SHOWROOM	DMF LIGHTING	SOLID STATE	LED	YES	FIXED DISCRETE	ZENITH	90 MIN - 2 STEP SDCM	4100K	DEDICATED	MODULAR	WHITE	RECESSED FLUSH	DISCRETE NO VISIBLE GASKETS OR SEAMS	UL, TITLE 24 COMPLIANT, CEC LISTED	IEEE C92.41	SOLAIS
D	RECESSED DOWNLIGHT	CIRCULAR AND CASHER	DMF LIGHTING	SOLID STATE	LED	YES	FIXED DISCRETE	ZENITH	90 MIN - 2 STEP SDCM	4100K	DEDICATED	MODULAR	WHITE	RECESSED FLUSH	DISCRETE NO VISIBLE GASKETS OR SEAMS	UL, TITLE 24 COMPLIANT, CEC LISTED, U.L. WET FOR EXTERIOR REQUIRED	IEEE C92.41	SOLAIS
E	RECESSED	RETAIL WALLS	DMF LIGHTING	SOLID STATE	LED	YES	FIXED DISCRETE	30 DEGREE RANGE	90 MIN - 2 STEP SDCM	4100K	DEDICATED	MODULAR	WHITE	RECESSED FLUSH	DISCRETE NO VISIBLE GASKETS OR SEAMS	UL, TITLE 24 COMPLIANT, CEC LISTED	IEEE C92.41	SOLAIS
F	RECESSED ADJUSTABLE MULTI OPTIC	SHOWROOM CAR RUNWAY	SPECTRUM	SOLID STATE	LED	YES	PROGRAM ADJUSTABLE 18	MULTIPLE TRI-AXIS	90 MIN - 2 STEP SDCM	4100K	DEDICATED	MODULAR	WHITE	RECESSED FLUSH	RECESSED MULTI ACCENT DISCRETE RECTILINEAR	UL, TITLE 24 COMPLIANT, CEC LISTED	IEEE C92.41	AND LIGHTING
G	AMBIENT MODULAR DESIGNER EDGE (SEE 10" UNLESS OTHERWISE INDICATED ON FINAL DESIGN PACKAGE)	SHOWROOM + NVD	BITRO + AXONNOVA	SOLID STATE	LED	YES	FIXED	AMBIENT ZENITH	90 MIN - 2 STEP SDCM	4100K	DEDICATED	MODULAR	WHITE	RECESSED MICRO FLUSH	INTERNAL AMBIENT WITH ACOUSTIC DIFFUSION	UL, TITLE 24 COMPLIANT, CEC LISTED	IEEE C92.41	NONE
H	MULTI OPTIC INTEGRATED MODULE OUTBOARD	SHOWROOM	SPECTRUM	SOLID STATE	LED	YES	PROGRAM ADJUSTABLE LINEAR	MULTIPLE TRI-AXIS	90 MIN - 2 STEP SDCM	4100K	DEDICATED	MODULAR	WHITE	RECESSED FLUSH	ARCHITECTURAL PERFORATED PANEL WITH INDEX	UL, TITLE 24 COMPLIANT, CEC LISTED	IEEE C92.41	AMERLUX
I	MULTI OPTIC INTEGRATED MODULE OUTBOARD	SHOWROOM	AMERLUX LIGHTING	SOLID STATE	LED	YES	PROGRAM ADJUSTABLE	MULTIPLE TRI-AXIS	90 MIN - 2 STEP SDCM	4100K	DEDICATED	MODULAR	WHITE	RECESSED FLUSH	ARCHITECTURAL PERFORATED PANEL WITH INDEX	UL, TITLE 24 COMPLIANT, CEC LISTED	IEEE C92.41	AMERLUX
J	CONCEALED, SOFT GLOW OPTIC	SHOWROOM WOOD WALL COVE	ORGANIC LIGHTING SYSTEMS	SOLID STATE	LED	YES	FIXED	FIXED 11 DEGREES	90 MIN - 2 STEP SDCM	4100K	DEDICATED	MODULAR	WHITE	SURFACE CONCEALED	CONCEALED WITH BEAM CONDITIONER	UL, TITLE 24 COMPLIANT, CEC LISTED	IEEE C92.41	FAHRENHEIT
K	SUSPENDED LINEAR	SERVICE AREA	VISIONARE LIGHTING	SOLID STATE	LED	YES	FIXED	FIXED 11 DEGREES	90 MIN - 2 STEP SDCM	4100K	DEDICATED	MODULAR	WHITE	SUSPENDED / SURFACE	CAST ARCHITECTURAL ALUMINUM	UL, TITLE 24 COMPLIANT, CEC LISTED	IEEE C92.41	SOLAIS
L	SUSPENDED LINEAR TASK	SERVICE AREA TASK	LAMAR LIGHTING	SOLID STATE	LED	YES	FIXED	FIXED 10 DEGREES	90 MIN - 2 STEP SDCM	4100K	DEDICATED	MODULAR	WHITE	SUSPENDED	FABRICATED STEEL LINEAR LENS	UL, TITLE 24 COMPLIANT, CEC LISTED	IEEE C92.41	DMF LIGHTING
L4	RECESSED DOWNLIGHT	BOH	DMF LIGHTING	SOLID STATE	LED	YES	FIXED	ZENITH	90 MIN - 2 STEP SDCM	4100K	DEDICATED	MODULAR	WHITE	RECESSED	DISCRETE NO VISIBLE GASKETS OR SEAMS	UL, TITLE 24 COMPLIANT, CEC LISTED	IEEE C92.41	SOLAIS
LB	RECESSED GRID, SOFT GLOW OPTIC	SALES OFFICES	AXIS LIGHTING	SOLID STATE	LED	YES	FIXED AMBIENT	ZENITH	90 MIN - 2 STEP SDCM	4100K	DEDICATED	MODULAR	WHITE	RECESSED	INTERIOR AMBIENT	UL, TITLE 24 COMPLIANT, CEC LISTED	IEEE C92.41	FAHRENHEIT
M	RECESSED CONCEALED WALL SLOT	RESTROOMS	AXIS LIGHTING	SOLID STATE	LED	YES	FIXED	ZENITH	90 MIN - 2 STEP SDCM	4100K	DEDICATED	MODULAR	WHITE	RECESSED	RECESSED CONTINUOUS LINEAR SOFT FLOW	UL, TITLE 24 COMPLIANT, CEC LISTED	IEEE C92.41	LITECONTROL
N	RECESSED DOWNLIGHT DISCREET OPTIC	CAFE AREA	DMF LIGHTING	SOLID STATE	LED	YES	FIXED	ZENITH	90 MIN - 2 STEP SDCM	4100K	DEDICATED	MODULAR	WHITE	RECESSED	DISCRETE NO VISIBLE GASKETS OR SEAMS	UL, TITLE 24 COMPLIANT, CEC LISTED	IEEE C92.41	SOLAIS
O	INTEGRATED ELECTRIC BACKLIGHT MIRROR	RESTROOMS	ELECTRIC MIRROR	SOLID STATE	LED	YES	NA	NA	90 MIN	4100K	DEDICATED	STANDARD	PAINTED	SURFACE	SURFACE MOUNT NO VISIBLE GASKETS OR SEAMS	UL, TITLE 24 COMPLIANT, CEC LISTED	IEEE C92.41	SOLAIS
Q	RECESSED 2X2	BOH OFFICES	DMF LIGHTING	SOLID STATE	LED	YES	FIXED AMBIENT	DIRECT	90 MIN - 2 STEP SDCM	4100K	DEDICATED	MODULAR	WHITE	RECESSED	SOFT GLOW	UL, TITLE 24 COMPLIANT, CEC LISTED	IEEE C92.41	SOLAIS
R	RECESSED DOWNLIGHT	RESTROOMS	DMF LIGHTING	SOLID STATE	LED	YES	FIXED COMFORT AMBIENT	DIRECT	90 MIN - 2 STEP SDCM	4100K	DEDICATED	MODULAR	WHITE	RECESSED	DISCRETE NO VISIBLE GASKETS OR SEAMS	UL, TITLE 24 COMPLIANT, CEC LISTED	IEEE C92.41	SOLAIS
S	RECESSED ARCHITECTURAL SYSTEM	CUSTOMER LOUNGE	AXIS LIGHTING	SOLID STATE	LED	YES	FIXED	DIRECT	90 MIN - 2 STEP SDCM	4100K	DEDICATED	MODULAR	WHITE	RECESSED	SOFT LINES WITH NO VISIBLE HARDWARE	UL, TITLE 24 COMPLIANT, CEC LISTED	IEEE C92.41	FAHRENHEIT
T	RECESSED SLOT WALL WASH LINEAR	RETAIL WALLS	NOT USED	NOT USED	NOT USED	NOT USED	NOT USED	NOT USED	NOT USED	NOT USED	DEDICATED	MODULAR	WHITE	RECESSED	NOT USED	UL, TITLE 24 COMPLIANT, CEC LISTED	IEEE C92.41	NOT USED
U	POWER SYSTEM	SERVICE DRIVE	DMF LIGHTING	SOLID STATE	LED	YES	TRACK	TRACK	90 MIN - 2 STEP SDCM	4100K	DEDICATED	MODULAR	WHITE	RECESSED SEAM SURFACE	TRACK	UL, TITLE 24 COMPLIANT, CEC LISTED	IEEE C92.41	SOLAIS
V	TASK HEADS	SERVICE DRIVE	DMF LIGHTING	SOLID STATE	LED	YES	ADJUSTABLE	ADJUSTABLE	90 MIN - 2 STEP SDCM	4100K	DEDICATED	MODULAR	WHITE	TRACK HEAD	ADJUSTABLE	UL, TITLE 24 COMPLIANT, CEC LISTED	IEEE C92.41	SOLAIS
W	WRAP	PARTS	COLUMBIA	SOLID STATE	LED	YES	FIXED	DIRECT	90 MIN - 2 STEP SDCM	4100K	DEDICATED	MODULAR	WHITE	SURFACE	AMBIENT	UL, TITLE 24 COMPLIANT, CEC LISTED	IEEE C92.41	PRUDENTIAL LIGHTING
X	BOLLARD	SITE	SISTEMALUX LIGHTING	SOLID STATE	LED	YES	FIXED	ASYMMETRIC	90 MIN - 2 STEP SDCM	4100K	DEDICATED	MODULAR	WHITE	GROUND MOUNT	LOW LEVEL PATHWAY	UL, TITLE 24 COMPLIANT, CEC LISTED, U.L. WET FOR EXTERIOR REQUIRED	IEEE C92.41	SIMES
Z	EXIT SIGN	EXITS	FAHRENHEIT	SOLID STATE	LED / GLED	NA	RECURRING GREEN LETTERS PER	RECURRING GREEN LETTERS PER	90 MIN - 2 STEP SDCM	4100K	DEDICATED	MODULAR	WHITE	RECESSED	NA	NA	NA	HUBBELL

NOTE: ARCHITECTURAL LIGHTING SCHEDULE IS FOR REFERENCE ONLY. PLEASE REFER ELECTRICAL DRAWINGS.

D:\esam\18018 - JIM ELLIS CADILLAC - esam\lcr.rvt
 8/31/2018 3:07 PM

Order Plans @



Client:
JIM ELLIS CADILLAC

5880 PEACHTREE BLVD
ATLANTA, GA 30341

Project:
JIM ELLIS CADILLAC

5880 PEACHTREE BLVD
ATLANTA, GA 30341

Project Number: 18020
 Drawn By: Author
 Checked By: Checker
 Approved By: Approver

Sheet Title:
LIGHTING SCHEDULE

Sheet Number:
A183