INTERIOR SIGNAGE

S-10



S-11



S-12



S-13



S-15



S-16



INTERIOR SIGNAGE

THE FOLLOWING SIGNAGE TO BE AS INTOUCH BY ASI SIGN SYSTEMS (OR APPROVED EQUAL)

S-10WOMEN'S RESTROOM ID: SIGN WITH THE WORD "WOMEN", 1" HIGH RAISED HELVETICA LETTERS AND BRAILLE CHARACTERS WITH PICTOGRAM FOR A WOMAN AND A HANDICAP-ACCESSIBLE SYMBOL. LOCATION: MOUNT ON THE WALL (LATCH SIDE), CENTER SIGN AT 60" AFF.

S-11MENS RESTROOM ID: SIGN WITH THE WORD "MEN", 1" HIGH RAISED HELVETICA LETTERS AND BRAILLE CHARACTERS WITH PICTOGRAM FOR A MAN AND A HANDICAP-ACCESSIBLE SYMBOL. LOCATION: MOUNT ON THE WALL (LATCH SIDE), CENTER SIGN AT 60" AFF.

S-12UNISEX RESTROOM ID: SIGN WITH THE WORD "UNISEX", 1" HIGH RAISED HELVETICA LETTERS AND BRAILLE CHARACTERS WITH PICTOGRAM FOR A MAN, A WOMAN AND A HANDICAP-ACCESSIBLE SYMBOL. LOCATION: MOUNT ON THE WALL (LATCH SIDE), CENTER SIGN AT 60" AFF, MAXIMUM.

S-13SECRETARY PROHIBITION: "AUTHORIZED PERSONNEL ONLY" IN 1" HIGH RAISED HELVETICA LETTERS WITH BRAILLE CHARACTERS AND SYMBOL FOR NO ENTRY. LOCATION: MOUNT ON THE CENTER OF THE DOOR AT 60" AFF.

S-14GLASS STOREFRONT DOORS, STENCILED LETTERS ADHERED TO GLASS: "THESE DOORS TO REMAIN UNLOCKED DURING BUSINESS HOURS" IN 1" HIGH HELVETICA LETTERS, COLOR: WHITE.

S-15NO EXIT: THE NO EXIT SIGN SHALL HAVE THE WORD "NO" IN 2" HIGH LETTERS WITH A STROKE WIDTH OF 3/8" ABOVE THE WORD EXIT IN 1" HIGH LETTERS. (2006 NFPA 101, 7.10.8.3)

S-16STAIRS: "STAIR X" HIGH RAISED HELVETICA LETTERS WITH THE 'X' REPRESENTING THE STAIR NUMBER WITH BRAILLE CHARACTERS FOR THE SAME WORDS AND WITH PICTOGRAM FOR A STAIR. LOCATION: MOUNT ON THE WALL (LATCH SIDE) CENTER SIGN AT 60" AFF MAXIMUM.

NOTE: TACTILE EXIT SIGNS SHALL BE PROVIDED AT THE REQUEST OF THE LOCAL AHJ.



D05 ALUMINUM DOOR S ROWS GLASS
D01 WOOD
D02 WOOD NARROW LITE TYPICAL ADA DIMENSIONS
D11 METAL
D12 METAL NARROW LITE
D20 GLASS MEDIUM STILE ALUM.
D20b GLASS MEDIUM STILE ALUM.
D23 GLASS FRAMELESS
D22 BI-PARTING PARTIAL BREAKOUT GLASS AUTOMATIC

1 A601 DOOR TYPES
1/4" = 1'-0"

NEW DOOR SCHEDULE

				DOOR			FRAME					
Door Number	Type	Width	Height	Material	Finish	Material	Finish	Frame Number	Signage	Hardware	Rating	Comments
N1008	D-26 PAIR	5'- 0"	7'- 10"	ALUM / GLASS	CLEAR ANODIZED	ALUM	CLEAR ANODIZED		S-14	EXT-SF	---	
N1008	D-26 PAIR	5'- 0"	7'- 10"	ALUM / GLASS	CLEAR ANODIZED	ALUM	CLEAR ANODIZED		S-14	EXT-SF	---	
N1018	D26B-FR	11'- 8"	9'- 0"	ALUM / GLASS	CLEAR ANODIZED	ALUM	CLEAR ANODIZED		S-14	---	---	
N1010	D26B-FR	11'- 8"	9'- 0"	ALUM / GLASS	CLEAR ANODIZED	ALUM	CLEAR ANODIZED		S-14	---	---	
N1008a	D21	3'- 0"	8'- 0"	GLASS	GL-4	STAINLESS STEEL	BRUSHED	F11	---	INT-AG	---	
N1020	D21	3'- 0"	8'- 0"	GLASS	GL-4	STAINLESS STEEL	BRUSHED	F11	---	INT-AG	---	
N1006	D26B-FR	12'- 0"	9'- 0"	ALUM / GLASS	CLEAR ANODIZED	ALUM	CLEAR ANODIZED		S-14	EXT-SF	---	
N1006	D26B-FR	12'- 0"	9'- 0"	ALUM / GLASS	CLEAR ANODIZED	ALUM	CLEAR ANODIZED		S-14	EXT-SF	---	
N104	D21	3'- 0"	8'- 0"	GLASS	GL-4	STAINLESS STEEL	BRUSHED	F14	---	INT-AG	---	
N105	D21	3'- 0"	8'- 0"	GLASS	GL-4	STAINLESS STEEL	BRUSHED	F12	---	INT-AG	---	
N106	D21	3'- 0"	8'- 0"	GLASS	GL-4	STAINLESS STEEL	BRUSHED	F12	---	INT-AG	---	
N107	D21	3'- 0"	8'- 0"	GLASS	GL-4	STAINLESS STEEL	BRUSHED	F12	---	INT-AG	---	
N108	D01	3'- 0"	7'- 10"	SC WOOD	P-1	HOL. MFL.	P-1	F01	S-13	JAN-TEL	---	
N109	D03	3'- 0"	7'- 10"	SC WOOD	P-1	HOL. MFL.	P-1	F01	S-13	INT-KEYPAD	---	6" W X 20" H GLAZING PANEL @ LATCH SIDE
N110	D01	3'- 0"	7'- 10"	SC WOOD	P-1	HOL. MFL.	P-1	F01	S-13	JAN-TEL	---	
N118	D01	3'- 0"	7'- 10"	SC WOOD	P-1	HOL. MFL.	P-1	F01	S-10	INT-REST	---	
N119	D01	3'- 0"	7'- 10"	SC WOOD	P-1	HOL. MFL.	P-1	F01	S-11	INT-REST	---	
N124a	D01	3'- 0"	7'- 10"	SC WOOD	P-1	HOL. MFL.	P-1	F01	S-15	INT-STAIR	50 MIN.	
N124b	D11	3'- 0"	7'- 10"	HOL. MFL.	P-1 (INT. ONLY)	HOL. MFL.	P-1 (INT. ONLY)	F01	---	EXT-MFL	---	PAINT FACE OF DOOR & FRAME TO MATCH SURROUNDING MATL.
N126	D21	3'- 0"	8'- 0"	GLASS	GL-4	STAINLESS STEEL	BRUSHED	F25	---	---	---	
N127	D23	10'- 0"	7'- 8"	GLASS	GL-4	STAINLESS STEEL	BRUSHED	F44	---	---	---	
N127b	D12	3'- 0"	7'- 10"	HOL. MFL.	P-1 (INT. ONLY)	HOL. MFL.	P-1 (INT. ONLY)	F01	S-13	TECH-PARTS	---	PAINT SERVICE SIDE FACE OF DOOR & FRAME TO MATCH SHOP FINISHES
N128	D02	3'- 0"	7'- 10"	SC WOOD	P-1	HOL. MFL.	P-1	F01	S-13	TECH-PARTS	---	
N129	D01	3'- 0"	7'- 10"	SC WOOD	P-1	HOL. MFL.	P-1	F01	---	OH-M	---	
N130	D01	3'- 0"	7'- 10"	SC WOOD	P-1	HOL. MFL.	P-1	F05	---	OH-M	---	
N135	D05	10'- 0"	10'- 0"	ALUM / GLASS	CLEAR ANODIZED	ALUM	CLEAR ANODIZED	---	---	OH-M	---	
N136	D05	10'- 0"	10'- 0"	ALUM / GLASS	CLEAR ANODIZED	ALUM	CLEAR ANODIZED	---	---	OH-M	---	
N137	D05	10'- 0"	10'- 0"	ALUM / GLASS	CLEAR ANODIZED	ALUM	CLEAR ANODIZED	---	---	OH-M	---	
N138	D05	10'- 0"	10'- 0"	ALUM / GLASS	CLEAR ANODIZED	ALUM	CLEAR ANODIZED	---	---	OH-M	---	
N201	D01	3'- 0"	7'- 10"	SC WOOD	P-1	HOL. MFL.	P-1	F01	S-15	INT-STAIR	50 MIN.	
N202	D21	3'- 0"	8'- 0"	GLASS	GL-4	STAINLESS STEEL	BRUSHED	F32	---	INT-AG	---	
N203	D21	3'- 0"	8'- 0"	GLASS	GL-4	STAINLESS STEEL	BRUSHED	F32	---	INT-AG	---	
N204	D21	3'- 0"	8'- 0"	GLASS	GL-4	STAINLESS STEEL	BRUSHED	F32	---	INT-AG	---	
N205	D21	3'- 0"	8'- 0"	GLASS	GL-4	STAINLESS STEEL	BRUSHED	F35	---	INT-AG	---	
N208	D21	3'- 0"	8'- 0"	GLASS	GL-4	STAINLESS STEEL	BRUSHED	F32	---	INT-AG	---	
N207	D21	3'- 0"	8'- 0"	GLASS	GL-4	STAINLESS STEEL	BRUSHED	F32	---	INT-AG	---	
N208	D21	3'- 0"	8'- 0"	GLASS	GL-4	STAINLESS STEEL	BRUSHED	F31	---	INT-AG	---	
N209	D21	3'- 0"	8'- 0"	GLASS	GL-4	STAINLESS STEEL	BRUSHED	F34	---	INT-AG	---	
N210	D01	3'- 0"	7'- 10"	SC WOOD	P-1	HOL. MFL.	P-1	F01	S-13	INT-KEYPAD	---	
N211	D01	3'- 0"	7'- 10"	SC WOOD	P-1	HOL. MFL.	P-1	F01	---	JAN-TEL	---	
N212	D01	3'- 0"	7'- 10"	SC WOOD	P-1	HOL. MFL.	P-1	F01	---	INT-ST	---	
N213	D01	3'- 0"	7'- 10"	SC WOOD	P-1	HOL. MFL.	P-1	F01	---	INT-REST	---	
N214	D01	3'- 0"	7'- 10"	SC WOOD	P-1	HOL. MFL.	P-1	F01	S-11	INT-REST	---	
N215	D21	3'- 0"	8'- 0"	GLASS	GL-4	STAINLESS STEEL	BRUSHED	F01	---	INT-AG	---	
N215a	D21	3'- 0"	8'- 0"	GLASS	GL-4	STAINLESS STEEL	BRUSHED	F32	---	INT-AG	---	
N216b	D21	3'- 0"	8'- 0"	GLASS	GL-4	STAINLESS STEEL	BRUSHED	F39	---	INT-AG	---	
N218	D02	3'- 0"	7'- 10"	SC WOOD	P-1	HOL. MFL.	P-1	F01	---	TECH-BRK	---	6" W X 20" H GLAZING PANEL @ LATCH SIDE
N219	D01	3'- 0"	7'- 10"	SC WOOD	P-1	HOL. MFL.	P-1	F01	S-11	INT-REST	---	
N220	D01	3'- 0"	7'- 10"	SC WOOD	P-1	HOL. MFL.	P-1	F01	S-10	INT-RESTP	---	

DOOR & HARDWARE NOTES

1. CONTRACTOR TO COORDINATE SIZE OF DOOR WITH ARCHITECT TO ENSURE PROPER CLEARANCES AND 11'-1 DOOR MAY HAVE TO BE SHORTER TO ACCOMODATE ROOMS ADDED ABOVE. SEE SCOPE OF WORK ACCORDING TO COMPLY WITH THE ANSI
2. **USE OF DESIGNATED KEY PADS:** SCHLAGE CO-100 CONTROLLER TO BE USED FOR FUNCTIONAL FITMENT OF KEYPAD. WIRING & TONING TO BE BY OTHERS. DIFFERENT CONTRACTOR TO PROGRAM DOOR LATCH HARDWARE TO ACCOMMODATE KEYPAD INSTALLATION AS REQUIRED
3. ASSUME FOR ALL DOORS THAT WOOD DOORS ARE TO BE FINISHED WITH HIGH PRESSURE LAMINATE (U.N.O.)
4. LATCH TO BE SCHLAGE NEPTUNE LEVER WITH SATIN CHROME (626 / US26D)
5. INTERIOR STOREFRONTS TO HAVE CONCEALED CLOSER
6. **HARDWARE GROUP "INT-AG" TO INCLUDE THE FOLLOWING AS A BASIS FOR DESIGN:**

CRL NH2X036	NARROW HEADER (XX = DOOR WIDTH IN INCHES, I.E., NH3668S FOR 36" DOOR)
CRL 9040WSP	WALKING BEAM TOP PIVOT(S)
CRL NH2SSL	SIDELITE CHANNEL
CRL SR4SSS812SL	SIDELITE BOTTOM RAIL (AT SIDELITE LOCATIONS)
CRL DR4SBS12SL	DOOR BOTTOM RAIL (FOR EACH DOOR LEAF)
CRL 9536 / 95CPBS	DOOR BOTTOM CLOSER(S)
CRL 9016SP	DOOR BOTTOM PIVOT(S)
CRL PH120ABS	DOOR TOP PATCH
CRL 90LPBS	60" LENGTH BACK-TO-BACK LADDER PULL
	IN BRUSHED STAINLESS STEEL

7. USE HARDWARE SCHEDULE COMMENTS U.N.O. IN DOOR SCHEDULE.
8. USE WEATHERSTRIP ON ALL EXTERIOR DOORS. USE BUMPERS WITH UNDERCUT H.M. FRAMES, USE WEATHERSTRIP WITH ALUMINUM FRAMES.
9. G.C. TO PROVIDE APPROPRIATE DOOR STOP TYPE FOR EACH DOOR LOCATION (FLOOR STOP, WALL STOP, OVERHEAD STOP)
10. ALL FIRE RATED DOORS SHALL INCLUDE CLOSERS AND LATCHING DEVICES. SEE DOOR SCHEDULE FOR RATINGS & LOCATIONS.
11. ALL IT CLOSETS, ELECTRICAL ROOMS, AND JANITOR'S CLOSETS SHALL USE DETECTABLE WARNING LEVERS.
12. GC SHALL COORDINATE W/ OWNER FOR SECURITY CRITERIA AT ACCESS CONTROL AREAS.
13. EXTERIOR DOORS TO RECEIVE NON-FERROUS HINGES AND HARDWARE. INTERIOR DOORS TO RECEIVE HARDWARE FINISHED IN SATIN CHROME (629/US26D) OR BRUSHED STAINLESS (630/US32D) UNLESS NOTED OTHERWISE.
14. **HARDWARE GROUP EXT-SF-AS:** COORDINATE HARDWARE WITH MOTORIZED AUTOMATIC SLIDING DOOR MANUFACTURER. PROVIDE SHUT OFF SWITCH FOR OPTICAL SENSORS FOR NIGHT TIME SECURITY.



7 A601 ADA SIGNAGE LOCATION
1/2" = 1'-0"

TYPICAL DOOR LAYOUT



HARDWARE TYPE SCHEDULE

		CLOSER					HINGES				SLIDER	TRIM																HANDLESET / LOCKSET / LATCH									OVERHEAD OPERATION								SECURITY			LEGEND
		STANDARD CLOSER	CLOSER W/ STOP - HOLD OPEN	CLOSER WITH STOP	CONCEALED CLOSER W/STOP	RECESSED FLOOR MOUNTED	CONTINUOUS HINGE	OFFSET PIVOTS	STANDARD HINGE	BALL BEARING HINGE	NON-FERROUS BB WITH A.P.	CONCEALED PIVOTS	AUTOMATIC MOTORIZED	MANUALLY OPERATED	WEATHERSTRIP / GASKETING	BUMPERS	THRESHOLD	FLOOR SWEEP	WALL MOUNT DOOR STOP	HOLD-DOWN HOLD OPEN	FLOOR STOP	RAIN DRIP	MOP PLATE	KICK PLATE	ARMOR PLATE	LOUD GUARD	MORTISE CYLINDER	STOREFRONT PULL & PUSH BAR	EXTENDED DECORATIVE PULL	PASSAGE LEVERSET	ENTRY LEVERSET	OFFICE LEVERSET	CLASSROOM LEVERSET	STOREROOM LEVERSET	PRIVACY LEVERSET	HID PAD	PANIC BAR EXIT DEVICE	PUSHPULL WITH PLATE	MORTISE PULL	FLUSH BOLTS (PAIR DOORS ONLY)	CHAIN HOIST	CRANK UP	MOTORIZED	FIRE SENTINEL	MAGNETIC LOOP - INTERIOR	MAGNETIC LOOP - EXTERIOR	OPTICAL SENSOR - INTERIOR	OPTICAL SENSOR - EXTERIOR	LOCKABLE BOTTOM RAIL	MAGNETIC LOCK	ELECTRONIC CARD READER	MAGNETIC LOCK PLATE & COVER	■ - INCLUDE WITH HARDWARE X - NOT PERMITTED
CODE	APPLICATION																																												HARDWARE COMMENTS
EXTERIOR	EXT-SF				■		■								■	■	■		X	■							■	■																			
EXTERIOR	EXT-MTL		■							■					■	■	■		X	■					■	■				■																
EXTERIOR	EXT-STAIR	X	■							■					■	■	■		X	■					■	■																				KEYED EXTERIOR ACCESS
EXTERIOR	EXT-SF-AS											■			■	■	■		X	■							■	■																■	■		OVR RAIN DRIP @ SERVICE DRIVE DOOR
EXTERIOR	EXT-SF-V				■										■	■	■		X	■							■	■																			CONCEALED CLOSER @ MAN DOOR
INTERIOR	INT-KEYPAD	■								■					■		■				■													■												GRANITE THRESHOLD - SEE FINISHES
INTERIOR	INT-OFFICE	■								■					■		■				■		■									■													GRANITE THRESHOLD - SEE FINISHES
INTERIOR	INT-REST	■								■					■		■				■		■											■												GRANITE THRESHOLD - SEE FINISHES
INTERIOR	INT-RESTP	■								■					■		■				■		■												■											GRANITE THRESHOLD - SEE FINISHES
INTERIOR	INT-ST									■					■		■				■															■										
INTERIOR	INT-WTL	■								■					■		■				■															■										
INTERIOR	INT-S-DRIVE		■							■					■	■	■				■	X						■	■																	
INTERIOR	INT-BRK	■								■					■		■				■		■												■										
INTERIOR	INT-STAIR	■	X							■					■		■		X		■														■	X										FIRE / SMOKE RATED HARDWARE
INTERIOR	TECH-PARTS	■								■					■		■				■		■										■												
INTERIOR	JAN-TEL	■								■					■		■				■		■										■												
INTERIOR	INT-AC				■						■				■		■												■													■	■	■	GRANITE THRESHOLD - SEE FINISHES
INTERIOR	INT-AG				■						■				■		■												■													■			CYLINDER LOCK IN BOTTOM RAIL
INTERIOR	INT-SF		■				■								■														■																GRANITE THRESHOLD - SEE FINISHES
OVERHEAD	OH-C																																			■										
OVERHEAD	OH-M																																				■		■	■	■	■	■				
OVERHEAD	HS-R																																				■					■	■				
OVERHEAD	HS-L																																				■	■									
OVERHEAD	FS-M																																					■	■								
OVERHEAD	CA-C																																					■									
OVERHEAD	CA-M																																					■	■								

STANDARD LOCKSETS (SCALE 1/2" = 1')

ENTRY LOCKSET

PUSH-BUTTON LOCKING. PUSHING BUTTON LOCKS OUTSIDE LEVER UNTIL UNLOCKED W/ KEY OR BY TURNING INSIDE LEVER.

OFFICE LOCKSET

PUSH-BUTTON LOCKING. PUSHING BUTTON LOCKS OUTSIDE LEVER UNTIL UNLOCKED W/ KEY OR BY TURNING INSIDE LEVER.

CLASSROOM LOCKSET

KEY LOCKS OUTSIDE LEVER LOCKED/UNLOCKED BY KEY. INSIDE LEVER ALWAYS UNLOCKED.

STOREROOM LOCKSET

OUTSIDE LEVER OPENED BY KEY ONLY. INSIDE LEVER ALWAYS UNLOCKED.

PRIVACY LOCKSET



PUSH-BUTTON LOCKING. PUSHING BUTTON LOCKS OUTSIDE LEVER UNTIL UNLOCKED BY TURNING INSIDE LEVER OR DISASSEMBLED FROM OUTSIDE WITH SCREWDRIVER.

DOORS TYPICAL PUSH / PULL, SCALE 3/4"=1'



STANDARD DOOR HARDWARE SETS, SCALE 1/2"=1'



Order Plans @ WWW.DLine.com

ysm DESIGN
RETAIL | AUTOMOTIVE | ARCHITECTURE
1320 Ellsworth Industrial Blvd
Suite A-100
Atlanta GA 30318
404-249-4555 tel
404-355-6394 fax
www.ysmdesign.com

ISSUED FOR CONSTRUCTION

Signed & Sealed: *31 AUG 2018*

Copyright (c) 2018 YSM Design, P.C.
All reports, plans, specifications, computer files, field data, notes and other documents and instruments prepared by YSM Design, P.C. shall remain at all times, statutory, and other reserved rights, including copyright thereto.
This drawing may not be reproduced in whole or in part without written permission of YSM Design, P.C. It shall be returned upon request. Scales as indicated are only valid on the original drawings.

Rev	Date	Comments

BID SET

Every Contractor or Subcontractor, by submitting a bid for this project declares that they have reviewed all aspects of this project and have included all work required to provide a complete project that meets all building codes.

If questions or discrepancies are found between trades, these should be submitted by the bidding General Contractor as a Request For Information before bids are due. These clarifications will be issued to all Bidders in Addenda. No considerations will be given after the bid date for issues that could clearly have been answered during the Bidding Period.

Information to all Bidders:
For more information about this bid, including a list of the most current documents, instructions to Bidders, Responsibility Chart, answers to RFI, etc., go to project website. Note this address will be provided to bidders with invitation to bid.

It is the responsibility of ALL Bidders to become familiar with this site and the additional information that is contained there. If you do not have access to the internet you MUST contact your General Contractor for this information. No Change Orders will be accepted for not reviewing this information.

No consideration will be given for Change Order Requests based on any of the following:
1. Items requiring clarification but not clearly indicated as an exception on the retail bid.
2. Items requiring clarification but not submitted to Architect as a request for information during bidding.
3. Items deemed to be industry standard for a particular system or assembly.
4. Items that can reasonably be inferred or assumed from contract documents.

PRO BUILDING SYSTEMS
DESIGN BUILD CONTRACTORS

Client:
JIM ELLIS CADILLAC
5880 PEACHTREE BLVD ATLANTA, GA 30341

Project:
JIM ELLIS CADILLAC
5880 PEACHTREE BLVD ATLANTA, GA 30341

Project Number: *18020*
Drawn By: *Author*
Checked By: *Checker*
Approved By: *Approver*

Sheet Title:
DOORS AND HARDWARE

Sheet Number:
A601

D:\esaenz\2018_18020_JIM ELLIS CADILLAC_esanchez.rvt
8/31/2018 4:06:36 PM