




STORM
0+00.00-9+38.49



- LEGEND**
- [Symbol] PROPOSED INLET W/APRON
 - [Symbol] PROPOSED CURB INLET
 - [Symbol] PROPOSED MITERED END SECTION
 - [Symbol] PROPOSED STORM MANHOLE
 - [Symbol] PROPOSED STORM DRAIN
 - [Symbol] DRAINAGE FLOW INDICATOR
 - [Symbol] PROPOSED GRADE ELEVATION (EDGE OF PAVEMENT UNLESS NOTED OTHERWISE)
 - [Symbol] EXISTING WETLAND LIMITS
 - [Symbol] DRAINAGE RIDGE LINE
- GRADING AND DRAINAGE NOTES**
1. ALL EXISTING STRUCTURES, UNLESS OTHERWISE NOTED TO REMAIN, FENCING, TREES, & ETC., WITHIN CONSTRUCTION ZONE SHALL BE REMOVED & DISPOSED OF OFF-SITE. ANY BURNING ON-SITE SHALL BE SUBJECT TO PERMITS.
 2. ALL DRAINAGE STRUCTURES SHALL BE PRE-CAST.
 3. ALL DRAINAGE STRUCTURES AND STORM SEWER PIPES SHALL MEET HEAVY DUTY TRAFFIC (HSD) LOADING AND BE INSTALLED ACCORDINGLY. STORM SEWER INLETS WITHIN THE PAVEMENT AREAS SHALL HAVE GRATE ANGLE SEATS FOR TRAFFIC BEARING CAPACITY.
 4. CONTRACTOR SHALL NOTIFY ALL UTILITY COMPANIES HAVING UNDERGROUND UTILITIES ON SITE OR IN RIGHT-OF-WAY PRIOR TO EXCAVATION. CONTRACTOR SHALL CONTACT UTILITY LOCATING COMPANY AND LOCATE ALL UTILITIES PRIOR TO GRADING START.
 5. SITE GRADING SHALL NOT PROCEED UNTIL EROSION CONTROL MEASURES HAVE BEEN INSTALLED.
 6. GENERAL CONTRACTOR SHALL PROVIDE 2' x 2' x 6" THICK CONCRETE APRON AT ALL CLEANOUTS OUTSIDE OF BUILDING.
 7. ALL ROOF DRAINS TO BUILDING SHALL END 5' OUTSIDE THE BUILDING LIMITS AS SHOWN ON PLAN AND SHALL BE PROVIDED WITH A TEMPORARY FLUG AT THE END.
 8. ALL PIPE CULVERTS USED IN FDOT RIGHT-OF-WAY MUST BE STAMPED.
 9. ALL DISTURBED AREAS WITHIN FOOT R.O.W. SHALL BE RODDED. SEE LANDSCAPE PLAN FOR SPECIFICATIONS.
 10. ELEVATIONS ARE BASED ON NAVD (1988).
 11. THE ENTIRE PROJECT LIES WITHIN FLOOD ZONE "X" AND "AE" PER F.E.M.A. - FIRM COMMUNITY PANEL NO. 129230 04D F FOR PASCO COUNTY, REVISED 02/26/2014. (BFE = 52.6)
- GRADING ABBREVIATIONS**
- M.E.G. - MATCH EXISTING GRADE
 - B.O.W. - BOTTOM OF WALL
 - T.O.W. - TOP OF WALL
 - TOP/CONC. - TOP OF CONCRETE
 - DLW - DESIGN LOW WATER ELEVATION
 - SHW - SEASONAL HIGH WATER ELEVATION

LINCKS & ASSOCIATES
5023 West Laurel St
Tampa, Florida 33607
Tel: (813) 289-0339
Fax: (813) 287-0574
Lic. No. EB0004938

**Engineers
Planners**

DATE	07/23/2018
DESIGNED	DWD
DRAWN	DWM
CHECKED	DWD
JOB NO.	18095

**WOODSPRING SUITES
CYPRESS CREEK
STORM SEWER
PLAN & PROFILE**

REVISIONS

NO.	DESCRIPTION

Order Plans @

WWW.LDLINE.COM