GUESTROOM BATH KEYNOTES	
Keynote Value	Keynote Text
GB-3	TUB/ SHOWER SURROUND - ACCESSIBLE SHOWER THRESHOLD 1/2" MAX HEIGHT BEVELED 1:2 MAX
GB-5	TOILET PAPER HOLDER
GB-6	ACCESSIBLE VANITY UNIT. REFER TO FURNITURE DWGS
GB-7	ACCESSIBLE REMOVABLE TUB/ SHOWER SEAT
GB-10	SHOWER HEAD
GB-12	HAND SHOWER AND SIDE BAR. HAND-HELD SHOWER UNIT REQUIRED TO HAVE ON/OFF CONTROL W/ NON-POSITIVE SHUT OFF
GB-13	VANITY MIRROR AND LIGHT FIXTURE
GB-15	ON/OFF PRESSURE BALANCING VALVE
GB-17	BULK AMENITY DISPENSER
GB-22	FLOOR DRAIN LOCATION. MAINTAIN ACCESSIBLE COMPLIANT SLOPES TO DRAIN
GB-23	LEVER REQUIRED ON THE SIDE OF TANK OPPOSITE INSIDE CORNER OF WALL
GB-24	GC TO PROVIDE 3/4" FRT PLYWOOD BLOCKING TO RECEIVE ITEM INDICATED- EXTEND FULL LENGTH OF OBJECT
GB-25	SHOWER SURROUND

BATH/ TOILET ROOM NOTES

1. SEE SHEET A412 FOR ALL MOUNTING HEIGHTS OF PLUMBING FIXTURES, GRAB BARS AND ACCESSORIES
2. SEE SHEET A412 FOR PLUMBING ACCESSORIES LEGEND
3. ALL GYP BOARD AT WET WALL LOCATIONS TO BE MOISTURE RESISTANT

GUESTROOM GENERAL NOTES

1. REFER TO CASE PACKAGE FOR FURNITURE, BUILT-IN MILLWORK, FINISH SPECIFICATIONS, WALL RECEPTACLES/ DATA TO BE MOUNTED @ 12" AFF THRU-OUT
2. THERMOSTATS IN GUESTROOMS TO BE MOUNTED @ 48" AFF TO TOP OF CONTROLS
3. THERMOSTATS IN ADA ROOMS TO BE MOUNTED @ 48" AFF TO TOP OF CONTROLS
4. LIGHT SWITCHES IN GUESTROOMS TO BE MOUNTED @ 40" AFF TO TOP OF CONTROLS, UNO
5. LIGHT SWITCHES IN GUESTROOM BATHROOMS TO BE MOUNTED @ 40" AFF TO CENTERLINE OF CONTROLS, UNO
6. IN ADA ROOMS, AT LEAST ONE OUTLET & DATA CONNECTION FOR USE BY GUESTS MUST BE MOUNTED BETWEEN 15" & 48" AFF AND PROVIDE A CLEAR FLOOR AREA OF 30"X48" IN FRONT OF OUTLET
7. ALL DEVICES SHALL BE OFFSET SO THAT NO DEVICE IN ADJACENT GUESTROOMS ARE BACK TO BACK WITH LESS THEN 3" CLEARANCE BETWEEN THE REAR OF EACH J BOX. OFFSET SHALL BE 6" CLEAR WHERE REQ'D. GC TO COORDINATE ALL OPENINGS IN CASEWORK AS REQD.
8. ALL CONTROLS FOR USE BY GUESTS MUST BE MOUNTED B/W 15" AFF & 48" AFF. OPERABLE CONTROLS LOCATED OVER AN OBSTRUCTION DEEPER THAN 10" MUST BE MOUNTED NO HIGHER THAN 46" AFF
9. IF A CONFLICT EXISTS BETWEEN THE ELECTRICAL LAYOUT SHOWN ON THIS SHEET AND THE ELECTRICAL ENGINEER'S DRAWING CONCERNING PLACEMENT AND/OR ARRANGEMENT OF DEVICES, GC SHALL CONTACT ARCHITECT PRIOR TO CONSTRUCTION FOR CLARIFICATION
10. SEE GUESTROOM ELEVATIONS THIS SHEET FOR OUTLET AND SWITCH HEIGHTS, UNLESS HEIGHT IS NOTED ON ELECTRICAL PLAN THIS SHEET. GUESTROOM ELEVATIONS PROVIDED TO SHOW ELECTRICAL OUTLET AND SWITCH HEIGHTS ONLY. SEE ID DRAWINGS FOR ALL INFO RELATED TO FFE MOUNTING HEIGHTS AND FINISHES.
11. ALL GYP BOARD AT WET WALL LOCATIONS TO BE MOISTURE RESISTANT



B2 KING 1 BEDROOM ADA BATH PLAN - TUB
1/2" = 1'-0"

B4 KING 1 BEDROOM ADA BATH PLAN - ROLL-IN SHOWER
1/2" = 1'-0"



A1 KING 1 BEDROOM BATH PLAN
1/2" = 1'-0"



A3 QUEEN STUDIO ADA BATH PLAN
1/2" = 1'-0"



A4 QUEEN STUDIO BATH PLAN
1/2" = 1'-0"

Order Plans @ WWW.LDILIFE.com

ALL DRAWINGS, SPECIFICATIONS AND ELECTRONIC FILES ARE THE PROPERTY OF MCMILLAN PAZDAN SMITH ARCHITECTURE AND SHALL REMAIN THE PROPERTY OF MCMILLAN PAZDAN SMITH ARCHITECTURE. ALL DRAWINGS, SPECIFICATIONS AND ELECTRONIC FILES ARE COPYRIGHTED AND SHALL NOT BE USED BY ANY PERSON OR ENTITY FOR ANY PURPOSE WITHOUT THE EXPRESS WRITTEN CONSENT OF MCMILLAN PAZDAN SMITH ARCHITECTURE. ANY UNAUTHORIZED USE, DISCLOSURE OR PUBLICATION IN VIOLATION OF THE COPYRIGHT LAWS OF THE UNITED STATES WILL BE ENFORCED AGAINST TO THE FULLEST EXTENT OF THE LAW. ALL RIGHTS RESERVED.

mcmillan pazdan smith ARCHITECTURE
CONSULTANT LOGO
SEALS
NORTH CAROLINA REGISTERED 13158 ARCHITECT BRIAN E. ZEIGLER 7-25-18

WINDSOR AUGHTRY

HOME2 ASHEVILLE
360 AIRPORT RD
ASHEVILLE, NC 28704

SHEET ISSUE:
07/30/18
FOR CONSTRUCTION

Revisions		
Number	Description	Date

PRINCIPAL IN CHARGE: BZ
PROJECT ARCHITECT: BZ
DRAWN BY: BT

SHEET TITLE:
GUESTROOM BATHROOM PLANS

SHEET NO. A410
PROJ. NO. 017378.00