



- MECHANICAL KEY NOTES:**
1. THERMOSTAT MOUNTED AT 48" A.F.F., COORDINATE ALL WIRING WITH ELECTRICAL CONTRACTOR
 2. PROVIDE DRYER EXHAUST WALL CAP MOUNT TOP OF WALL CAP 24" BELOW STRUCTURE
 3. REFER TO DETAIL #M003 FOR FURNACE MOUNTING
 4. ROUTE CONDENSATE DRAIN PIPE FROM AIR HANDLER TO HUB DRAIN. REFER TO PLUMBING DRAWING FOR EXACT LOCATION OF HUB DRAIN
 5. SUPPLY DUCT ROUTED FROM ROOFTOP MAU ON ROOF. SEE SECTION DETAIL 1 ON SHEET M002 FOR MORE INFORMATION
 6. TOP OF LOWER MOUNTED 6" BELOW STRUCTURE
 7. TOP OF LOWER MOUNTED 12" BELOW STRUCTURE
 8. TOP OF LOWER MOUNTED 18" BELOW STRUCTURE

mcmilian
pazdan
smith
ARCHITECTURE

DEVITA
ATLANTA CHARLOTTE GREENVILLE
RICHMOND
877.4.DEVITA
Devita & Associates, Inc. Project: 17239
NC Firm License # C-0819
FLZ Checked By: DV



1 ENLARGED PUBLIC SPACE OVERALL PLAN - LEVEL 1 (HVAC)
1/4" = 1'-0"

WINDSOR AUGHTRY

HOME2 ASHEVILLE

380 AIRPORT RD.
ASHEVILLE, NC 28704

SHEET ISSUE:
07/30/18
FOR CONSTRUCTION

Number	Revisions	Date

PRINCIPAL IN CHARGE:
PROJECT ARCHITECT:
DRAWN BY:
SHEET TITLE:
**ENLARGED PUBLIC
SPACE OVERALL
PLAN - HVAC**

SHEET NO. PROJ. NO.
017878 00

M301

Order Plans @ www.drawingline.com