


NOTE:
PLANS ARE FOR POOL CONSTRUCTION ONLY.
ALL BUILDING, EQUIPMENT & CHEMICAL ROOM NOTES AND
SPECIFICATIONS ARE FOR COORDINATION AND INFORMATION
ONLY.
ELECTRICAL DATA IS FOR COORDINATION AND INFORMATION ONLY
IT IS THE RESPONSIBILITY OF OTHERS TO PROVIDE ANY REQUIRED
REVISED CONSTRUCTION DRAWINGS INCLUDING BUT NOT LIMITED
TO PLUMBING, MECHANICAL AND ELECTRICAL CHANGES
NECESSARY FOR POOL PERMIT AND INSTALLATION.

mcmillan
pazdan
smith
ARCHITECTURE

THE SPINGS
POOL & SPAS
Since 1929


878 WOODRUFF ROAD
SPRINGFIELD, NC 27087 (919) 476-9965 TELEPHONE
919-476-6667 FAX



S. R. SMITH multiLIFT
INSTALLING ANCHOR JIG INTO NEW CONCRETE DECK


FIG. NO.	REV. NO.	DESCRIPTION	QTY
1	001	DECK ANCHOR BONDABLE	1
2	001	1/2" x 1/2" x 1/8" S.S.	1
3	001	1/2" x 1/2" x 1/8" S.S.	1

FIGURE 14. DECK ANCHOR BONDING



S. R. SMITH multiLIFT™
ANCHOR BONDING DETAIL
N.T.S.

NOTE:
ELECTRICAL DATA IS FOR COORDINATION AND INFORMATION ONLY




ALL EQUIPMENT SHALL BE
INSTALLED IN ACCORDANCE
WITH MANUFACTURER
RECOMMENDATIONS

EQUIPMENT BONDING PER
NEC ARTICLE 680 AND RELEVANT
LOCAL ELECTRICAL CODES.
COPPER CONDUCTOR NOT LESS
THAN 8 AWG

ALL ELECTRICAL WORK,
GROUNDING, AND BONDING
SHALL CONFORM TO THE
CURRENT NATIONAL ELECTRIC
CODE AND ALL LOCAL CODES.

ALL PUMPS SHALL BE INSTALLED IN
ACCORDANCE WITH NATIONAL
ELECTRIC CODE (NEC)



WINDSOR AUGHTRY
HOME2 ASHEVILLE

380 AIRPORT ROAD
ARDEN, NC 28704

SHEET ISSUE:
07/30/18
FOR CONSTRUCTION

NUMBER	DESCRIPTION	DATE

PRINCIPAL IN CHARGE:
PROJECT ARCHITECT:
DRAWN BY:

SHEET TITLE:
DECK & BONDING

PROJ. NO.

SP - 6