



NOTES:  
 INSTALL A TORO ALFD15150-L FILTER UPSTREAM OF EACH VALVE.  
 INSTALL A SEPARATE VALVE BOX FOR EACH VALVE AND FILTER. (3 JUMBO VALVE BOXES)  
 INSTALL FILTER IN ORIENTATION THAT ALLOWS FOR FLUSHING.

1 VALVE W/ FILTER SCHEMATIC  
 IR2.0 NOT TO SCALE




4 CONTROLLER MOUNTING  
 IR2.0 NOT TO SCALE




ASSURE THAT ALL CHANGES IN DIRECTION IN THE PIPING ARE THRUST BLOCKED OR RESTRAINED USING MECHANICAL MEANS ACCORDING TO INDUSTRY STANDARDS.

NOTE:  
 ALL VALVE BOXES SHALL BE MARKED WITH THE CHRISTY I.D. TAGS OR SUBSTITUTION ACCEPTABLE TO OWNER

10 ZONE VALVE INSTALLATION  
 IR2.0 NOT TO SCALE




2 PIPE AND WIRE TRENCH CONFIGURATION  
 IR2.0 NOT TO SCALE




- 1 PLANT MATERIAL
- 2 FINISH GRADE
- 3 6" MICRO-SPRAY POP-UP: RAIN BIRD XERI-POP XP-600X
- 4 1/4" BARB TRANSFER CONNECTOR: RAIN BIRD XBF1CONN
- 5 1/2" DRIP TUBING NEAR EACH OPERIND
- 6 1/4" DISTRIBUTION TUBING: RAIN BIRD XQ TUBING (LENGTH AS REQUIRED - 16" PROVIDED AS A PART OF OPERIND)

NOTE:  
 1. NOZZLE IS TO BE "VAN", AND NOZZLES TO BE SET TO "NO FLOW OUT"


3 RAIN BIRD OPERIND CONNECTION  
 IR2.0 NOT TO SCALE




5 LOC-EZE COUPLING (T-FCC16)  
 IR2.0 NOT TO SCALE




6 LOC-EZE TEE (T-FTT16)  
 IR2.0 NOT TO SCALE




7 MANIFOLD CONNECTION (PVC TO ADAPTER)  
 IR2.0 NOT TO SCALE



8 LOC-EZE ELBOW (T-FEEE16)  
 IR2.0 NOT TO SCALE



9 TYPICAL VALVE BOX GROUPING  
 IR2.0 NOT TO SCALE



11 SLEEVE DETAIL  
 IR2.0 NOT TO SCALE



PANDA RESTAURANT GROUP INC.  
 1683 Walnut Grove Ave.  
 Rosemead, California  
 91770  
 Telephone: 626.799.9898  
 Facsimile: 626.372.8288

All ideas, designs, arrangement and plans indicated or represented by this drawing are the property of Panda Express Inc. and were created for use on this specific project. None of these ideas, designs, arrangements or plans may be used by or disclosed to any person, firm, or corporation without the written permission of Panda Express Inc.

REVISIONS:

ISSUE DATE:

01/30/19 ISSUED FOR BID

DRAWN BY: B. Silcox

PANDA PROJECT #: S8-19-D6573  
 ARCH PROJECT #: P7336.1

**cph**  
 www.cphcorp.com  
 A Full Service A & E Firm

Prepared By:  
 CPH, Inc.  
 5200 Belfort Road, Suite 220  
 Jacksonville, FL 32256  
 Ph: 904.332.0959

Licenses:  
 Eng. C.O.A. No. 3215  
 Survey L.B. No. 7143  
 Arch. Lic. No. AA2809928  
 Landsc. Lic. No. LC0000938

DANITA R. BRYANT, R.L.A.  
 LA6667318  
 Jan 29, 2019

PANDA EXPRESS  
 TRUE WARM & WELCOME 2200  
 ATLANTIC & KERNAN  
 CITY OF JACKSONVILLE, FLORIDA

IR2.0

IRRIGATION NOTES  
 AND DETAILS

TRUE WARM & WELCOME 2200

Order Plans

Drawing Name: C:\Users\jgordon\Documents\AutoCAD\Projects\191020P7336\_1\_IR2.dwg, Jan 29, 2019, 2:55pm, jgordon