

GENERAL NOTES

- 1. All construction and materials shall be in accordance with the current Virginia Department of Transportation Road and Bridge Specifications...

CURB AND GUTTER

- 1. All curb and gutter and storm sewer/inlets located within the existing County right-of-way shall be staked by the County upon written request...

CONDITIONS FOR GUARDRAIL

- Guardrail is typically required on sections of roadway when any of the following conditions exist within the clear zone: 1. A roadside parallel embankment (fill slope) of 3:1 or steeper...

PAVEMENT

- 1. The pavement section is subject to change based on soil conditions at the time of construction, as determined by the Construction Engineer for Henrico County.

DRAINAGE

- 1. All storm sewer within the County right-of-way and easements must be ASTM C-76, Class III or better, reinforced concrete pipe with sealed joints in accordance with VDOT specifications.











GRADING

- 1. The subgrade area shall be scarified to a depth of eight inches for a minimum of two feet beyond the proposed edges of the pavement on both sides (or from the curb and gutter) and compacted to a density of not less than 95 percent.

SURVEY

- 1. All roadways must be cleared in the area of proposed construction prior to requesting staking from the County.

WHERE CONFLICTS EXIST, THE NOTES AND DETAILS ON THIS SHEET SUPERCEDE THE CURRENT VERSION OF THE HENRICO COUNTY DESIGN MANUAL.



REFER TO HENRICO COUNTY DESIGN MANUAL FOR ADDITIONAL DETAILS







Table with columns for No., Revisions, Date, and By. Includes entries for Oil Water Separator, Underground Pipe Connections, and Bid Set Revisions.

Kimley-Horn logo and contact information for Ryan R. Perkins, Professional Engineer, License No. 046585.

Professional Engineer seal for Ryan R. Perkins, License No. 046585, dated 11/09/2018.

HENRICO STANDARD DETAILS

WAWA AT PARHAM AND THREE CHOPT PREPARED FOR REBEEK CO. HENRICO COUNTY VIRGINIA