

1925 Prospect Ave.
 Oklahoma City, OK 73104
 (407) 663-1100
 (407) 663-9101
 www.c-p.com

Chhaci & Peterson
 Architects Engineers Planners

- GENERAL SHEET NOTES:**
1. VERIFY EQUIPMENT WEIGHTS AND OPENING REQUIREMENTS PRIOR TO STEEL SHOP DRAWINGS BEING COMPLETED.
 2. JOIST DESIGNER NOTE - DESIGN ALL ROOF JOISTS FOR A MINIMUM UNFACTORED ADDITIONAL POINT LOAD (DEAD LOAD) OF 200 LB. APPLIED AT ANY TOP OR BOTTOM CHORD PANEL POINT.
 3. ALL JOIST DESIGN LOADING, NOT SHOWN ON THIS SHEET, IS SUMMARIZED ON SHEET S1 - GENERAL NOTES
 4. DENOTES AREAS OF BRIDGING AND BRACING - WHERE DISCONTINUOUS, JOIST SUPPLIER TO PROVIDE X-BRACING AS REQUIRED.

METAL ROOF DECK

1. #20 METAL ROOF DECK
2. FASTEN USING 1/4" PUDDLE WELDS @ 12" ON CENTER PER 36" WIDTH (S7.7)
3. 1/4" P UDDLE WELDS @ 12" ON CENTER PER 36" WIDTH (S7.7)
4. 1/4" P UDDLE WELDS @ 12" ON CENTER PER 36" WIDTH (S7.7)
5. 1/4" P UDDLE WELDS @ 12" ON CENTER PER 36" WIDTH (S7.7)



MECHANICAL EQUIPMENT SCHEDULE

MAX. WT.	R.O. LENGTH	R.O. WIDTH
RTU-1	7' - 7 7/8"	4' - 2 3/4"
RTU-2	7' - 7 7/8"	4' - 2 3/4"
RTU-3	3' - 2"	6' - 4 1/4"

ALL DIMENSIONS MUST BE VERIFIED BY CONTRACTOR WITH EQUIPMENT SUPPLIER PRIOR TO FABRICATION OF STEEL. DIMENSIONS PROVIDED ARE BASED ON COOK GRAVITY VENTS AND LENNOX RTU'S SHOWN ON DRAWING M2

MAXIMUM AC POINT LOAD TABLE (lb)

AC-1	750
AC-2	750
AC-3	750
CU-HOUSE	1000



CLIENT NAME
WAWA
 260 W. BALTIMORE PIKE
 WAWA, PA 19063

PROJECT NAME
U45-VA v2018.01-MA
STORE #8647 - PHM
 PARRAM RD & THREE CHOPT RD,
 HENRICO, VA

SHEET TITLE
ROOF FRAMING PLAN

Revision Schedule

No.	Description	Date
1	PERMIT SET	09/21/2018
2	REV. V2018.01	01/29/2019
3	BID SET	01/29/2019

PROJECT NO.
 7180130

DATE
 09-21-2018

DRAWN
 RC

CHECKED
 JI

S3

Order Plans

@www.weldline.com