




Order Plans @ WWW.VDIDLINE.COM




- FRAMING NOTES:**
1. FASTEN SHEATHING TO COLD FORMED STEEL FRAMING, FLAT STRAP BRACING OR SOLID BLOCKING PER STRUCTURAL DWGS.
 2. ALL PANEL EDGES SHOULD BE SUPPORTED BY FRAMING, FLAT STRAP BRACING OR SOLID BLOCKING.
 3. SCREWS SHALL PENETRATE ALL FRAMING COMPONENTS.
 4. SCREWS SHALL HAVE A MIN. OF THREE EXPOSED THREADS EXTENDING THROUGH THE STL BEYOND ALL FRAMING COMPONENTS CONNECTED.
 5. PROVIDE 1/2" MIN. EDGE DIST. FOR #10 SELF DRILLING SCREWS OR NAILS INTO STRAP. PROVIDE 3/8" MIN. EDGE DIST. FOR #10 SELF DRILLING SCREWS OR NAILS INTO PLYWOOD. PROVIDE 1/2" MIN. EDGE DIST. & 3/4" MIN. SPAC. FOR #10 & #12 DRILLING SCREWS FOR TYP. FRAMING.

- SOLID BLOCKING INSTALLATION NOTES:**
1. SOLID BLOCKING SHOULD BE PLACED @ 8'-0" O.C. MAX. AT EA. END OF WALLS AND ADJACENT TO OPENINGS.
 2. SOLID BLOCKING (TRACK OPTION ATTACHMENT) SHOULD BE MADE OF THE SAME WIDTH OF THE WALL STUD AND 18GA(43MIL) (50KSI) MIN. TRACK SHOULD BE NOTCHED AND FLANGES BENT 1/4".
 3. SOLID BLOCKING (CLIP OPTION ATTACHMENT) USE 3X3X5/16" (16GA) (50KSI). THE LENGTH OF CLIP ANGLE SHOULD BE 1/4" LESS THAN THE STUD WIDTH.

5 TV SHROUD @ FOOD SERVICE SOFFIT
S7.5 1" = 1'-0"




4 TV MOUNT SUPPORT BLOCKING
S7.5 3/4" = 1'-0"



2 VERT. STUD CONNX. TO BOX BEAM
S7.5 3/4" = 1'-0"

3 BOX BEAM CONNX. TO JOIST OR STL. BEAM
S7.5 3/4" = 1'-0"



1 MONITOR SUPPORT FRAMING DETAIL
S7.5 3/4" = 1'-0"

1925 Prospect Ave.
Olathe, MO 64113
(407) 663-1100
(407) 663-9101
www.vdiline.com

4
Chhaci & Peterson
Architects Engineers Planners

CLIENT NAME
WAWA
260 W. BALTIMORE PIKE
WAWA, PA 19063

PROJECT NAME
U45-VA v2018 01-MA
STORE #8647 - PHM
PARRHAM RD & THREE CHOPT RD,
HENRICO, VA

SHEET TITLE
FRAMING DETAILS

No.	Description	Date
1	PERMIT SET	09/21/2018
2	REV V2018 01	01/29/2019
3	BID SET	01/29/2019

PROJECT NO.
7180130

DATE
09-21-2018

DRAWN
RC

CHECKED
JL

S7.5