

ROOM FINISH SCHEDULE:																							
ROOM NO.	ROOM NAME	FLOOR	GROUT	BASE	GYP BD THICKNESS	SOUND ATTENUATION BATS	LPB THICKNESS	TOP WALL		RIGHT WALL		BOTTOM WALL		LEFT WALL		CEILING			GYP BD PAINT SYSTEM	REMARKS	ROOM NO.		
								LOWER	UPPER	LOWER	UPPER	LOWER	UPPER	LOWER	UPPER	MAT.	FIN.	HGT.					
101	VESTIBULE	PORC-1	GR-2	VB-1	1/2"		3/4"	AL/GL	AL/GL	AL/GL	AL/GL	AL/GL	AL/GL	AL/GL	AL/GL	SAPC-1 / CS-1 / EXP	--	11'-3" / 12'-1"	PT-6		101		
102	SALES	PORC-1	GR-2	VB-1/ CPB/SSR	1/2" & 1/2" MLD.		3/4"	LPB-1	GYP BD	LPB-1 / GYP BD	T-4 / GYP BD	AL/GL / LPB-1	GYP BD	AL/GL / T1 / LPB-1	GYP BD	EXP	--	VARIES	PT-6	CAULK ALL PINHOLES PRIOR TO PRIME AND PAINT	102		
103	WOMENS	PORC-1	GR-2	SS-3	1/2" MLD.	X		T-2	GYP BD	T-2	GYP BD	T-2	GYP BD	T-2	GYP BD	SAPC-1	--	9'-6"	PT-5		103		
104	HALL	PORC-1	GR-2	VB-1	1/2"	X	3/4"	LPB-1	GYP BD	LPB-1	GYP BD	LPB-1	GYP BD	LPB-1	GYP BD	SAPC-1	--	9'-6"	PT-6		104		
105	MENS	PORC-1	GR-2	SS-3	1/2" MLD.	X		T-2	GYP BD	T-2	GYP BD	T-2	GYP BD	T-2	GYP BD	SAPC-1	--	9'-6"	PT-5		105		
106	BREAKROOM	CONC	--	VB-1/ SS-3	1/2" MLD.	X		GYP BD	GYP BD	GYP BD	GYP BD	T-5	T-1	SAPC-1	--	10'-0"	PT-5	CL-7		106			
107	OFFICE	PORC-1	GR-2	VB-1	1/2" MLD.	X		GYP BD	GYP BD	GYP BD	GYP BD	GYP BD	GYP BD	GYP BD	SAPC-1	--	9'-6"	PT-5	CL-7		107		
108	UTILITY AREA	CONC	--	CPB	1/2"			PLWD / GYP BD	GYP BD	CMU	CMU	PLWD / GYP BD	GYP BD	PLWD / GYP BD	GYP BD	EXP-1	--	VARIES	PT-5	CL-X	MATCH BACK ROOM	108	
109	BACK ROOM	CONC	--	CPB	1/2"			PLWD / GYP BD	GYP BD	CMU / PLWD / GYP BD	CMU / GYP BD	PLWD / GYP BD	GYP BD	PLWD / GYP BD	GYP BD	EXP-1	--	VARIES	PT-5	CL-6	GYP BD FULL HEIGHT. FRP TO BOTTOM OF WATER HEATER SHELF ABOVE MOP SINK.	109	
110	FUTURE SPACE	CONC	--	--	1/2"			PLWD / GYP BD	GYP BD	CMU	CMU	PLWD / GYP BD	GYP BD	PLWD / GYP BD	GYP BD	EXP-1	--	VARIES	PT-5	CL-8		110	
111	EXIT ACCESS	CONC	--	VB-1	1/2"			GYP BD	GYP BD	CMU	CMU	CMU	CMU	GYP BD	GYP BD	EXP-1	--	VARIES	PT-5	CL-6	GYP BD FULL HEIGHT.	111	
112	MERCANTILE	CONC	--	VB-1	1/2" / 5/8"	X		--	--	GYP BD	GYP BD	GYP BD	GYP BD	--	--	EXP-1	--	VARIES	PT-5	CL-6	GYP BD FULL HEIGHT.	112	
113	BACKROOM	CONC	--	VB-1	1/2" / 5/8"	X		--	--	GYP BD	GYP BD	GYP BD	GYP BD	GYP BD	GYP BD	EXP-1	--	VARIES	PT-5	CL-6	GYP BD FULL HEIGHT.	113	
114	RESTROOM	CONC	--	VB-1	1/2" / 5/8"			GYP BD	GYP BD	GYP BD	GYP BD	GYP BD	GYP BD	GYP BD	GYP BD	SAPC-1	--	VARIES	--	--	--	GYP BD FULL HEIGHT.	114

PAINT COLOR SCHEDULE:				
MAT. KEY	DESCRIPTION	MANUFACTURER	DESCRIPTION - COLOR	REMARKS
CL-1	PAINT COLOR	SHERWIN WILLIAMS	#7510 CHATEAU BROWN	
CL-2	PAINT COLOR	SHERWIN WILLIAMS	#6071 POPULAR GRAY	
CL-3	PAINT COLOR	SHERWIN WILLIAMS	#6073 PERFECT GREIGE	USED ABOVE PAINT BREAK LINE ONLY WITH SUSPENDED CEILING
CL-4	PAINT COLOR	SHERWIN WILLIAMS	SAFETY YELLOW	
CL-5	PAINT COLOR	SHERWIN WILLIAMS	#7504 KEYSTONE GRAY	
CL-6	PAINT COLOR	SHERWIN WILLIAMS	#7073 NETWORK GRAY	
CL-7	PAINT COLOR	SHERWIN WILLIAMS	#7015 REPOSE GRAY	
CL-8	PAINT COLOR	SHERWIN WILLIAMS	#7757 HIGH REFLECTIVE WHITE	
CL-9	NOT USED			
CL-10	PAINT COLOR	SHERWIN WILLIAMS	#6258 TRICOM BLACK	
PT-X	PAINT SYSTEM	BY CONTRACTOR		SEE PAINT SYSTEM SCHEDULE ON THIS SHEET. REFER TO SPEC SECTION 091100 FOR PRODUCT REQUIREMENTS.

INTERIOR PAINT SYSTEM SCHEDULE					EXTERIOR PAINT SYSTEM SCHEDULE				
PT #	SYSTEM	SUBSTRATE	SYSTEM	REMARKS	PT #	SYSTEM	SUBSTRATE	SYSTEM	REMARKS
PT-1	LATEX SEMI-GLOSS	CONCRETE BLOCK	1C. PRIMER B25W25 IC. B31-2600 IC. B31-2600		PT-15	LATEX SATIN	CAST CONCRETE	1C. PRIMER A24W200 IC. K43	
PT-2	DRY-FALL (RETIROFIT/ RENOVATION/ REFRESH STORES)	EXPOSED STEEL WOOD, DUCTS, CONDUIT & SCRIM	1C. PRIMER B66-1560 IC. B66-1560		PT-16	URETHANE GLOSS	CONCRETE BLOCK	1C. PRIMER A24W200 IC. B66-1560	
PT-3	DRY-FALL (NEW CONSTRUCTION STORES)	EXPOSED STEEL WOOD, DUCTS, CONDUIT & SCRIM	1C. PRIMER B66-310 IC. B66-1560 GALVANIZED DECKS		PT-17	LATEX SATIN	STEEL	1C. PRIMER B28W200 IC. B66-1560	
PT-4	LATEX SEMI-GLOSS	GALVANIZED METAL WALLS	1C. PRIMER B66-310 IC. B66-650 IC. B66-650		PT-18	LATEX SATIN	WOOD	1C. PRIMER B28W200 IC. K43	
PT-5	LATEX EGGSHELL	GYP BOARD	1C. PRIMER B28W200 IC. B66-1560		PT-19	LATEX GLOSS	STEEL	1C. PRIMER B28W200 IC. K43	
PT-6	LATEX FLAT	GYPSUM BOARD	1C. PRIMER B28W200 IC. B66-1560		PT-20	ALKALI RESISTANT PRIMER SYSTEM	CMU	1C. PRIMER A24W200 IC. K43	
PT-7	LATEX GLOSS	PLYWOOD	1C. PRIMER B28W811 IC. B31						
PT-8	WATER-BORNE URETHANE	STEEL	1C. PRIMER 646-100 IC. B65-720 IC. B65-720						
PT-9	EPOXY URETHANE	CONCRETE	1C. PRIMER 3460 WBE IC. 3460 WBE/S150-15 IC. 4408						
PT-10	WATER-BORNE EPOXY	CONCRETE	1C. PRIMER 8100 IC. 8100 IC. 8100						

FINISH NOTES:	
1	SEE REFLECTED CEILING PLAN FOR ALL CEILINGS AND SOFFITS.
2	REFER TO APPENDIX 'A' FOR ITEMS FURNISHED BY OWNER AND INSTALLED BY CONTRACTOR.
3	REFER TO APPENDIX 'B' FOR ITEMS PROVIDED BY OWNER.
4	DO NOT PAINT GALVANIZED DOOR THRESHOLDS.
5	USE SOLVENT TO REMOVE ALL MANUFACTURER WORDING ON EXPOSED PVC PIPING.
6	PAINT ALL EXPOSED PIPING TO MATCH ADJACENT CEILING/WALL COVERING.
7	SEE SPECIFICATION SECTION 091100 FOR PAINT SYSTEMS.
8	REFER TO PAINT FINISH SCHEDULES FOR TREATMENT AND COLOR OF WALL FINISHES.

GYP BD KEYNOTES:	
A	MILD (MOLD RESISTANT), (PAPERLESS) GYP BD TO EXTEND UP TO 2' ABOVE T.O. COOLER/FREEZE. MLD GYP BD TO BE INSTALLED UP TO 8' AFF AT ALL WALLS SURROUNDING MULTI-DECK UNITS AND ALONG ENTIRE LENGTH OF FIRST AISLE.
B	MILD (MOLD RESISTANT), (PAPERLESS) GYP BD TO EXTEND TO CEILING ALL WALLS.
C	MILD (MOLD RESISTANT), (PAPERLESS) GYP BD. ON WALLS ADJACENT TO FREEZER. APPLY VAPOR BARRIER BETWEEN GYP BD AND STUDS.

SOUND ATTENUATION BATS:	
1	PROVIDE SOUND BATS FOR FULL HEIGHT OF WALL ON ALL INTERIOR PARTITIONS SURROUNDING ROOMS WITH SPECIFIED SCHEDULE ABOVE.

GYP BD NOTES:	
1	AT INTERIOR PARTITIONS. RUN WALL FRAMING AND GYP BD TO BOTTOM OF ROOF DECK.
2	AT EXTERIOR WALLS RUN GYP BD TO B.O. DECK.
3	SEE INTERIOR ELEVATIONS FOR LOCATIONS OF GYP BD SYSTEMS. SEE FINISH MATERIAL SCHEDULE AND PAINT COLOR SCHEDULE ON THIS PAGE FOR MORE INFORMATION.

VAPOR BARRIER:	
1	PROVIDE VAPOR BARRIER OVER ALLS ADJACENT TO FREEZER BETWEEN STUD AND GYP ON FREEZER SIDE OF WALL.

FINISH MATERIAL SCHEDULE:				
MAT. KEY	KEY DESCRIPTION	MANUFACTURER	DESCRIPTION - COLOR	REMARKS
AL/GL	ALUMINUM & GLASS STOREFRONT	BY CONTRACTOR	CLEAR ANODIZED	SEE ELEVATIONS FOR GLAZING TYPES
CS-1	CEILING SYSTEM	BY CONTRACTOR		SEE PROJECT MANUAL - SECTION 095113
CONC.	CONCRETE SLAB	BY CONTRACTOR		SEE PROJECT MANUAL - SECTION 033000
EXP	EXPOSED STRUCTURE	BY CONTRACTOR	PT-2 / CL-1	SALES FLOOR - GC TO ENSURE ALL JOIST AND JOIST GIRDER TAGS ARE PROPERLY SECURED TO JOIST WEBBING AND CONCEALED FROM VIEW PRIOR TO PAINTING.
EXP-1	EXPOSED STRUCTURE	BY CONTRACTOR	NO PAINT	BACK ROOM/ABOVE CEILINGS
FRP	FIBER REINFORCED PLASTIC	BY CONTRACTOR	P-151 LIGHT GRAY	SEE PROJECT MANUAL - SECTION 066400
GR-1	GROUT	MAPEI	#47 CHARCOAL	GROUT FOR T-2 AND T-3
GR-2	GROUT	TEC	POWER GROUT #941 RAVEN	GROUT FOR PORC-1 & PORC-2
GR-3	GROUT	MAPEI	#00 WHITE	GROUT FOR T-4
GR-4	NOT USED			
GR-5	GROUT	MAPEI	#111 HICKORY	GROUT FOR T-1, T-5
GYP BD	GYPSUM WALL BOARD	BY CONTRACTOR		SEE PROJECT MANUAL - SECTION 092900
LPB-1	LAMINATED PARTICLE BOARD - WAINSCOT	FORMICA	#5883-58 PECAN WOODLINE	COORDINATE W/ MILLWORK VENDOR TO BE INSTALLED 1/2" AFF - REFER TO APPENDIX A.
LPB-2	LAMINATED PARTICLE BOARD - SACKING COUNTER, WINDOW SILLS AND CABINETS	FORMICA	#5884-58 CHESTNUT WOODLINE	COORDINATE W/ MILLWORK VENDOR. REFER TO APPENDIX A.
LPB-3	LAMINATED PARTICLE BOARD - COUNTERTOPS OFFICE	FORMICA	#961-58 FOG	COORDINATE W/ MILLWORK VENDOR. REFER TO APPENDIX A.
LPB-4	NOT USED			
LPB-5	LAMINATED PARTICLE BOARD - COOLER AND FREEZER VALANCES	FORMICA	#2297-58 TERRILL	COORDINATE W/ MILLWORK VENDOR. REFER TO APPENDIX A.
PLWD	PLYWOOD - PAINTED	BY CONTRACTOR	PT-7 / CL-6; SEMI-GLOSS	BACK ROOM; SEE PROJECT MANUAL SECTION 061033 (RUN PLWD VENDOR)
PORC-1	PORCELAIN TILE - THICK SET	ARGELITH	LIGHT GRAY R9, 12"x12" (RUNNING BOND W/ STRAIGHT LINES RUNNING IN THE SHORT DIMENSION OF THE SALES FLOOR)	TILE & GROUT FURNISHED AND INSTALLED BY CONTRACTOR. SEE PROJECT MANUAL - SECTION 092000 FOR GROUT; GR-5
SAPC	SUSPENDED ACOUSTIC PANEL CEILING	BY CONTRACTOR	WHITE	SEE PROJECT MANUAL - SECTION 09511
SS-1	SCHLUTER STRIP	SCHLUTER	SCHIENE: E 160; STAINLESS STEEL FINISH	THIN SET PORCELAIN TILE: TRAINING ON EDGINGS TO FIT; INCLUDE ALL SPECIAL CORNER AND TRIM SHAPES (GC FURNISH AND INSTALL)
SS-2	SCHLUTER STRIP	SCHLUTER	RONDEC; DB 14 AE; SATIN ANODIZED ALUMINUM FINISH	WALL TILE BASE TO FIT TILE; INCLUDE ALL SPECIAL CORNER AND TRIM SHAPES; INSTALL FLANGE ON VERTICAL SURFACE (GC FURNISH AND INSTALL)
SS-3	SCHLUTER STRIP	SCHLUTER	DILEX-AHK; AHK 15 80AE; SATIN ANODIZED ALUMINUM FINISH	THIN SET PORCELAIN TILE CORNERS - SIZE TO FIT TILE; INCLUDE ALL SPECIAL CORNER AND TRIM SHAPES (GC FURNISH AND INSTALL)
SS-4	SCHLUTER STRIP	SCHLUTER	QUADEC; STAINLESS STEEL FINISH	THIN SET PORCELAIN TILE CORNERS - SIZE TO FIT TILE; INCLUDE ALL SPECIAL CORNER AND TRIM SHAPES (GC FURNISH AND INSTALL)
SSM-1	SOLID SURFACE MATERIAL - COUNTER BREAKROOM	WILSONART	#9175 (10)15 AVALON THE MELANGE	COORDINATE W/ MILLWORK VENDOR. REFER TO APPENDIX A.
T-1	GLAZED TILE	DALTILE	WILLOW BOND - DARK BROWN W803, 6"x24" BOND	SACKING COUNTER & BREAKROOM WALL ACCENT TILE; (GC FURNISH AND INSTALL); GROUT: GR-5
T-2	PORCELAIN TILE	DALTILE	UNFURNISHED, 12"x24" (RUNNING BOND)	RESTROOM WALL TILE; (GC FURNISH AND INSTALL); GROUT: GR-1
T-3	PORCELAIN TILE	DALTILE	MODERN LINEAR UNPOLISHED, 12"x12" (LINEAR BOND)	RESTROOM ACCENT STRIPS; (GC FURNISH AND INSTALL); GROUT: GR-1
T-4	GLAZED TILE	DALTILE	RITTENHOUSE SQUARE - WHITE 0100 SEMI-GLOSS, 3"x6" (RUNNING BOND)	SALES FLOOR REAR WALL ACCENT TILE; (GC FURNISH AND INSTALL); GROUT: GR-3
VB	VINYL BASE	ROPPE	RITTENHOUSE SQUARE - ARTIC WHITE MATTE, 3"x6" (RUNNING BOND)	BREAKROOM BACKSPLASH TILE: BULLNOSE @ REFRIGERATOR END (GC FURNISH AND INSTALL); GROUT: GR-5
WP-1	WOOD PANEL	ARCH SYSTEMS	INTERWOVEN ECO-PANELS - WPVEP017	SEE PROJECT MANUAL - SECTION 096513 FOR NATIONAL ACCOUNT ORDERING. CONTACT RACHEL COOPER OF ARCH SYSTEMS VIA PHONE: 646-460-8222 OR EMAIL: RCOOPER@ARCHSYSTEMS.COM AND CC MRAMPPELL@ARCHSYSTEMS.COM

WALL AND SURFACE PROTECTION SCHEDULE:				
MAT. KEY	KEY DESCRIPTION	MANUFACTURER	DESCRIPTION - COLOR	REMARKS
BG	BUMPER GUARD	McCUE	STAINLESS STEEL	SEE PROJECT MANUAL - SECTION 102600
BR-C	BUMPER RAIL	McCUE	CART STOP	SEE PROJECT MANUAL - SECTION 102600
BR-R	BUMPER RAIL	McCUE	CART STOP (18" 12" H. - 10000001)	SEE PROJECT MANUAL - SECTION 102600
CG-A	CORNER GUARD	BY CONTRACTOR	CLEAR ANODIZED ALUMINUM	SEE PROJECT MANUAL - SECTION 102600
CG-ST	CORNER GUARD	BY CONTRACTOR	PT-3 / CL-6; SEMI-GLOSS	SEE PROJECT MANUAL - SECTION 055000
CPB	CONC. PALLET BUMPER	BY CONTRACTOR	PT-6; SEMI-GLOSS (BACK ROOM, COOLER, FREEZER)	SEE DETAIL 7/A601 FOR COLOR BREAK
CRTB	CART BUMPER	BY CONTRACTOR	CONCRETE RUBBED FINISH	SEE DETAIL D1/S301
CR-RL	CART RAIL	BY CONTRACTOR	GALVANIZED	SEE PROJECT MANUAL - SECTION 055000
KP	KICK PLATE	BY CONTRACTOR	STAINLESS STEEL	SEE PROJECT MANUAL - SECTION 087100
SSBR	STAINLESS STEEL BUMPER RAIL	BY CONTRACTOR	LAFOLLETTE CO STAINLESS STEEL	SEE PROJECT MANUAL - SECTION 055000
STB	STEEL TUBE BUMPER RAIL MOUNTED	BY CONTRACTOR	PT-3 / CL-6; SEMI-GLOSS	SEE PROJECT MANUAL - SECTION 055000

BOLLARD SCHEDULE:				
MAT. KEY	KEY DESCRIPTION	MANUFACTURER	DESCRIPTION - COLOR	REMARK
BLRD-1	NOT USED			
BLRD-2	10" Ø BOLLARD	BY CONTRACTOR	3" STEEL PIPE FILLED W/ GROUT - PT-9 / CL-4; SEMI-GLOSS	@ LOADING DOCK - SEE STRUCTURAL DWG.
BLRD-3	3" Ø BOLLARD	BY CONTRACTOR	316 STAINLESS STEEL PIPE POST	@ CART CORRAL - CENTER WITHIN ROWS. ATTACH OWNER PROVIDED STARTER CHAINS FOR CART SYSTEM - COORD LAYOUT WITH ALDI CONSTRUCTION REPRESENTATIVE; SEE PROJECT MANUAL - SECTION 055000
BLRD-4	6" Ø STEEL PIPE BOLLARD W/ COVER	McCUE	316 STAINLESS STEEL POST COVER BRUSHED FINISH	FOR ORDERING, CONTACT JOHN ROMANO OF MCCUE CORP. 574-532-0221 / ROMKTG@AOL.COM

EQUIPMENT AND ACCESSORY SCHEDULE:				
MAT. KEY	KEY DESCRIPTION	MANUFACTURER	DESCRIPTION - COLOR	REMARK
AC-X	TOILET ROOM ACC.	BY CONTRACTOR		SEE PROJECT MANUAL - SECTION 102800
MDU	MULTI-DECK UNITS W/ INTEGRAL FASCIA	HUSSMANN		BY OWNER
TR-1	TRASH RECEPTACLE	DAWN ENTERPRISES	MODEL # RP405-ALDI - FACTORY FINISH	FOR ORDERING, CONTACT SARAH ANDERSON OF DAWN ENTERPRISES VIA PHONE: 800-262-3296 x118 OR EMAIL: sarah@godawn.com
R-1	REFRIGERATOR	GE		OWNER SUPPLIED CONTRACTOR INSTALLED
DW-1	DISHWASHER	GE		OWNER SUPPLIED CONTRACTOR INSTALLED
MW-1	MICROWAVE OVEN	GE		OWNER SUPPLIED CONTRACTOR INSTALLED
TV-1	TELEVISION	VIZIO	D32hn-E4	CONTRACTOR TO PROVIDE, INCLUDING SOLID WOOD BLOCKING AND COMPATIBLE FIXED MOUNTING BRACKET

CG-A SCHEDULE (U.N.O.):		
TYPE	SIZE	REMARKS
INSIDE CORNERS	1" x 1" x 1/16" x 80" LENGTHS	INSTALL AT LPB ONLY. OWNER FURNISHED CONTRACTOR INSTALLED
OUTSIDE CORNERS	2" x 2" x 1/16" x 80" LENGTHS	INSTALL AT LPB ONLY. OWNER FURNISHED CONTRACTOR INSTALLED
J CHANNEL	3/4" x 96" LENGTHS	INSTALLED AT ALL LPB EDGES. LONG LEG ON THE BACK SIDE OF LPB AND SHORT LEG LEFT EXPOSED. OWNER FURNISHED CONTRACTOR INSTALLED
ANGLE	FRY REGLET JDM-50	INSTALLED AT BOTTOM OF GYP. BD. ABOVE COOLER AND FREEZER DOORS. CONTRACTOR PROVIDED

INTERIOR MITL. STUD SCHEDULE (U.N.O.):		
HEIGHT OF STUD	GAUGE	SPACING (IN. O.C.)
<15'-0"	20	16
15'-0" - 20'-0"	18	16
>20'-0"	16	16

STUD DEPTH INDICATED ON DRAWINGS
STRUCTURAL DRAWINGS & PROJECT SPECIFIC LIGHT GAUGE SHOP DRAWINGS SUPERSEDE THIS TABLE
THIS TABLE IS FOR GENERAL REFERENCE ONLY. STUD MANUFACTURER'S SPAN TABLES SHOULD SUPERSEDE THIS TABLE BASED ON STUD DESIGNATION SELECTED AND SPAN REQUIREMENTS.

THERMAL INSULATION SCHEDULE				
LOCATION	MIN. R VALUE	INSULATION TYPE	DESIGN STANDARD	REMARKS
UNDER SLABS	30	TYPE IV EXTRUDED-POLYSTYRENE BOARD INSULATION		PROVIDE UNDER FREEZER SLAB
PERIMETER WALL INSULATION (SUPPORTING BACKFILL)	10	EXTRUDED POLYSTYRENE FOAM BOARD INSULATION	DOW STYROFOAM CAVITYMATE	PROVIDE AT FOUNDATION PERIMETER AS SHOWN ON DRAWINGS
CONTINUOUS WALL INSULATION	10.1	FOIL-FACED POLYISOCYANURATE BOARD INSULATION	DOW THERMAX (CI) EXTERIOR INSULATION	PROVIDE AT EXTERIOR STUD FACE OF EXTERIOR PERIMETER WALLS AS SHOWN ON DRAWINGS
CONCEALED BUILDING INSULATION	14.8 3.7"/INCH	OPEN-CELL SPRAY POLYURETHANE FOAM	ICYNENE CLASSIC (LD-C-50)	PROVIDE AT PERIMETER WALL STUDS AS SHOWN ON DRAWINGS - THERMAL BARRIER OF EITHER FULL HEIGHT 1/2" GYP. BD. OR INTUMESCENT COATING REQUIRED; SEE SPECIFICATIONS; GC TO PROVIDE BASED ON COST ANALYSIS
METAL STUDS & GYP BD PARTITIONS	N/A	SOUND ATTENUATION BLANKETS		PROVIDE PER ROOM FINISH SCHEDULE
CONCEALED SPACES	3.7"/INCH	OPEN-CELL SPRAY POLYURETHANE FOAM	ICYNENE CLASSIC (LD-C-50)	CLOSE-CELL FOAM CORE FIBER-REINFORCED ORGANIC FELT FACERS
ROOF INSULATION				