

① ROUTE CASE CONDENSATE DRAINS FROM NEW CASES TO EXISTING FLOOR DRAINS AND SPILL OVER SAME WITH AIR GAP. SIMILAR TO PSD-1.

- KEYNOTES:
- ① 8" PVC HUB AT 12" A.F.G. FOR CONNECTION OF DOWNSPOUT.
 - ② REFER TO CIVIL SHEET C1.2 FOR CONTINUATION.
 - ③ 2" HUB DRAIN WITH DRY SEAL TRAP FOR HVAC CONDENSATE.
 - ④ 2" CONDENSATE DRAIN IN WALL TO BELOW SLAB. OFFSET TO CONNECT TO HOUSE SIDE OF TRAP.


ALL NEW VIR'S SHALL BE MINIMUM 3". REFER TO GENERAL NOTE 24 FOR ADDITIONAL INFORMATION ON P.1.

PIPING IN THE PRODUCE AND MEAT PREP AREAS TO BE RUN IN THE WARM SPACE OUTSIDE OF THE INSULATED PANELS AND STUBBED THROUGH THE WALLS FOR CONNECTION TO SINKS, ETC.

SK#/PSD# NOTE: SK# REFERS TO THE PLUMBING FIXTURE CALLOUT AS NOTED IN PLUMBING FIXTURE SCHEDULE ON SHEET P.1. PSD# REFERS TO INSTALLATION DETAILS OF THE FIXTURE AS NOTED ON SHEETS P.5.1 AND P.5.2.

ALL PREP AREAS VISIBLE TO CUSTOMERS ARE TO HAVE UTILITIES RUNS (E.G. CONDUITS, PIPES) CONCEALED INSIDE THE NEAREST WALL UP TO THEIR CONNECTION POINT. NO EXTERIOR MOUNTED RUNS ARE ACCEPTABLE (E.G. ANSEL CONNECTIONS).

REMOVE, RELOCATE OR MODIFY ALL UTILITIES ABOVE CEILINGS BEING DEMOLISHED. THIS INCLUDES (BUT IS NOT LIMITED TO) HVAC DUCTS; ELECTRICAL AND LOW VOLTAGE WIRING AND CONDUITS; REFRIGERATION; SPRINKLER, WASTE, VENT, AND WATER PIPING.



01 PARTIAL WASTE AND VENT PLAN WEST
SCALE: 3/32" = 1'-0"

KEY PLAN
SCALE: NOT TO SCALE

Kroger
KROGER
STORE #473
2013 UNIVERSITY AVENUE
OXFORD, MISSISSIPPI 38655
A DEVELOPMENT OF THE KROGER COMPANY

naos
Naos Design Group Of Mississippi, PLLC.
MARC BREETZ, ARCHITECT
645 Lakeland East Drive Suite 101
Flowood, Mississippi 39232
(p) 303.759.5777
(f) 720.360.4281
ARCHITECT OF RECORD

CDS
COMMERCIAL DESIGN SYSTEMS, INC.
13825 SW GALBREATH DRIVE
SHERWOOD, OREGON 97140
503.855.7000 (p)503.825.8902
INTERIOR DECOR

Pickering Firm, Inc.
Architecture - Engineering
Planning - Surveying
6775 Lenox Center Court, Suite 300
Memphis, TN 38115
901.726.8810
ENGINEER OF RECORD:
STRUCTURAL
MECHANICAL
ELECTRICAL
CIVIL ENGINEER

V-SOFT
INFRASTRUCTURE
11280 CHESTER ROAD
CINCINNATI, OH 45246
T: 513-950-3810
LOW VOLTAGE

telgian
TELGIAN CORPORATION
10230 SOUTH 50TH PLACE
SUITE 100
PHOENIX, AZ 85044
T: (602) 836-4426
HTTP://WWW.TELGIAN.COM
FIRE PROTECTION

ISSUE LOG

NO.	REV.	DESCRIPTION	DATE
1	-	PERMIT SET	12/06/18
2	-	BID SET	03/21/19

JOB: 2018041 SCALE: AS SHOWN
SHEET NO.

P1.1.1
PARTIAL WASTE AND VENT PLAN WEST

Copyright © 2018 Naos Design Group of Mississippi, PLLC. THESE DRAWINGS OR PARTS THEREOF MAY NOT BE REPRODUCED, COPIED, EITHER WHOLLY OR IN PART, OR FOR ANY PURPOSE, WITHOUT PRIOR WRITTEN CONSENT FROM NAOS.