

THE KROGER COMPANY
V-473



KROGER
STORE #473

2013 UNIVERSITY
AVENUE
OXFORD, MISSISSIPPI
38655

A DEVELOPMENT OF
THE KROGER COMPANY



Naos Design
Group Of
Mississippi,
PLLC.

MARC BREETZ,
ARCHITECT

645 Lakeland East Drive
Suite 101
Flowood, Mississippi 39232
(p) 303.759.5777
(f) 720.360.4281

ARCHITECT OF RECORD



CDS
COMMERCIAL DESIGN SYSTEMS,
INC.
13825 SW GALBREATH DRIVE
SHERWOOD, OREGON 97140
503.855.7000 / (503.855.8902

INTERIOR DECOR



Pickering Firm, Inc.
Architecture - Engineering
Planning - Surveying
8775 Lenox Center Court, Suite 300
Memphis, TN 38115
901.728.8818

ENGINEER OF RECORD:
STRUCTURAL
MECHANICAL
ELECTRICAL
CIVIL ENGINEER



1840 CHESTER ROAD
CINCINNATI, OH 45216
T: 513-699-3099

LOW VOLTAGE



TELGIAN CORPORATION
10220 SOUTH 50TH PLACE
SUITE 100
PHOENIX, AZ 85044
T: (877) 835-4428
HTTP://WWW.TELGIAN.COM
FIRE PROTECTION

ISSUE LOG

NO.	REV	DESCRIPTION	DATE
1	-	PERMIT SET	12/06/18
2	-	BID SET	03/21/19

JOB: 2018041 SCALE: NO SCALE

SHEET NO.

COVER SHEET

T0.0

COPYRIGHT © 2018 NAOS DESIGN GROUP OF MISSISSIPPI, PLLC. THESE DRAWINGS OR PARTS THEREOF ARE NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, WITHOUT PRIOR WRITTEN CONSENT FROM NAOS.

DRAWING INDEX

T0.0	COVER SHEET
T0.1	FIXTURE PLAN
T1.1	PROPOSED CABLE ROUTING & ZONE COVERAGE
T1.2	LOSS PREVENTION CAMERA LAYOUT
T1.3	OVERALL STORE JACK LOCATIONS
T1.3.1	ER-E (EQUIPMENT ROOM) JACK LOCATIONS
T1.3.2	TR-P (PHARMACY) JACK LOCATIONS
T1.3.3	TR-B (BACK ROOM) JACK LOCATIONS
T1.3.4	TR-M (MEAT) JACK LOCATIONS
T1.4	TR-F FUEL CENTER LAYOUT
T1.5	OVERALL STORE PAGING
T1.6.1	OVERALL STORE AP LOCATIONS
T1.6.2	AP MOUNTING DETAIL 1
T1.6.3	AP MOUNTING DETAIL 2
T4.1	ER-E BUILD OUT
T4.2	TR-P (PHARMACY) BUILD OUT
T4.3	TR-B (BACK ROOM) BUILD OUT
T4.4	TR-M (MEAT) BUILD OUT
T5.1	TELECOMMUNICATION LABELING & FIRE STOP DETAIL
T6.1	TELECOMMUNICATION BACKBONE SCHEMATIC
T6.2	TELECOMMUNICATION CABLE SCHEDULE

PATHWAYS AND SPACES

- PROPOSED FIBER OPTIC BACKBONE ROUTING
- PROPOSED RISER COPPER BACKBONE ROUTING
- PROPOSED CABLE TRAY ROUTING

ER-E & TR ZONE COVERAGE

- ER-E ZONE AREA
- TR-P (PHARMACY) ZONE AREA
- TR-B (BACK ROOM) ZONE AREA
- TR-M (MEAT) ZONE AREA

TELECOMMUNICATIONS SYMBOLS

WORK AREA LOCATIONS

- ONE (1) CATEGORY 5E, 4-PAIR, UTP CABLE MOUNTED AT 48" A.F.F. UNLESS OTHERWISE NOTED
- ONE (1) CATEGORY 5E, 4-PAIR, UTP CABLE MOUNTED AS REQUIRED
- TWO (2) CATEGORY 5E, 4-PAIR, UTP CABLES MOUNTED AS REQUIRED
- THREE (3) CATEGORY 5E, 4-PAIR, UTP CABLES MOUNTED AS REQUIRED
- FOUR (4) CATEGORY 5E, 4-PAIR, UTP CABLES MOUNTED AS REQUIRED
- FIVE (5) CATEGORY 5E, 4-PAIR, UTP CABLES MOUNTED AS REQUIRED
- SIX (6) CATEGORY 5E, 4-PAIR, UTP CABLES MOUNTED AS REQUIRED
- TWO (2) CATEGORY 5E, 4-PAIR, UTP CABLES FOR QUE VISION MONITORS AND THIN CLIENT. (TO BE INSTALLED AND MAINTAINED BY OTHERS)
- ONE (1) CATEGORY 6, 4-PAIR, UTP CABLE TERMINATED IN A SINGLE PORT BISCUIT MOUNTED AT CEILING HEIGHT WITH A 20-FOOT SERVICE LOOP FOR ZAP MOUNTING W=WIRELESS AP AT LOCATION Z=ZAP AT LOCATION #=AP SEQUENCE NUMBERING (GA/SA IS FOR KROGER USE ONLY)
- ONE (1) CATEGORY 6, 4-PAIR, UTP CABLE MOUNTED AS REQUIRED FOR A FREEZER WIRELESS ACCESS POINT. SEE DETAIL ON SHEET T1.6.3
- Z=(1) CATEGORY 6, 4-PAIR MOUNTED IN A SINGLE PORT BISCUIT IN A 8"x8"x4" BOX INSIDE THE FREEZER/PREP AREA.
- Z#=(2) CATEGORY 6, 4-PAIR MOUNTED IN A 2-PORT BISCUIT IN A 8"x8"x4" BOX INSIDE THE FREEZER/PREP AREA. SEE DETAIL ON SHEET T1.6.3
- ONE (1) CATEGORY 6, 4-PAIR, UTP CABLE MOUNTED AS REQUIRED FOR AN OUTSIDE WIRELESS ACCESS POINT. SEE DETAIL ON SHEET T1.6.3
- ONE (1) CATEGORY 5E, 4-PAIR, UTP CABLE MOUNTED AS REQUIRED FOR FIXED CAMERA DEVICE. (25-FT SERVICE LOOP REQUIRED AT DEVICE LOCATION)
- ONE (1) CATEGORY 5E, 4-PAIR, UTP CABLE MOUNTED AS REQUIRED FOR PAN, TILT, ZOOM CAMERA DEVICE. (25-FT SERVICE LOOP REQUIRED AT DEVICE LOCATION)
- ONE (1) CATEGORY 5E, 4-PAIR, UTP CABLE MOUNTED AS REQUIRED FOR COVERT CAMERA LOCATION DEVICE. (30-FT SERVICE LOOP REQUIRED AT DEVICE LOCATION)
- PUBLIC VIEW MONITOR - 1 COAX (LESS THAN 500' = RG6, GREATER THAN 500' = RG11) INSTALLED TO DVR LOCATION (ECR OR SECURITY OFFICE).

PAGING

- OPEN BEAM SPEAKER SET/TAPPED TO 1 WATT
- CEILING SPEAKER SET/TAPPED TO 1 WATT
- CSD 2X2 SET TO 1 WATT
- AT10A
- MD8TSL TAPPED TO 1 WATT
- SPT15A SET TO TAP #3 (3.8 WATTS)

Order Plans @

www.idonline.com