

1 **OPTION #1**
ENLARGED KIOSK PLAN
SCALE: 3/8" = 1'-0"


- REQUIRED MINIMUM OF (2) FREE-STANDING, DOUBLE-SIDED KIOSKS, PER APPROVED BKC KIOSK IMPLEMENTATION GUIDE.

GENERAL NOTES:

- A. GC SHALL VERIFY WITH INSTALLER ANY STRUCTURAL REQUIREMENTS.
- B. GC SHALL COORDINATE WITH LOW VOLTAGE AND ELECTRICAL SUB-CONTRACTORS KIOSK REQUIREMENTS AS OUTLINED IN MANUFACTURER'S INSTRUCTIONS AND BKC IMPLEMENTATION GUIDE.

KEYED NOTES:

1. REQUIRED MINIMUM TWO SIDED, FREE-STANDING KIOSK AS PER BKC. REFER TO IMPLEMENTATION GUIDE. REFER TO DETAILS ON THIS SHEET FOR ELECTRICAL/DATA DETAILS.
2. REQUIRED MINIMUM SINGLE SIDED, FREE-STANDING KIOSK AS PER BKC. REFER TO IMPLEMENTATION GUIDE. REFER TO DETAILS ON THIS SHEET FOR ELECTRICAL/DATA DETAILS.
3. OPTIONAL ADDITIONAL FREE-STANDING KIOSK AS PER BKC. REFER TO IMPLEMENTATION GUIDE. REFER TO DETAILS ON THIS SHEET FOR ELECTRICAL/DATA DETAILS.
4. NOT USED.
5. PROVIDE (1) 2#10 WITH GROUND IN 1/2" FLEX CONDUIT OVERHEAD TO EACH KIOSK, TO TIE INTO EXISTING. PROVIDE 3/4" ROMEX TERMINATION. HARD WIRE AS PER MANUFACTURER'S INSTRUCTIONS.
6. POS LOCATION AS PER DATA AND ELECTRICAL SHEET.
7. SERVICE COUNTER AND FINISHES AS SCHEDULED.
8. SEATING AS PER BKC APPROVED DECOR PACKAGE.
9. APPROVED 24-PORT VLAN DATA SWITCH TO BE MOUNTED RIGID OUT OF WAY TO TRUSS STRUCTURE ABOVE. PROVIDE (2) RJ45/CAT6 RUNS TO BACK OFFICE. REFER TO IMPLEMENTATION GUIDE.
10. PROVIDE (2) RL-45/CAT6 CABLES WITH 568-B WIRE PER KIOSK SCREEN AND CONNECT TO VLAN SWITCH. REFER TO IMPLEMENTATION GUIDE.
11. SCREEN WALL AS SCHEDULED, REFER TO ID-SHEETS.



2 **OPTION #2**
ENLARGED KIOSK PLAN
SCALE: 3/8" = 1'-0"

- REQUIRED MINIMUM OF (2) FREE-STANDING, ONE SIDED KIOSKS, PER APPROVED BKC KIOSK IMPLEMENTATION GUIDE.
- OPTION #2 EXTRA SINGLE SIDED KIOSK REFER TO APPROVED BKC KIOSK IMPLEMENTATION GUIDE.


Order Plans @ WWW.LDILine.com



PREMIER KINGS, INC.
5529 CAMMACHAEL ROAD
MONTGOMERY, ALABAMA 36117
PHONE: 205.269.1111
WWW.BKALABAMA.COM

2126 Montic Avenue
Birmingham, AL 35203
Phone: (205) 329-1751
Fax: (205) 329-1751
www.hpluhba.com

James M. Huckestein
architect, AIA
architecture • planning • interior design



04/11/19

