

- TYPICAL ALL SECTIONS:**
1. PROVIDE R-20 MINIMUM INSULATION OR AS REQUIRED BY CODE FROM FLOOR TO ROOF DECK IN ALL EXTERIOR WALLS.
 2. PROVIDE GYPSUM WALL BOARD SUBSTRATE FROM FLOOR TO ROOF DECK AT ALL WALLS WITH EXPOSED ROOF TRUSSES.
 3. REFER TO INTERIOR DECOR SCHEDULE FOR ALL INTERIOR FINISHES.
 4. REFER TO EXTERIOR DECOR SCHEDULE FOR ALL EXTERIOR FINISHES.

1 DINING ROOM SIDE WALL
SCALE: 3/4" = 1'-0"

2 MAIN ENTRANCE WALL
SCALE: 3/4" = 1'-0"

3 MAIN ENTRANCE TOWER
SCALE: 3/4" = 1'-0"

4 MAIN ENTRANCE
SCALE: 3/4" = 1'-0"

Order Plans @

WWW.IDIline.com


NO.	DATE	REVISION
04.11.19		RELEASED FOR CONSTRUCTION

DRAWN BY: MRW
 CHECKED BY: ENH, MRW
 DATE: 04.11.19
 PROJECT: BURGER KING RESTAURANT

PREMIER KINGS, INC.
 5529 CARMICHAEL ROAD
 MONTGOMERY, ALABAMA 36117
 PHONE: (205) 833-1111
 FAX: (205) 833-1112
 WWW.PKIBUILDING.COM

2126 Morris Avenue
 Birmingham, AL 35203
 Phone: (205) 329-1751
 Fax: (205) 329-1752
 www.jamesm.huckestein.com

James M. Huckestein
 architect, AIA
 architecture • planning • interior design



PROJECT: #18026.24
 RDC-60 TALL 20/20 IMAGE: NOVEMBER 2018 DESIGN RELEASE
BURGER KING RESTAURANT
 NEAR CORNER OF HWY 82 & JACKSON ST.
 MAHANTA, GA

WALL SECTIONS AND DETAILS
A-7